

BoostLine

CONNECTING RODS

2020 NEW PRODUCTS



BUILT FOR BOOST!

BUILT FOR BOOST!

BoostLine connecting rods are designed from the ground up for high-power forced induction and nitrous applications. A patented, 3-pocket design, forged from premium 4340 steel, maximizes strength while minimizing rotating weight. This revolutionary design dramatically improves the rod's big-end stability under tensile loads and provides a 60% improvement in bending strength and 20% stress reduction in tension compared to H-beam designs. All of these benefits make BoostLine rods ideal for high-cylinder pressure engine combinations.

FEATURES:

- Purpose-built for boost
- Forged from ultra-strong 4340 steel
- Patented three-pocket design
- Industry-leading ARP 2000 fasteners
(Available in 625+ for sport compact and European applications)
- Detailed inspection report included



JUSTIN BURCHAM

Owner JPC Racing
6.999 at 197.36 mph

"Producing over 2,000+ hp, I know I can always depend on BoostLine components to put my Coyote in the winner's circle."

BMW

BMW S54B32

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
BM5472-827	BMW S54B32 139mm - BoostLine	139.0mm	21mm	20.000	19.900	53.008	3/8"	BT61501-S	595
BM5472-827S	BMW S54B32 139mm - BoostLine Single	139.0mm	21mm	20.000	19.900	53.008	3/8"	BT61501-S	595
BM5472-827+	BMW S54B32 139mm ARP 625+ - BoostLine	139.0mm	21mm	20.000	19.900	53.008	3/8"	BT61501-625	595
BM5472-827S+	BMW S54B32 139mm ARP 625+ - BoostLine Single	139.0mm	21mm	20.000	19.900	53.008	3/8"	BT61501-625	595

BMW N54B30

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
BM5708-866	BMW N54B30 145mm - BoostLine	145.0mm	22mm	20.880	20.880	53.607	3/8"	BT61501-S	
BM5708-866S	BMW N54B30 145mm - BoostLine Single	145.0mm	22mm	20.880	20.880	53.607	3/8"	BT61501-S	
BM5708-866+	BMW N54B30 145mm ARP 625+ - BoostLine	145.0mm	22mm	20.880	20.880	53.607	3/8"	BT61501-625	
BM5708-866S+	BMW N54B30 145mm ARP 625+ - BoostLine Single	145.0mm	22mm	20.880	20.880	53.607	3/8"	BT61501-625	

CADILLAC

CADILLAC LTG

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
CA6004-945	Cadillac LTG 152.5mm - BoostLine	152.5mm	0.945	24.380	26.500	52.125	3/8"	BT61601-S	
CA6004-945S	Cadillac LTG 152.5mm - BoostLine Single	152.5mm	0.945	24.380	26.500	52.125	3/8"	BT61601-S	
CA6004-945+	Cadillac LTG 152.5mm ARP 625+ - BoostLine	152.5mm	0.945	24.380	26.500	52.125	3/8"	BT61601-625	
CA6004-945S+	Cadillac LTG 152.5mm ARP 625+ - BoostLine Single	152.5mm	0.945	24.380	26.500	52.125	3/8"	BT61601-625	

CHEVROLET

CHEVY LS / GEN V LT1

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
LS6125-927	Chevy LS / Gen V LT1 6.125" - BoostLine	6.125	0.927	1.010	0.940	2.225	7/16"	BT71401-2S	695
LS6125-927S	Chevy LS / Gen V LT1 6.125" - BoostLine Single	6.125	0.927	1.010	0.940	2.225	7/16"	BT71401-2S	695

* Stroker applications 4.100" and above may require additional block clearance

CHEVY SMALL BLOCK

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
SC5700-927	Chevy SB 5.700" Stroker - BoostLine	5.700	0.927	1.010	0.940	2.225	7/16"	BT71401-2S	
SC5700-927S	Chevy SB 5.700" Stroker - BoostLine Single	5.700	0.927	1.010	0.940	2.225	7/16"	BT71401-2S	
SC5850-927	Chevy SB 5.850" Stroker - BoostLine	5.850	0.927	1.010	0.940	2.225	7/16"	BT71401-2S	679
SC5850-927S	Chevy SB 5.850" Stroker - BoostLine Single	5.850	0.927	1.010	0.940	2.225	7/16"	BT71401-2S	679
SC6000-927	Chevy SB 6.000" Stroker - BoostLine	6.000	0.927	1.010	0.940	2.225	7/16"	BT71401-2S	685
SC6000-927S	Chevy SB 6.000" Stroker - BoostLine Single	6.000	0.927	1.010	0.940	2.225	7/16"	BT71401-2S	685
SC6125-927	Chevy SB 6.125" Stroker - BoostLine	6.000	0.927	1.010	0.940	2.225	7/16"	BT71401-2S	
SC6125-927S	Chevy SB 6.125" Stroker - BoostLine Single	6.000	0.927	1.010	0.940	2.225	7/16"	BT71401-2S	

* Stroker applications 4.000" and above may require additional block clearance

CHEVY BIG BLOCK

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
BC6135-990	Chevy BB 6.135" - BoostLine	6.135	0.990	1.062	0.992	2.325	7/16"	BT71601-S	
BC6135-990S	Chevy BB 6.135" - BoostLine Single	6.135	0.990	1.062	0.992	2.325	7/16"	BT71601-S	
BC6385-990	Chevy BB 6.385" - BoostLine	6.385	0.990	1.062	0.992	2.325	7/16"	BT71601-S	776
BC6385-990S	Chevy BB 6.385" - BoostLine Single	6.385	0.990	1.062	0.992	2.325	7/16"	BT71601-S	776
BC6700-990	Chevy BB 6.700" - BoostLine	6.700	0.990	1.062	0.992	2.325	7/16"	BT71601-S	
BC6700-990S	Chevy BB 6.700" - BoostLine Single	6.700	0.990	1.062	0.992	2.325	7/16"	BT71601-S	

CHRYSLER DODGE SRT4

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
CH5945-866	Dodge SRT4 151mm - BoostLine	151.0mm	22mm	25.000	25.730	53.000	3/8"	BT61501-S	
CH5945-866S	Dodge SRT4 151mm - BoostLine Single	151.0mm	22mm	25.000	25.730	53.000	3/8"	BT61501-S	
CH5945-866+	Dodge SRT4 151mm ARP 625+ - BoostLine	151.0mm	22mm	25.000	25.730	53.000	3/8"	BT61501-625	
CH5945-866S+	Dodge SRT4 151mm ARP 625+ - BoostLine Single	151.0mm	22mm	25.000	25.730	53.000	3/8"	BT61501-625	

CHRYSLER CONTINUED

DODGE HELLCAT 6.2L / DEMON 6.2L / APACHE 6.4L

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
CH6125-927	Dodge Gen 3 6.125" Stroker - BoostLine	6.125	0.927	0.900	0.933	2.225	7/16"	BT71601-S	
CH6125-927S	Dodge Gen 3 6.125" Stroker - BoostLine Single	6.125	0.927	0.900	0.933	2.225	7/16"	BT71601-S	
CH6200-927	Dodge Gen 3 6.200" - BoostLine	6.200	0.927	0.900	0.933	2.252	7/16"	BT71601-S	
CH6200-927S	Dodge Gen 3 6.200" - BoostLine Single	6.200	0.927	0.900	0.933	2.252	7/16"	BT71601-S	

FORD

SMALL BLOCK FORD

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
FD5400-927	Ford SB 5.400" - BoostLine	5.400	0.927	1.000	0.831	2.225	7/16"	BT71401-2S	
FD5400-927S	Ford SB 5.400" - BoostLine Single	5.400	0.927	1.000	0.831	2.225	7/16"	BT71401-2S	
FD6125-927	Ford SB 6.125" - BoostLine	6.125	0.927	1.000	0.940	2.225	7/16"	BT71401-2S	
FD6125-927S	Ford SB 6.125" - BoostLine Single	6.125	0.927	1.000	0.940	2.225	7/16"	BT71401-2S	
FD6200-927	Ford SB 6.200" - BoostLine	6.200	0.927	1.000	0.940	2.225	7/16"	BT71401-2S	
FD6200-927S	Ford SB 6.200" - BoostLine Single	6.200	0.927	1.000	0.940	2.225	7/16"	BT71401-2S	

FORD ECOBOOST 2.3

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
FD5866-886	Ford EcoBoost 2.3L 149mm - BoostLine	149.2mm	22.5mm	21.820	21.820	55.028	3/8"	BT61601-S	626
FD5866-886S	Ford EcoBoost 2.3L 149mm - BoostLine Single	149.2mm	22.5mm	21.820	21.820	55.028	3/8"	BT61601-S	626
FD5866-886+	Ford EcoBoost 2.3L 149mm ARP 625+ - BoostLine	149.2mm	22.5mm	21.820	21.820	55.028	3/8"	BT61601-625	626
FD5866-886S+	Ford EcoBoost 2.3L 149mm ARP 625+ - BoostLine Single	149.2mm	22.5mm	21.820	21.820	55.028	3/8"	BT61601-625	626

FORD ECOBOOST 3.5L V6 GEN 1&2 / 3.7L V6

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
FD6012-905	Ford EcoBoost 3.5/3.7 VT 152.75mm - BoostLine	152.75	23mm	22.000	21.670	59.881	7/16"	BT71601-S	
FD6012-905S	Ford EcoBoost 3.5/3.7 VT 152.75mm - BoostLine Single	152.75	23mm	22.000	21.670	59.881	7/16"	BT71601-S	

FORD MODULAR / COYOTE

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
FD5933-866	Ford Modular 4.6L & Coyote 5.933" - BoostLine	5.933	0.866	0.965	0.940	2.239	7/16"	BT71601-S	702
FD5933-866S	Ford Modular 4.6L & Coyote 5.933" - BoostLine Single	5.933	0.866	0.965	0.940	2.239	7/16"	BT71601-S	702

HONDA

HONDA B SERIES

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
HN5394-827	Honda B18A/B20 137mm - BoostLine	137.0mm	21mm	21.000	23.770	48.011	3/8"	BT61501-S	
HN5394-827S	Honda B18A/B20 137mm - BoostLine Single	137.0mm	21mm	21.000	23.770	48.011	3/8"	BT61501-S	
HN5394-827+	Honda B18A/B20 137mm ARP 625+ - BoostLine	137.0mm	21mm	21.000	23.770	48.011	3/8"	BT61501-625	
HN5394-827S+	Honda B18A/B20 137mm ARP 625+ - BoostLine Single	137.0mm	21mm	21.000	23.770	48.011	3/8"	BT61501-625	
HN5433-827	Honda B18C 138mm - BoostLine	138.0mm	21mm	22.860	21.720	48.011	3/8"	BT61501-S	588
HN5433-827S	Honda B18C 138mm - BoostLine Single	138.0mm	21mm	22.860	21.720	48.011	3/8"	BT61501-S	588
HN5433-827+	Honda B18C 138mm ARP 625+ - BoostLine	138.0mm	21mm	22.860	21.720	48.011	3/8"	BT61501-625	588
HN5433-827S+	Honda B18C 138mm ARP 625+ - BoostLine Single	138.0mm	21mm	22.860	21.720	48.011	3/8"	BT61501-625	588

HONDA K20C

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
HN5658-866	Honda K20C 143.66mm - BoostLine	143.66mm	22mm	20.000	19.860	51.014	3/8"	BT61501-S	
HN5658-866S	Honda K20C 143.66mm - BoostLine Single	143.66mm	22mm	20.000	19.860	51.014	3/8"	BT61501-S	
HN5658-866+	Honda K20C 143.66mm ARP 625+ - BoostLine	143.66mm	22mm	20.000	19.860	51.014	3/8"	BT61501-625	
HN5658-866S+	Honda K20C 143.66mm ARP 625+ - BoostLine Single	143.66mm	22mm	20.000	19.860	51.014	3/8"	BT61501-625	

May require additional block clearance

HONDA K20 & K24 SERIES

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
HN5472-866	Honda K20A 139mm - BoostLine	139.0mm	22mm	19.860	19.860	51.014	3/8"	BT61501-S	
HN5472-866S	Honda K20A 139mm - BoostLine Single	139.0mm	22mm	19.860	19.860	51.014	3/8"	BT61501-S	
HN5472-866+	Honda K20A 139mm ARP 625+ - BoostLine	139.0mm	22mm	19.860	19.860	51.014	3/8"	BT61501-625	
HN5472-866S+	Honda K20A 139mm ARP 625+ - BoostLine Single	139.0mm	22mm	19.860	19.860	51.014	3/8"	BT61501-625	
HN5984-866	Honda K24 152mm - BoostLine	152.0mm	22mm	19.860	19.860	51.014	3/8"	BT61601-S	623
HN5984-866S	Honda K24 152mm - BoostLine Single	152.0mm	22mm	19.860	19.860	51.014	3/8"	BT61601-S	623
HN5984-866+	Honda K24 152mm ARP 625+ - BoostLine	152.0mm	22mm	19.860	19.860	51.014	3/8"	BT61601-625	623
HN5984-866S+	Honda K24 152mm ARP 625+ - BoostLine Single	152.0mm	22mm	19.860	19.860	51.014	3/8"	BT61601-625	623

Block clearing required.

MITSUBISHI

MITSUBISHI 4G63 - 7 BOLT

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
MI5906-866	Mitsu 4G63 7 Bolt 150mm - BoostLine	150.0mm	22mm	22.860	26.370	48.009	3/8"	BT61501-S	657
MI5906-866S	Mitsu 4G63 7 Bolt 150mm - BoostLine Single	150.0mm	22mm	22.860	26.370	48.009	3/8"	BT61501-S	657
MI5906-866+	Mitsu 4G63 7 Bolt 150mm ARP 625+ - BoostLine	150.0mm	22mm	22.860	26.370	48.009	3/8"	BT61501-625	657
MI5906-866S+	Mitsu 4G63 7 Bolt 150mm ARP 625+ - BoostLine Single	150.0mm	22mm	22.860	26.370	48.009	3/8"	BT61501-625	657

Block clearancing required above 94mm stroke.

MITSUBISHI 4B11T

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
MI5657-905	Mitsubishi Evo X 4B11T 143.7mm - BoostLine	143.7mm	23mm	19.860	21.870	55.005	3/8"	BT61601-S	
MI5657-905S	Mitsubishi Evo X 4B11T 143.7mm - BoostLine Single	143.7mm	23mm	19.860	21.870	55.055	3/8"	BT61601-S	
MI5657-905+	Mitsubishi Evo X 4B11T 143.7mm ARP 625+- BoostLine	143.7mm	23mm	19.860	21.870	55.005	3/8"	BT61601-625	
MI5657-905S+	Mitsubishi Evo X 4B11T 143.7mm ARP 625+- BoostLine Single	143.7mm	23mm	19.860	21.870	55.055	3/8"	BT61601-625	

NISSAN

NISSAN RB26

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
NI4783-827	Nissan RB26 121.5mm - BoostLine	121.5mm	21mm	21.770	21.770	51.006	3/8"	BT61601-S	573
NI4783-827S	Nissan RB26 121.5mm - BoostLine Single	121.5mm	21mm	21.770	21.770	51.006	3/8"	BT61601-S	573
NI4783-827+	Nissan RB26 121.5mm ARP 625+ - BoostLine	121.5mm	21mm	21.770	21.770	51.006	3/8"	BT61601-625	573
NI4783-827S+	Nissan RB26 121.5mm ARP 625+ - BoostLine Single	121.5mm	21mm	21.770	21.770	51.006	3/8"	BT61601-625	573

NISSAN SR20

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
NI5364-866	Nissan SR20 136.25mm - BoostLine	136.25mm	22mm	22.730	22.730	51.007	3/8"	BT61501-S	611
NI5364-866S	Nissan SR20 136.25mm - BoostLine Single	136.25mm	22mm	22.730	22.730	51.007	3/8"	BT61501-S	611
NI5364-866+	Nissan SR20 136.25mm ARP 625+ - BoostLine	136.25mm	22mm	22.730	22.730	51.007	3/8"	BT61501-625	611
NI5364-866S+	Nissan SR20 136.25mm ARP 625+ - BoostLine Single	136.25mm	22mm	22.730	22.730	51.007	3/8"	BT61501-625	611

NISSAN TB48DE

NISSAN CONTINUED

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
NI6437-905	Nissan TB48DE 163.5mm - BoostLine	163.47mm	23mm	23.000	32.770	60.000	12mm	BT81800-S	
NI6437-905S	Nissan TB48DE 163.5mm - BoostLine Single	163.47mm	23mm	23.000	32.770	60.000	12mm	BT81800-S	

NISSAN VR38DETT

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
NI6496-905	Nissan VR38DETT 165mm - BoostLine	165.00mm	23mm	22.800	22.800	59.007	3/8"	BT61601-S	703
NI6496-905S	Nissan VR38DETT 165mm - BoostLine Single	165.00mm	23mm	22.800	22.800	59.007	3/8"	BT61601-S	703
NI6496-905+	Nissan VR38DETT 165mm ARP 625+ - BoostLine	165.00mm	23mm	22.800	22.800	59.007	3/8"	BT61601-625	703
NI6496-905S+	Nissan VR38DETT 165mm ARP 625+ - BoostLine Single	165.00mm	23mm	22.800	22.800	59.007	3/8"	BT61601-625	703

NISSAN VQ35DE

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
NI5677-866	Nissan VQ35DE 144.25mm - BoostLine	144.20mm	22mm	21mm	20.780	55.000	3/8"	BT61501-S	
NI5677-866S	Nissan VQ35DE 144.25mm - BoostLine Single	144.20mm	22mm	21mm	20.780	55.000	3/8"	BT61501-S	
NI5677-866+	Nissan VQ35DE 144.25mm ARP 625+ - BoostLine	144.20mm	22mm	21mm	20.780	55.000	3/8"	BT61501-625	
NI5677-866S+	Nissan VQ35DE 144.25mm ARP 625+ - BoostLine Single	144.20mm	22mm	21mm	20.780	55.000	3/8"	BT61501-625	

SUBARU

SUBARU EJ SERIES

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
SB5137-905	Subaru EJ20/EJ25 Turbo 130.5mm - BoostLine	130.5mm	23mm	21.390	21.390	55.010	3/8"	BT61501-S	608
SB5137-905S	Subaru EJ20/EJ25 Turbo 130.5mm - BoostLine Single	130.5mm	23mm	21.390	21.390	55.010	3/8"	BT61501-S	608
SB5137-905+	Subaru EJ20/EJ25 Turbo 130.5mm ARP 625+ - BoostLine	130.5mm	23mm	21.390	21.390	55.010	3/8"	BT61501-625	608
SB5137-905S+	Subaru EJ20/EJ25 Turbo 130.5mm ARP 625+ - BoostLine Single	130.5mm	23mm	21.390	21.390	55.010	3/8"	BT61501-625	608

Block clearancing required above 81 mm stroke.

SUBARU FA20/FA20DIT

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
SB5090-866	Subaru FA20/FA20DIT 129.3mm - BoostLine	129.3mm	22mm	21.410	21.410	53.012	3/8"	BT61601-S	
SB5090-866S	Subaru FA20/FA20DIT 129.3mm - BoostLine Single	129.3mm	22mm	21.410	21.410	53.012	3/8"	BT61601-S	
SB5090-866+	Subaru FA20/FA20DIT 129.3mm ARP 625+ - BoostLine	129.3mm	22mm	21.410	21.410	53.012	3/8"	BT61601-625	
SB5090-866S+	Subaru FA20/FA20DIT 129.3mm ARP 625+ - BoostLine Single	129.3mm	22mm	21.410	21.410	53.012	3/8"	BT61601-625	

TOYOTA

TOYOTA 2JZ-GE / 2JZ-GTE

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
TY5591-866	Toyota 2JZ 142mm - BoostLine	142.0mm	22 mm	25.400	25.880	55.033	3/8"	BT61601-S	662
TY5591-866S	Toyota 2JZ 142mm - BoostLine Single	142.0mm	22 mm	25.400	25.880	55.033	3/8"	BT61601-S	662
TY5591-866+	Toyota 2JZ 142mm ARP 625+ - BoostLine	142.0mm	22 mm	25.400	25.880	55.033	3/8"	BT61601-625	662
TY5591-866S+	Toyota 2JZ 142mm ARP 625+ - BoostLine Single	142.0mm	22 mm	25.400	25.880	55.033	3/8"	BT61601-625	662

Block clearancing required above 94mm stroke.

TOYOTA 4UGSE

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
SB5090-866	Toyota 4UGSE 129.3mm - BoostLine	129.3mm	22mm	21.410	21.410	53.012	3/8"	BT61601-S	
SB5090-866S	Toyota 4UGSE 129.3mm - BoostLine Single	129.3mm	22mm	21.410	21.410	53.012	3/8"	BT61601-S	
SB5090-866+	Toyota 4UGSE 129.3mm ARP 625+ - BoostLine	129.3mm	22mm	21.410	21.410	53.012	3/8"	BT61601-625	
SB5090-866S+	Toyota 4UGSE 129.3mm ARP 625+ - BoostLine Single	129.3mm	22mm	21.410	21.410	53.012	3/8"	BT61601-625	

VW

VW 1.8T 20V / 2.0T FSI 20mm PIN

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
VW5669-787	VW 1.8T 144mm - BoostLine	144.0mm	20mm	24.940	24.940	50.610	3/8"	BT61501-S	636
VW5669-787S	VW 1.8T 144mm - BoostLine Single	144.0mm	20mm	24.940	24.940	50.610	3/8"	BT61501-S	636
VW5669-787+	VW 1.8T 144mm ARP 625+ - BoostLine	144.0mm	20mm	24.940	24.940	50.610	3/8"	BT61501-625	636
VW5669-787S+	VW 1.8T 144mm ARP 625+ - BoostLine Single	144.0mm	20mm	24.940	24.940	50.610	3/8"	BT61501-625	636

VW / AUDI 5CYL AAN, 3B, ABY, ADU 20mm PIN

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
VW5670-787	Audi 5 Cyl 144mm - BoostLine	144.0mm	20mm	24.940	24.940	50.610	3/8"	BT61501-S	636
VW5670-787S	Audi 5 Cyl 144mm - BoostLine Single	144.0mm	20mm	24.940	24.940	50.610	3/8"	BT61501-S	636
VW5670-787+	Audi 5 Cyl 144mm ARP 625+ - BoostLine	144.0mm	20mm	24.940	24.940	50.610	3/8"	BT61501-625	636
VW5670-787S+	Audi 5 Cyl 144mm ARP 625+ - BoostLine Single	144.0mm	20mm	24.940	24.940	50.610	3/8"	BT61501-625	636

VW 2.0T TSI 21mm PIN

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
VW5669-827	VW 2.0T TSI 144mm 21mm - BoostLine	144.0mm	21mm	22.000	21.890	50.610	3/8"	BT61501-S	
VW5669-827S	VW 2.0T TSI 144mm 21mm - BoostLine Single	144.0mm	21mm	22.000	21.890	50.610	3/8"	BT61501-S	
VW5669-827+	VW 2.0T TSI 144mm 21mm ARP 625+ - BoostLine	144.0mm	21mm	22.000	21.890	50.610	3/8"	BT61501-625	
VW5669-827S+	VW 2.0T TSI 144mm 21mm ARP 625+ - BoostLine Single	144.0mm	21mm	22.000	21.890	50.610	3/8"	BT61501-625	

VW 2.0T TSI 22mm PIN

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
VW5669-866	VW 2.0T TSI 144mm 22mm - BoostLine	144.0mm	22mm	22.000	21.890	50.610	3/8"	BT61501-S	
VW5669-866S	VW 2.0T TSI 144mm 22mm - BoostLine Single	144.0mm	22mm	22.000	21.890	50.610	3/8"	BT61501-S	
VW5669-866+	VW 2.0T TSI 144mm 22mm ARP 625+ - BoostLine	144.0mm	22mm	22.000	21.890	50.610	3/8"	BT61501-625	
VW5669-866S+	VW 2.0T TSI 144mm 22mm ARP 625+ - BoostLine Single	144.0mm	22mm	22.000	21.890	50.610	3/8"	BT61501-625	

TTRS 5 Cyl 144mm 22mm

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
VW5670-866	TTRS 5 Cyl 144mm 22mm - BoostLine	144.0mm	22mm	22.000	21.890	50.610	3/8"	BT61501-S	
VW5670-866S	TTRS 5 Cyl 144mm 22mm - BoostLine Single	144.0mm	22mm	22.000	21.890	50.610	3/8"	BT61501-S	
VW5670-866+	TTRS 5 Cyl 144mm 22mm ARP 625+ - BoostLine	144.0mm	22mm	22.000	21.890	50.610	3/8"	BT61501-625	
VW5670-866S+	TTRS 5 Cyl 144mm 22mm ARP 625+ - BoostLine Single	144.0mm	22mm	22.000	21.890	50.610	3/8"	BT61501-625	

VW 2.0T TSI 23mm PIN

PART NUMBER	DESCRIPTION	LENGTH	PIN DIA.	PE WIDTH	BE WIDTH	HOUSING BORE	BOLT SIZE	BOLT P/N	GRAM WEIGHT
VW5669-905	VW 2.0T TSI 144mm 23mm - BoostLine	144.0mm	23mm	22.000	21.890	50.610	3/8"	BT61501-S	
VW5669-905S	VW 2.0T TSI 144mm 23mm - BoostLine Single	144.0mm	23mm	22.000	21.890	50.610	3/8"	BT61501-S	
VW5669-905+	VW 2.0T TSI 144mm 23mm ARP 625+ - BoostLine	144.0mm	23mm	22.000	21.890	50.610	3/8"	BT61501-625	
VW5669-905S+	VW 2.0T TSI 144mm 23mm ARP 625+ - BoostLine Single	144.0mm	23mm	22.000	21.890	50.610	3/8"	BT61501-625	



MICHAEL ESSA

2013 Formula Drift Champion
1250hp BMW S54 6-Cylinder

“BoostLine rods check all the boxes,
extremely strong, light weight, and
affordable.”



BoostLineProducts.com

Sales@BoostLineProducts.com

1-833-256-7600

7201 Industrial Park Blvd.
Mentor, OH 44060-5396