



**ROADRUNNER**  
*performance*  
***High Performance Hose & Fittings***

---

# PRODUCT CATALOG

---

[www.roadrunnerperformance.com](http://www.roadrunnerperformance.com)

# TABLE OF CONTENTS

Stainless Steel, Liteweight, Push-On & PTFE Hose .....	1
Full Flow Swivel Hose Fittings .....	2
Push-On Hose Fittings .....	3
PTFE Hose Fittings .....	4
Flare to Pipe Adapters .....	4-5
Flare to Flare Adapters .....	6-7
Male Pipe & Male AN Thread Hose Ends.....	7
Bulkhead Adapters .....	8
Flare to Metric Adapters.....	8
Flare to O-Ring Adapters .....	9
Specialty Adapters .....	9-10
Quick Connect Adapters.....	11
Carburetor Adapters .....	12
Male Pipe to Barb Adapters .....	13
Hard Line Adapters .....	13
Accessories .....	14-15
Signs & Packaging .....	16
Tools.....	17

---

**Order Entry Email: [sales@roadrunnerperformance.com](mailto:sales@roadrunnerperformance.com) • Order Entry Fax: 509.262.9500**

Mailing Address: P.O. Box 28070, Spokane, WA 99228-8070  
Phone: 509.262.9165 • Email: [sales@roadrunnerperformance.com](mailto:sales@roadrunnerperformance.com)

**[WWW.ROADRUNNERPERFORMANCE.COM](http://WWW.ROADRUNNERPERFORMANCE.COM)**

# HOSES



PART NO	AN	(IN)	I.D. (MM)	(IN)	O.D. (MM)	OPERATING PRESS	BURST PRESS
SS04	-4	7/32	5.4	7/16	11.2	1000 PSI	6000 PSI
SS06	-6	11/32	8.7	9/16	14.2	1000 PSI	6000 PSI
SS08	-8	7/16	11.1	11/16	17.1	1000 PSI	5000 PSI
SS10	-10	9/16	14.2	53/64	20.8	1000 PSI	5000 PSI
SS12	-12	11/16	17.4	31/32	24.4	1000 PSI	3750 PSI
SS16	-16	7/8	22.2	13/64	30.5	750 PSI	2500 PSI
SS20	-20	1 1/8	28.5	1 13/32	35.81	500 PSI	2000 PSI

## STAINLESS STEEL BRAIDED HOSE

Temperature range: -40° C to +150° C

- Available in Stainless and Black. Add BK to end of the hose part number to order in all black.
- Constructed with a reinforced Chlorinated Polyethylene (CPE) synthetic rubber liner with a nylon inner braid.
- Stainless steel outer braid resists abrasion and corrosion.
- For use with fuel systems (like E85), methanol, oils, lubricants, coolant systems and vacuum applications.
- SS Hose is sold in 25 & 50 ft lengths. SS16, SS16BK & SS20, SS20BK are cut to custom lengths.



PART NO	AN	(IN)	I.D. (MM)	(IN)	O.D. (MM)	OPERATING PRESS	BURST PRESS
LW04	-4	7/32	5.4	7/16	11.2	500 PSI	2000 PSI
LW06	-6	11/32	8.7	9/16	14.2	500 PSI	2000 PSI
LW08	-8	7/16	11.1	11/16	17.1	500 PSI	2000 PSI
LW10	-10	9/16	14.2	53/64	20.8	500 PSI	2000 PSI
LW12	-12	11/16	17.4	31/32	24.4	350 PSI	1400 PSI
LW16	-16	7/8	22.2	13/64	30.5	350 PSI	1400 PSI
LW20	-20	1 1/8	28.5	1 13/32	35.8	350 PSI	1400 PSI

## NYLON BRAIDED LITEWEIGHT HOSE

Temperature range: -40° C to +150° C

- Available in Black with Blue Threading or solid Black. For all black, add BK to end of hose part number.
- Constructed with a braided nylon outer shield for abrasion resistance and a flexible stainless steel inner core for superior strength embedded in the Chlorinated Polyethylene (CPE) synthetic rubber liner.
- For use with all fuels and fuel systems, including E85, E10, methanol, oils, lubricants and coolant systems.
- LW Hose is sold in 25 & 50 ft lengths. LW16, LW16BK & LW20, LW20BK are cut to custom lengths.



PART NO	AN	(IN)	I.D. (MM)	(IN)	O.D. (MM)	MAXIMUM OPERATING PRESSURE
PL04	-4	.25	6.35	.47	11.94	250 PSI
PL06	-6	.38	9.65	.63	16	250 PSI
PL08	-8	.5	12.7	.75	19.05	250 PSI
PL10	-10	.63	16	.94	23.88	250 PSI
PL12	-12	.75	19.05	1.0	25.4	250 PSI

## PUSH-LOCK HOSE

Temperature range: -40° C to +100° C

- Available in Blue & Black. Add BK to end of the hose part number to order all black. Designed for use with push on hose fittings.
- Constructed with a high temperature Chlorinated Polyethylene (CPE) synthetic rubber.
- For use with coolants, oil, air, methanol, and fuel systems, such as E85, E10, lubricants.
- Where temperature exceeds to 158°F, the use of a clamp is recommended.
- Push-Lock Hose is sold in 25 & 50 ft lengths.



PART NO	AN	(IN)	I.D. (MM)	(IN)	O.D. (MM)	OPERATING PRESS	BURST PRESS
TF03	-3	9/64	3.56	1/4	6.35	4000 PSI	12000 PSI
TF04	-4	3/16	4.83	5/16	8	4000 PSI	12000 PSI
TF06	-6	21/64	8.13	27/64	10.92	3000 PSI	10000 PSI
TF08	-8	27/64	10.67	35/64	13.72	2500 PSI	8000 PSI
TF10	-10	33/64	12.95	5/8	16	2000 PSI	6000 PSI

## PTFE HOSE

Temperature range: -35° C to +250° C

- Available in Stainless Steel outer cover OR black PVC cover for excellent abrasion resistance. Add BK to end of hose part number for black.
- Constructed with a PTFE inner liner with 308 stainless steel braid that resists leaks and fumes.
- Recommended for brake, E85, alcohol, nitro, transmission, clutch, nitrous, power steering, oiling, hydraulics and vacuum applications.
- PTFE Hose is sold in 25 & 50 ft lengths.

# FULL FLOW SWIVEL HOSE FITTINGS

Add color to end of part number: Red/Blue (RB); Cutting Edge (CE); Nickel Polished (NP); Titanium Black (TiB); Black (BK)

## STRAIGHT

PART NO.	AN SIZE
AN04-04FJ**	-4
AN06-06FJ**	-6
AN08-08FJ**	-8
AN10-10FJ**	-10
AN12-12FJ**	-12
AN16-16FJ**	-16
AN20-20FJ**	-20



## 45 DEGREE

PART NO.	AN SIZE
AN04-04FJ45**	-4
AN06-06FJ45**	-6
AN08-08FJ45**	-8
AN10-10FJ45**	-10
AN12-12FJ45**	-12
AN16-16FJ45**	-16
AN20-20FJ45**	-20



## 90 DEGREE

PART NO.	AN SIZE
AN04-04FJ90**	-4
AN06-06FJ90**	-6
AN08-08FJ90**	-8
AN10-10FJ90**	-10
AN12-12FJ90**	-12
AN16-16FJ90**	-16
AN20-20FJ90**	-20



## 120 DEGREE

PART NO.	AN SIZE
AN04-04FJ120**	-4
AN06-06FJ120**	-6
AN08-08FJ120**	-8
AN10-10FJ120**	-10
AN12-12FJ120**	-12
AN16-16FJ120**	-16
AN20-20FJ120**	-20



## 150 DEGREE

PART NO.	AN SIZE
AN04-04FJ150**	-4
AN06-06FJ150**	-6
AN08-08FJ150**	-8
AN10-10FJ150**	-10
AN12-12FJ150**	-12
AN16-16FJ150**	-16
AN20-20FJ150**	-20



## 180 DEGREE

PART NO.	AN SIZE
AN04-04FJ180**	-4
AN06-06FJ180**	-6
AN08-08FJ180**	-8
AN10-10FJ180**	-10
AN12-12FJ180**	-12
AN16-16FJ180**	-16
AN20-20FJ180**	-20



# ANODIZED PUSH-ON HOSE FITTINGS

Add color to end of part number: Red/Blue (RB); Cutting Edge (CE); Nickel Polished (NP); Titanium Black (TiB); Black (BK)

## STRAIGHT

PART NO.	AN SIZE
PL04-04FJ**	-4
PL06-06FJ**	-6
PL08-08FJ**	-8
PL10-10FJ**	-10
PL12-12FJ**	-12



## 45 DEGREE

PART NO.	AN SIZE
PL04-04FJ45**	-4
PL06-06FJ45**	-6
PL08-08FJ45**	-8
PL10-10FJ45**	-10
PL12-12FJ45**	-12



## 90 DEGREE

PART NO.	AN SIZE
PL04-04FJ90**	-4
PL06-06FJ90**	-6
PL08-08FJ90**	-8
PL10-10FJ90**	-10
PL12-12FJ90**	-12



## 120 DEGREE

PART NO.	AN SIZE
PL04-04FJ120**	-4
PL06-06FJ120**	-6
PL08-08FJ120**	-8
PL10-10FJ120**	-10
PL12-12FJ120**	-12



## 150 DEGREE

PART NO.	AN SIZE
PL04-04FJ150**	-4
PL06-06FJ150**	-6
PL08-08FJ150**	-8
PL10-10FJ150**	-10
PL12-12FJ150**	-12



## 180 DEGREE

PART NO.	AN SIZE
PL04-04FJ180**	-4
PL06-06FJ180**	-6
PL08-08FJ180**	-8
PL10-10FJ180**	-10
PL12-12FJ180**	-12



# ANODIZED PTFE HOSE FITTINGS

Available in 3 colors. Add color to end of part number: Red/Blue (RB); Cutting Edge (CE); Black (BK)

## STRAIGHT

PART NO.	AN SIZE
TF03-03FJ**	-3
TF04-04FJ**	-4
TF06-06FJ**	-6
TF08-08FJ**	-8
TF10-10FJ**	-10



## 120 DEGREE -Black Only

PART NO.	AN SIZE
TF03-03FJ120BK	-3
TF04-04FJ120BK	-4
TF06-06FJ120BK	-6
TF08-08FJ120BK	-8
TF10-10FJ120BK	-10



## 45 DEGREE

PART NO.	AN SIZE
TF03-03FJ45**	-3
TF04-04FJ45**	-4
TF06-06FJ45**	-6
TF08-08FJ45**	-8
TF10-10FJ45**	-10



## 150 DEGREE -Black Only

PART NO.	AN SIZE
TF03-03FJ150BK	-3
TF04-04FJ150BK	-4
TF06-06FJ150BK	-6
TF08-08FJ150BK	-8
TF10-10FJ150BK	-10



## 90 DEGREE

PART NO.	AN SIZE
TF03-03FJ90**	-3
TF04-04FJ90**	-4
TF06-06FJ90**	-6
TF08-08FJ90**	-8
TF10-10FJ90**	-10



## 180 DEGREE -Black Only

PART NO.	AN SIZE
TF03-03FJ180BK	-3
TF04-04FJ180BK	-4
TF06-06FJ180BK	-6
TF08-08FJ180BK	-8
TF10-10FJ180BK	-10



## REPLACEMENT OLIVE INSERT FOR PTFE FITTINGS

### PART NO.

TF03-OLIVE
TF04-OLIVE
TF06-OLIVE
TF08-OLIVE
TF10-OLIVE



## FLARE TO PIPE ADAPTERS

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.

### FLARE TO PIPE TEE

PART NO.	AN SIZE	PIPE SIZE
AN03-02MPT	-3	1/8" NPT
AN04-02MPT	-4	1/8" NPT
AN06-04MPT	-6	1/4" NPT
AN08-06MPT	-8	3/8" NPT
AN10-08MPT	-10	1/2" NPT
AN12-12MPT	-12	3/4" NPT
AN16-16MPT	-16	1" NPT



### FLARE TO PIPE TEE ON RUN

PART NO.	AN SIZE	PIPE SIZE
AN03-02MPRT	-3	1/8" NPT
AN04-02MPRT	-4	1/8" NPT
AN06-04MPRT	-6	1/4" NPT
AN08-06MPRT	-8	3/8" NPT
AN10-08MPRT	-10	1/2" NPT
AN12-12MPRT	-12	3/4" NPT
AN16-16MPRT	-16	1" NPT



# FLARE TO PIPE ADAPTERS (CONTINUED)

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.

## STRAIGHT

PART NO.	AN SIZE	PIPE SIZE	PART NO.	AN SIZE	PIPE SIZE
AN03-02MP	-3	1/8" NPT	AN08-04MP	-8	1/4" NPT
AN03-04MP	-3	1/4" NPT	AN08-06MP	-8	3/8" NPT
AN04-02MP	-4	1/8" NPT	AN08-08MP	-8	1/2" NPT
AN04-04MP	-4	1/4" NPT	AN08-12MP	-8	3/4" NPT
AN06-02MP	-6	1/8" NPT	AN10-06MP	-10	3/8" NPT
AN06-04MP	-6	1/4" NPT	AN10-08MP	-10	1/2" NPT
AN06-06MP	-6	3/8" NPT	AN10-12MP	-10	3/4" NPT
AN06-08MP	-6	1/2" NPT	AN12-08MP	-12	1/2" NPT
			AN12-12MP	-12	3/4" NPT
			AN12-16MP	-12	1" NPT
			AN16-12MP	-16	3/4" NPT
			AN16-16MP	-16	1" NPT
			AN20-16MP	-20	1" NPT
			AN20-20MP	-20	1 1/4" NPT



## 90 DEGREE

PART NO.	AN SIZE	PIPE SIZE	PART NO.	AN SIZE	PIPE SIZE
AN03-02MP90	-3	1/8" NPT	AN06-06MP90	-6	3/8" NPT
AN04-02MP90	-4	1/8" NPT	AN06-08MP90	-6	1/2" NPT
AN04-04MP90	-4	1/4" NPT	AN08-04MP90	-8	1/4" NPT
AN06-02MP90	-6	1/8" NPT	AN08-06MP90	-8	3/8" NPT
AN06-04MP90	-6	1/4" NPT	AN08-08MP90	-8	1/2" NPT
			AN10-06MP90	-10	3/8" NPT
			AN10-08MP90	-10	1/2" NPT
			AN10-12MP90	-10	3/4" NPT
			AN12-08MP90	-12	1/2" NPT
			AN12-12MP90	-12	3/4" NPT
			AN16-12MP90	-16	3/4" NPT
			AN16-16MP90	-16	1" NPT



## 45 DEGREE

PART NO.	AN SIZE	PIPE SIZE
AN03-02MP45	-3	1/8" NPT
AN04-02MP45	-4	1/8" NPT
AN04-04MP45	-4	1/4" NPT
AN06-02MP45	-6	1/8" NPT
AN06-04MP45	-6	1/4" NPT
AN06-06MP45	-6	3/8" NPT
AN06-08MP45	-6	1/2" NPT
AN08-04MP45	-8	1/4" NPT
AN08-06MP45	-8	3/8" NPT
AN08-08MP45	-8	1/2" NPT
AN10-06MP45	-10	3/8" NPT
AN10-08MP45	-10	1/2" NPT
AN10-12MP45	-10	3/4" NPT
AN12-08MP45	-12	1/2" NPT
AN12-12MP45	-12	3/4" NPT
AN16-12MP45	-16	3/4" NPT
AN16-16MP45	-16	1" NPT



## STRAIGHT AN SWIVEL TO MALE NPT

PART NO.	AN SIZE	PIPE SIZE
ANFJ03-02MP	-3	1/8" NPT
ANFJ04-02MP	-4	1/8" NPT
ANFJ04-04MP	-4	1/4" NPT
ANFJ06-02MP	-6	1/8" NPT
ANFJ06-04MP	-6	1/4" NPT
ANFJ06-06MP	-6	3/8" NPT
ANFJ08-04MP	-8	1/4" NPT
ANFJ08-06MP	-8	3/8" NPT
ANFJ08-08MP	-8	1/2" NPT
ANFJ10-06MP	-10	3/8" NPT
ANFJ10-08MP	-10	1/2" NPT
ANFJ12-08MP	-12	1/2" NPT
ANFJ12-12MP	-12	3/4" NPT



## FEMALE AN TO SWIVEL MALE PIPE

### 90 DEGREE

PART NO.	AN SIZE	PIPE SIZE
ANFJ03-02MPS90	-3	1/8" NPT
ANFJ04-02MPS90	-4	1/8" NPT
ANFJ04-04MPS90	-4	1/4" NPT
ANFJ06-02MPS90	-6	1/8" NPT
ANFJ06-04MPS90	-6	1/4" NPT
ANFJ06-06MPS90	-6	3/8" NPT
ANFJ08-04MPS90	-8	1/4" NPT
ANFJ08-06MPS90	-8	3/8" NPT
ANFJ08-08MPS90	-8	1/2" NPT
ANFJ10-06MPS90	-10	3/8" NPT
ANFJ10-08MPS90	-10	1/2" NPT
ANFJ12-08MPS90	-12	1/2" NPT
ANFJ12-12MPS90	-12	3/4" NPT



## MALE AN TO SWIVEL MALE PIPE

### 90 DEGREE

PART NO.	AN SIZE	PIPE SIZE
ANMJ03-02MPS90	-3	1/8" NPT
ANMJ04-02MPS90	-4	1/8" NPT
ANMJ04-04MPS90	-4	1/4" NPT
ANMJ06-02MPS90	-6	1/8" NPT
ANMJ06-04MPS90	-6	1/4" NPT
ANMJ06-06MPS90	-6	3/8" NPT
ANMJ08-04MPS90	-8	1/4" NPT
ANMJ08-06MPS90	-8	3/8" NPT
ANMJ08-08MPS90	-8	1/2" NPT
ANMJ10-06MPS90	-10	3/8" NPT
ANMJ10-08MPS90	-10	1/2" NPT
ANMJ12-08MPS90	-12	1/2" NPT
ANMJ12-12MPS90	-12	3/4" NPT



# FLARE TO FLARE ADAPTERS

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.

## FEMALE TO FEMALE SWIVEL

45 DEGREE	PART NO.	AN SIZE
	ANFJ-03FJ45	-3
	ANFJ-04FJ45	-4
	ANFJ-06FJ45	-6
	ANFJ-08FJ45	-8
	ANFJ-10FJ45	-10
	ANFJ-12FJ45	-12
ANFJ-16FJ45	-16	



90 DEGREE	PART NO.	AN SIZE
	ANFJ-03FJ90	-3
	ANFJ-04FJ90	-4
	ANFJ-06FJ90	-6
	ANFJ-08FJ90	-8
	ANFJ-10FJ90	-10
	ANFJ-12FJ90	-12
ANFJ-16FJ90	-16	



## FEMALE TO AN MALE

45 DEGREE	PART NO.	AN SIZE
	ANFJ03-03MJ45	-3
	ANFJ04-04MJ45	-4
	ANFJ06-06MJ45	-6
	ANFJ08-08MJ45	-8
	ANFJ10-10MJ45	-10
	ANFJ12-12MJ45	-12
ANFJ16-16MJ45	-16	



90 DEGREE	PART NO.	AN SIZE
	ANFJ03-03MJ90	-3
	ANFJ04-04MJ90	-4
	ANFJ06-06MJ90	-6
	ANFJ08-08MJ90	-8
	ANFJ10-10MJ90	-10
	ANFJ12-12MJ90	-12
ANFJ16-16MJ90	-16	



## ELBOW UNION

45 DEGREE	PART NO.	AN SIZE
	AN03-03AN45	-3
	AN04-04AN45	-4
	AN06-06AN45	-6
	AN08-08AN45	-8
	AN10-10AN45	-10
	AN12-12AN45	-12
AN16-16AN45	-16	



90 DEGREE	PART NO.	AN SIZE
	AN03-03AN90	-3
	AN04-04AN90	-4
	AN06-06AN90	-6
	AN08-08AN90	-8
	AN10-10AN90	-10
	AN12-12AN90	-12
AN16-16AN90	-16	



## MALE TO MALE REDUCER

PART NO.	AN SIZE	AN SIZE	PART NO.	AN SIZE	AN SIZE
AN04-03AN	-4	-3	AN12-06AN	-12	-6
AN05-04AN	-5	-4	AN12-08AN	-12	-8
AN06-04AN	-6	-4	AN12-10AN	-12	-10
AN06-05AN	-6	-5	AN16-10AN	-16	-10
AN08-06AN	-8	-6	AN16-12AN	-16	-12
AN10-06AN	-10	-6	AN20-12AN	-20	-12
AN10-08AN	-10	-8	AN20-16AN	-20	-16



## FLARE UNION ADAPTER

PART NO.	AN SIZE
AN03-03AN	-3
AN04-04AN	-4
AN06-06AN	-6
AN08-08AN	-8
AN10-10AN	-10
AN12-12AN	-12
AN16-16AN	-16



## AN TEE TO FEMALE SWIVEL

PART NO.	AN SIZE
ANFJ03-ANMJT	-3
ANFJ04-ANMJT	-4
ANFJ06-ANMJT	-6
ANFJ08-ANMJT	-8
ANFJ10-ANMJT	-10
ANFJ12-ANMJT	-12



## FLARE TEE

PART NO.	AN SIZE
AN03-03ANT	-3
AN04-04ANT	-4
AN06-06ANT	-6
AN08-08ANT	-8
AN10-10ANT	-10
AN12-12ANT	-12
AN16-16ANT	-16





# FLARE TO FLARE ADAPTERS (CONTINUED)

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.

## AN TEE TO FEMALE SWIVEL ON RUN

PART NO.	AN SIZE
ANFJ03-ANMJRT	-3
ANFJ04-ANMJRT	-4
ANFJ06-ANMJRT	-6
ANFJ08-ANMJRT	-8
ANFJ10-ANMJRT	-10
ANFJ12-ANMJRT	-12



## AN FEMALE TO AN FEMALE WITH TUBE

PART NO.	AN SIZE
ANFJ04-FJ-TUBE	-4
ANFJ06-FJ-TUBE	-6
ANFJ08-FJ-TUBE	-8
ANFJ10-FJ-TUBE	-10
ANFJ12-FJ-TUBE	-12
ANFJ16-FJ-TUBE	-16



45 DEGREE

PART NO.	AN SIZE
ANFJ04-FJ-TUBE45	-4
ANFJ06-FJ-TUBE45	-6
ANFJ08-FJ-TUBE45	-8
ANFJ10-FJ-TUBE45	-10
ANFJ12-FJ-TUBE45	-12
ANFJ16-FJ-TUBE45	-16



90 DEGREE

PART NO.	AN SIZE
ANFJ04-FJ-TUBE90	-4
ANFJ06-FJ-TUBE90	-6
ANFJ08-FJ-TUBE90	-8
ANFJ10-FJ-TUBE90	-10
ANFJ12-FJ-TUBE90	-12
ANFJ16-FJ-TUBE90	-16



# MALE PIPE & MALE AN THREAD HOSE ENDS

Available in Red/Blue and Black. To Order: Red/Blue-add no color; Black-add BK to end of part number.

## SWIVEL MALE PIPE THREAD FORGED

### STRAIGHT


PART NO.	HOSE SIZE	THREAD
AN06-02MS**	-6	1/8" NPT
AN06-04MS**	-6	1/4" NPT
AN06-06MS**	-6	3/8" NPT
AN08-04MS**	-8	1/4" NPT
AN08-06MS**	-8	3/8" NPT



PART NO.	HOSE SIZE	THREAD
AN08-08MS**	-8	1/2" NPT
AN10-06MS**	-10	3/8" NPT
AN10-08MS**	-10	1/2" NPT
AN12-08MS**	-12	1/2" NPT
AN12-12MS**	-12	3/4" NPT

### 45 DEGREE

PART NO.	HOSE SIZE	THREAD
AN06-02MS45**	-6	1/8" NPT
AN06-04MS45**	-6	1/4" NPT
AN06-06MS45**	-6	3/8" NPT
AN08-04MS45**	-8	1/4" NPT
AN08-06MS45**	-8	3/8" NPT



PART NO.	HOSE SIZE	THREAD
AN08-08MS45**	-8	1/2" NPT
AN10-06MS45**	-10	3/8" NPT
AN10-08MS45**	-10	1/2" NPT
AN12-08MS45**	-12	1/2" NPT
AN12-12MS45**	-12	3/4" NPT

### 90 DEGREE

PART NO.	HOSE SIZE	THREAD
AN06-02MS90**	-6	1/8" NPT
AN06-04MS90**	-6	1/4" NPT
AN06-06MS90**	-6	3/8" NPT
AN08-04MS90**	-8	1/4" NPT
AN08-06MS90**	-8	3/8" NPT



PART NO.	HOSE SIZE	THREAD
AN08-08MS90**	-8	1/2" NPT
AN10-06MS90**	-10	3/8" NPT
AN10-08MS90**	-10	1/2" NPT
AN12-08MS90**	-12	1/2" NPT
AN12-12MS90**	-12	3/4" NPT

## SWIVEL MALE AN THREAD

PART NO.	HOSE SIZE	THREAD
AN06-06MJ**	-6	9/16"-18
AN08-08MJ**	-8	3/4"-16



PART NO.	HOSE SIZE	THREAD
AN10-10MJ**	-10	7/8"-14
AN12-12MJ**	-12	1-1/16"-12

# BULKHEAD ADAPTERS

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.

## FLARE BULKHEAD

### STRAIGHT

PART NO.	AN SIZE
AN03-ANBH	-3
AN04-ANBH	-4
AN06-ANBH	-6
AN08-ANBH	-8
AN10-ANBH	-10
AN12-ANBH	-12
AN16-ANBH	-16



### 90 DEGREE

PART NO.	AN SIZE
AN03-ANBH90	-3
AN04-ANBH90	-4
AN06-ANBH90	-6
AN08-ANBH90	-8
AN10-ANBH90	-10
AN12-ANBH90	-12
AN16-ANBH90	-16



### 45 DEGREE

PART NO.	AN SIZE
AN03-ANBH45	-3
AN04-ANBH45	-4
AN06-ANBH45	-6
AN08-ANBH45	-8
AN10-ANBH45	-10
AN12-ANBH45	-12
AN16-ANBH45	-16



### TEE

PART NO.	AN SIZE
AN03-ANBHT	-3
AN04-ANBHT	-4
AN06-ANBHT	-6
AN08-ANBHT	-8
AN10-ANBHT	-10
AN12-ANBHT	-12
AN16-ANBHT	-16




## BULKHEAD TEE ON RUN

TEE	PART NO.	AN SIZE
	AN03-ANBHRT	-3
	AN04-ANBHRT	-4
	AN06-ANBHRT	-6
	AN08-ANBHRT	-8
	AN10-ANBHRT	-10
	AN12-ANBHRT	-12
	AN16-ANBHRT	-16



## BULKHEAD NUT

PART NO.	AN SIZE	THREAD
AN03-BHNUT	-3	3/8"-24
AN04-BHNUT	-4	7/16"-20
AN06-BHNUT	-6	9/16"-18
AN08-BHNUT	-8	3/4"-16
AN10-BHNUT	-10	7/8"-14
AN12-BHNUT	-12	1 1/16"-12
AN16-BHNUT	-16	1 5/16"-12



# FLARE TO METRIC ADAPTER

## FLARE TO METRIC STRAIGHT

PART NO.	AN SIZE	PART NO.	AN SIZE	PART NO.	AN SIZE
AN04-10MMx1.0	-4	AN06-18MMx1.5	-6	AN10-18MMx1.5	-10
AN04-10MMx1.25	-4	AN06-20MMx1.5	-6	AN10-20MMx1.5	-10
AN04-10MMx1.5	-4	AN06-22MMx1.5	-6	AN10-22MMx1.5	-10
AN06-10MMx1.0	-6	AN08-12MMx1.5	-8	AN10-24MMx1.5	-10
AN06-10MMx1.25	-6	AN08-14MMx1.5	-8	AN12-14MMx1.5	-12
AN06-10MMx1.5	-6	AN08-16MMx1.5	-8	AN12-16MMx1.5	-12
AN06-12MMx1.0	-6	AN08-18MMx1.5	-8	AN12-18MMx1.5	-12
AN06-12MMx1.25	-6	AN08-20MMx1.5	-8	AN12-20MMx1.5	-12
AN06-12MMx1.5	-6	AN08-22MMx1.5	-8	AN12-22MMx1.5	-12
AN06-14MMx1.5	-6	AN10-14MMx1.5	-10	AN12-24MMx1.5	-12
AN06-16MMx1.5	-6	AN10-16MMx1.5	-10		



# FLARE TO O-RING

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.

## MALE AN TO SWIVEL MALE O-RING - 90 DEGREE

PART NO.	PART NO.
ANMJ06-7/16"-20OR90	ANMJ10-7/8"-14OR90
ANMJ06-1/2"-20OR90	ANMJ10-1-1/16"-12OR90
ANMJ06-9/16"-18OR90	ANMJ12-7/8"-14OR90
ANMJ06-3/4"-16OR90	ANMJ12-1-1/16"-12OR90
ANMJ06-12MMx1-1/4"OR90	
ANMJ06-12MMx1 1/2"OR90	
ANMJ06-9/16"-24OR90	
ANMJ06-5/8"-18OR90	
ANMJ08-9/16"-18OR90	
ANMJ08-3/4"-16OR90	
ANMJ08-7/8"-14OR90	
ANMJ08-7/8"-20OR90	
ANMJ10-3/4"-16OR90	



## AN TO O-RING

PART NO.	THREAD SIZE
AN04-08OR	3/4"-16
AN06-06OR	9/16"-18
AN06-08OR	3/4"-16
AN08-06OR	9/16"-18
AN08-08OR	3/4"-16
AN08-10OR	7/8"-14
AN10-06OR	9/16"-18
AN10-08OR	3/4"-16
AN10-10OR	7/8"-14
AN10-12OR	1 1/16"-12
AN10-16OR	1 5/16"-12
AN12-08OR	3/4"-16
AN12-10OR	7/8"-14
AN12-12OR	1 1/16"-12
AN16-12OR	1 1/16"-12



# SPECIALTY ADAPTERS

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.

## AN FLARE REDUCER FEMALE/MALE

PART NO.	ORB	AN
ANFJ03-04MJOR	-3	-4
ANFJ03-06MJOR	-3	-6
ANFJ04-03MJOR	-4	-3
ANFJ04-06MJOR	-4	-6
ANFJ04-08MJOR	-4	-8
ANFJ06-03MJOR	-6	-3
ANFJ06-04MJOR	-6	-4
ANFJ06-08MJOR	-6	-8
ANFJ06-10MJOR	-6	-10
ANFJ08-04MJOR	-8	-4
ANFJ08-06MJOR	-8	-6
ANFJ08-10MJOR	-8	-10
ANFJ08-12MJOR	-8	-12
ANFJ10-04MJOR	-10	-4
ANFJ10-06MJOR	-10	-6
ANFJ10-08MJOR	-10	-8
ANFJ10-12MJOR	-10	-12
ANFJ10-16MJOR	-10	-16
ANFJ12-08MJOR	-12	-8
ANFJ12-10MJOR	-12	-10
ANFJ12-16MJOR	-12	-16
ANFJ16-12MJOR	-16	-12




## MALE PIPE COUPLER

PART NO.	NPT SIZE
MP02-02MP	1/8
MP04-04MP	1/4
MP06-06MP	3/8
MP08-08MP	1/2
MP12-12MP	3/4
MP16-16MP	1



## NPT BUSHING REDUCER

PART NO.	NPT (A)	NPT (B)
MP04-02BR	1/8	1/4
MP06-02BR	1/8	3/8
MP06-04BR	1/4	3/8
MP08-02BR	1/8	1/2
MP08-04BR	1/4	1/2
MP08-06BR	3/8	1/2
MP12-04BR	1/4	3/4
MP12-06BR	3/8	3/4
MP12-08BR	1/2	3/4



# SPECIALTY ADAPTERS (CONTINUED)

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.

## AN FLARE PLUG

PART NO.	AN SIZE
AN03-PLUG	-3
AN04-PLUG	-4
AN06-PLUG	-6
AN08-PLUG	-8
AN10-PLUG	-10
AN12-PLUG	-12
AN16-PLUG	-16



## AN FLARE CAP

PART NO.	AN SIZE
AN03-CAP	-3
AN04-CAP	-4
AN06-CAP	-6
AN08-CAP	-8
AN10-CAP	-10
AN12-CAP	-12
AN16-CAP	-16



## OIL COOLER ADAPTER - Available in Black Only

PART NO.	AN SIZE
OILA04-22MX1.5	-4
OILA06-22MX1.5	-6
OILA08-22MX1.5	-8
OILA10-22MX1.5	-10
OILA12-22MX1.5	-12
OILA16-22MX1.5	-16



## FEMALE PIPE COUPLER

PART NO.	PIPE SIZE
FP02-COUP	1/8" NPT
FP04-COUP	1/4" NPT
FP06-COUP	3/8" NPT
FP08-COUP	1/2" NPT
FP12-COUP	3/4" NPT
FP16-COUP	1" NPT



## FEMALE TEE

PART NO.	AN SIZE
FJ03-T	-3
FJ04-T	-4
FJ06-T	-6
FJ08-T	-8
FJ10-T	-10
FJ12-T	-12



## FEMALE PIPE TEE

PART NO.	PIPE SIZE
FP02-T	1/8" NPT
FP04-T	1/4" NPT
FP06-T	3/8" NPT
FP08-T	1/2" NPT
FP12-T	3/4" NPT



## FEMALE AN TO MALE AN W/PORT

PART NO.
ANFJ04-04MJ-P
ANFJ06-06MJ-P
ANFJ08-08MJ-P



## AN TO INVERTED FLARE

PART NO.	THREAD SIZE
AN06-7/16"-24INV	7/16"-24
AN06-1/2"-20INV	1/2"-20
AN06-5/8"-18INV	5/8"-18
AN06-11/16"-18INV	11/16"-18
AN08-1/2"-20INV	1/2"-20
AN08-5/8"-18INV	5/8"-18



## O-RING PLUG

PART NO.
O-RINGPLUG-03
O-RINGPLUG-04
O-RINGPLUG-06
O-RINGPLUG-08
O-RINGPLUG-10
O-RINGPLUG-12
O-RINGPLUG-16



## SOCKET PLUG

PART NO.	NPT SIZE
SOCKETPLUG-01	1/16"
SOCKETPLUG-02	1/8"
SOCKETPLUG-04	1/4"
SOCKETPLUG-06	3/8"
SOCKETPLUG-08	1/2"
SOCKETPLUG-12	3/4"
SOCKETPLUG-16	1"




# QUICK CONNECT ADAPTERS

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.


## AN TO MALE

PART NO.	AN SIZE	DESCRIPTION
AN06-5/16"-MQC	-6	5/16
AN06-3/8"-MQC	-6	3/8
AN08-3/8"-MQC	-8	3/8



## AN TO MALE 90 DEGREE

PART NO.	AN SIZE	DESCRIPTION
AN06-5/16"-MQC90	-6	5/16
AN06-3/8"-MQC90	-6	3/8
AN08-3/8"-MQC90	-8	3/8



## AN TO FEMALE

PART NO.	AN SIZE	DESCRIPTION
AN06-5/16"-FQC	-6	5/16
AN06-3/8"-FQC	-6	3/8
AN08-3/8"-FQC	-8	3/8



## AN TO FEMALE 90 DEGREE

PART NO.	AN SIZE	DESCRIPTION
AN06-5/16"-FQC90	-6	5/16
AN06-3/8"-FQC90	-6	3/8
AN08-3/8"-FQC90	-8	3/8



## AN TO FEMALE W/AL FEMALE INSERT - 90 DEGREE

Double-locking seal (allows more pressure)

PART NO.	AN SIZE	DESCRIPTION
AN06-5/16"-FQCFI90	-6	5/16
AN06-3/8"-FQCFI90	-6	3/8
AN08-3/8"-FQCFI90	-8	3/8



## AN TO FEMALE W/AL FEMALE INSERT - STRAIGHT

PART NO.	AN SIZE	DESCRIPTION
AN06-5/16"-FQCFI	-6	5/16
AN06-3/8"-FQCFI	-6	3/8
AN08-3/8"-FQCFI	-8	3/8



## FEMALE PLASTIC INSERT

PART NO.	DESCRIPTION
FPI-5/16"	PLASTIC INSERT
FPI-3/8"	PLASTIC INSERT



# CARBURETOR ADAPTERS

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.

## 20 THREAD

### 6 AN MALE TO 5/8

PART NO.
AN06-5/8-20



### 6 AN MALE TO 1

PART NO.
AN06-1-20



### 6 AN MALE TO 7/8 & 8 AN MALE TO 7/8 (Regular and Long)

PART NO.
AN06-7/8-20
AN08-7/8-20
AN06-7/8-20L
AN08-7/8-20L



### POWER STEERING/FUEL INJ O-RING

PART NO.
AN06-14mmx1.5OR
AN06-16mmx1.5OR
AN06-18mmx1.5OR



### 6 AN MALE TO 9/16 - 24 THREAD

PART NO.
AN06-9/16-24



### FUEL INJ. O-RING ADAPTER

PART NO.
AN06-14mmx1.5FOR
AN06-16mmx1.5FOR



PART NO.
AN06-9/16-24L



### AN TO 7/8-20 EXTENSIONS (Short & Long)

PART NO.
AN06-7/8-20extS
AN06-7/8-20extL
AN08-7/8-20extS
AN08-7/8-20extL



### CARBURETOR KITS

PART NO.
DFK-600RB
DFK-800RB



# MALE PIPE TO BARB ADAPTERS

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.

## PIPE TO BARB

### STRAIGHT

PART NO.	PIPE SIZE	HOSE SIZE
MP02-04BARB	1/8" NPT	-4
MP04-06BARB	1/4" NPT	-6
MP06-08BARB	3/8" NPT	-8
MP08-10BARB	1/2" NPT	-10
MP12-12BARB	3/4" NPT	-12



### 45 DEGREE

PART NO.	PIPE SIZE	HOSE SIZE
MP02-04BARB45	1/8" NPT	-4
MP04-06BARB45	1/4" NPT	-6
MP06-08BARB45	3/8" NPT	-8
MP08-10BARB45	1/2" NPT	-10
MP12-12BARB45	3/4" NPT	-12



### 90 DEGREE

PART NO.	PIPE SIZE	HOSE SIZE
MP02-04BARB90	1/8" NPT	-4
MP04-06BARB90	1/4" NPT	-6
MP06-08BARB90	3/8" NPT	-8
MP08-10BARB90	1/2" NPT	-10
MP12-12BARB90	3/4" NPT	-12



# HARD LINE ADAPTERS

## TUBE NUT

PART NO.	TUBE
AN03-TNUT	3/16"
AN04-TNUT	1/4"
AN06-TNUT	3/8"
AN08-TNUT	1/2"
AN10-TNUT	5/8"
AN12-TNUT	3/4"



## TUBE SLEEVE

PART NO.	TUBE
AN03-TSLV	3/16"
AN04-TSLV	1/4"
AN06-TSLV	3/8"
AN08-TSLV	1/2"
AN10-TSLV	5/8"
AN12-TSLV	3/4"



## FEMALE AN TO TUBE

PART NO.
ANFJ06-5/16TUBE
ANFJ06-3/8TUBE
ANFJ08-1/2TUBE



## MALE AN TO TUBE

PART NO.
AN06-5/16TUBE
AN06-3/8TUBE
AN08-1/2TUBE



## REPLACEMENT OLIVE INSERT FOR TUBE FITTINGS

PART NO.
AN06-OLIVE-05
AN06-OLIVE-06
AN08-OLIVE-08



# ACCESSORIES

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.


## FUEL

### FUEL FILTER

PART NO.	DESCRIPTION
FF-06	-6 MALE JIC ON BOTH ENDS
FF-08	-8 MALE JIC ON BOTH ENDS

Fuel Filters include FF-ELMT30 (30-micron bronze element)


Available Colors: Blue (BL); Red (RD);  
Nickel Polished (NP);Black (BK)



### FUEL BLOCK


PART NO.	PIPE SIZE
FB-6-6	3/8 IN 3/8 OUT
FB-8-6	1/2 IN 3/8 OUT
FB-8-8	1/2 IN 1/2 OUT

Available Colors: Blue (BL); Red (RD);  
Nickel Polished (NP); Black (BK)



### Y-ADAPTERS

PART NO.	A	B
Y-ADAPTER06-04	-6	-4
Y-ADAPTER06-06	-6	-6
Y-ADAPTER08-06	-8	-6
Y-ADAPTER08-08	-8	-8
Y-ADAPTER10-08	-10	-8
Y-ADAPTER10-10	-10	-10
Y-ADAPTER12-10	-10	-10
Y-ADAPTER12-12	-12	-12



### FUEL CELL - Available in Black Only

PART NO.	TUBE SIZE
FUELCELL-06BK	-6
FUELCELL-08BK	-8
FUELCELL-10BK	-10
FUELCELL-12BK	-12



### BRONZE ELEMENT

PART NO.
FF-ELMT30
FF-ELMT150





# ACCESSORIES (CONTINUED)

Available in Blue and Black. To Order: Blue-add no color; Black-add BK to end of part number.

## HOSE ACCESSORIES

### HOSE SEPARATORS

PART NO.	SIZE
HS-03	1/4"
HS-04	7/16"
HS-05	1/2"
HS-06	17/32"
HS-07	9/16"
HS-08	5/8"
HS-10	3/4"
HS-12	7/8"



Available Colors: Blue (BL); Red (RD);  
Nickel Polished (NP); Black (BK)

### HOSE FINISHERS

PART NO.	SIZE	I.D.
HF-04	-4	1/2"
HF-06	-6	5/8"
HF-08	-8	11/16"
HF-10	-10	7/8"
HF-12	-12	1"
HF-16	-16	1 3/16"
HF-24	-24	1 11/16"



Available Colors: Blue (BL); Red (RD);  
Nickel Polished (NP); Black (BK)

### GAUGE ADAPTERS

PART NO.
GA-RD
GA-BL
GA-NP



Available Colors:  
Blue (BL);  
Red (RD);  
Nickel Polished (NP)


### TANK WELDS

#### MALE

PART NO.	AN SIZE
TWM-04	-4
TWM-06	-6
TWM-08	-8
TWM-10	-10
TWM-12	-12
TWM-16	-16
TWM-20	-20

#### FEMALE

PART NO.	THREAD
TWF-02	1/8" NPT
TWF-04	1/4" NPT
TWF-06	3/8" NPT
TWF-08	1/2" NPT
TWF-12	3/4" NPT



## ASSORTMENTS

### ALUMINUM WASHERS

PART NO.
ALUM-WASH-ASST

Set includes  
10 each of:  
-3, -4, -6, -8,  
-10, -12, -16



### O-RINGS

PART NO.
O-RING-ASST

Set includes  
10 each of:  
-3, -4, -6, -8,  
-10, -12, -16



# SIGNS & PACKAGING

## ROADRUNNER SIGN

30" X 10"

**PART NO.**

RRSIGN-1

CORRUGATED PLASTIC  
WITH VELCRO FASTENERS



## AUTOMOTIVE DECAL

24.25" X 5.5"

9.5" X 3"

**PART NO.**

RRDECAL-1

**PART NO.**

RRDECAL-2



## WINDOW DECAL

16" X 5"

**PART NO.**

WD-1



## CLAMSHELL RECLOSABLE PACKAGING

NO.	Overall Size	Cavity Size
CS-A	2.8" X 4"	1.4" X 2.4"
CS-B	3.9" X 5.8"	2.5" X 3.1"
CS-C	4.7" X 6.25"	3.7" X 4.1"
CS-D	8" X 8"	4.6" X 7"

**ALL SIZES ARE SHOWN  
ON DISPLAY BOARD**



# TOOLS

## AN ADJUSTABLE WRENCH -Black Only

**Exclusive  
Roadrunner Performance  
Design**



7-1/2" adjustable wrench opens to accept hexes through size 16. This wrench is precision-machined. It does not loosen up and slip. For installation, not assembly.

**PART NO.**  
WR-ADJBK

## HOSE INSTALLATION KIT



**PART NO.**  
HI-1

Makes inserting wire braided hoses into socket easy. Kit consists of 6 sets of dies to hold hose and 6 sets of dies to hold fitting sockets. Also can be used as a portable vise.

## ALUMINUM VICE JAW

**PART NO.**

VJ-1

VJ-2



The solid one piece billet aluminum Vise Jaws are a must for the professional. Built with super powerful magnet to ensure a safe, secure grip when assembling.



The VJ-2 Plastic Vice Jaw is suggested for assembling larger size AN fittings.

## KOUL TOOL

**PART NO.**

KT1

The Koul Tool installs push-on hose fittings in seconds.



## AN ALLOY WRENCHES

Anodized to the hardest possible specifications, these spanners will last a lifetime. Precision CNC machining ensures a perfect fit on all our fittings. For installation, not assembly.



PART NO.	AN SIZE
WR-04	-4
WR-06	-6
WR-08	-8
WR-10	-10
WR-12	-12
WR-16	-16
WR-SET	Set of 6

Available in Multi-Color (MC) & Black (BK). To order, add color to end of part number.



# *Family* OWNED AND OPERATED



**Order Entry Email: [sales@roadrunnerperformance.com](mailto:sales@roadrunnerperformance.com) • Order Entry Fax: 509.262.9500**

Mailing Address: P.O. Box 28070, Spokane, WA 99228-8070

[sales@roadrunnerperformance.com](mailto:sales@roadrunnerperformance.com)

[www.roadrunnerperformance.com](http://www.roadrunnerperformance.com)



7525 W. Ridgeway | Deer Park, WA 99006 | P: 509.262.9165