

# HARNESSES



@REDBULLRACING

exact

Red Bull

Sabelt

ASTON MARTIN  
Red Bull RACING

Sabelt

TEAM SUPPLIER

FIA 8853-2016

SALOON / RALLY

GOLD

CCG632SRD

NEW



STEEL

CCS632SRDN



SILVER

CCA622SRDLPM



CCS622SRUN



CCA622SRDN1



CCS633SRUN



CCA622SRUN1



CCA633SRUN



FORMULA

GOLD

CCG832FSR



CCG622FSR



SILVER

CCA622FRUN1



STEEL

CCS622FRUN



8854/98

SALOON / RALLY

SILVER

CCA433SRDN



STEEL

CCS433SRDN



CCS433SRUN



ECE

CLUBMAN

CFCC4046 (no ECE)



904020NP



904070NP




904059NP



904005N



904019N



## FIBBIE - BUCKLES



B1

Ingressi lingue facilitati per fissaggio rapido. Alluminio ricavato dal pieno. Tongues entry designed to simplify the driver fastening. Machined from solid aluminium.



B5

Ingressi lingue facilitati per fissaggio rapido. Sgancio rapido con espulsori a molla. Tongues entry designed to simplify the driver fastening. Quick release with spring ejectors



B2

Predisposizione integrata per cosciale di tipo "T". Alluminio. Fibbia brevettata. With integrated crotch belt "T" type attachment. Aluminium. Patented buckle



B6

Sviluppata insieme ai Team Formula1. Fibbia Superleggera in alluminio ricavato dal pieno. Developed with Formula1 Teams. Superlight buckle in machined from solid aluminium.



B3

Per cintura Formula sviluppata in F1. Protezione per leva. Alluminio. For "Formula" safety belt developed in Formula1. Aluminium. Protection for the lever



B4

Per cintura 4 punti. Lingua fissata su ramo addominale dx. Alluminio. Buckle for 4 points safety belt. Dc fixed point. Aluminium



B7

NEW

Specificatamente studiata per applicazioni Endurance. Vincitrice 24h Le Mans 2019. Developed for Endurance applications. 2019 24h Le Mans winner

## REGOLATORI - ADJUSTERS



A9

Regolatore a sgancio rapido per nastro 2" in alluminio ricavato dal pieno. Sviluppato in Formula1. 2" Quick release adjuster machined from solid aluminium



A10

Regolatore a sgancio rapido per nastro 2" in alluminio ricavato dal pieno. Sviluppato per bretella doppia. 2" Quick release adjuster machined from solid aluminium



A1

Regolatore sgancio rapido per nastro 3". Alluminio forgiato e anodizzato. Quick release adjuster for 3" webbing. Forged and anodized aluminium



A2

Regolatore sgancio rapido per nastro 2". Alluminio forgiato e anodizzato. Quick release adjuster for 2" webbing. Forged and anodized aluminium



A13

NEW

Regolatore sgancio rapido 2" in alluminio con guida nastro. Vincitore 24h Le Mans 2019. Aluminium quick adjuster 2" with webbing guide. 2019 24h Le Mans winner



A3

Sgancio rapido con lingua integrata per nastro 2", per vetture GT/Endurance. Acciaio-alluminio. Adjuster integrated to the buckle tongue designed for 2" webbing. Developed for GT/Endurance cars. Steel-aluminium




A4

Regolatore sgancio rapido per nastro 2". Acciaio-alluminio. Adjuster for 2" webbing. Steel-aluminium



A5

Regolatore "America" per nastro 3". Acciaio. "America" adjuster for 3" webbing. Steel



A6

Regolatore "America" per nastro 2". Acciaio. "America" adjuster for 2" webbing. Steel



A14

NEW

Regolatore "Tribar" per nastro 2" in Ergal. Ergal "Tribar" adjuster for 2" webbing. Steel



A7

Regolatore "Tribar" per nastro 3". Acciaio. "Tribar" adjuster for 3" webbing. Steel



A8

Regolatore "Tribar" per nastro 2". Acciaio. "Tribar" adjuster for 2" webbing. Steel



A12

Regolatore in acciaio tipo "Bufflug". "Bufflug" steel adjuster.



A11

Regolatore "Stop" in acciaio per nastro 2". Steel "Stop" adjuster for 2" webbing



A15

NEW

Regolatore "Tribar" per nastro 3" in Ergal. Ergal "Tribar" adjuster for 3" webbing. Steel

## FISSAGGI - FIXINGS



F1

Carabina. Acciaio Inox.  
Carabiner. Inox Steel



F2A

Moschettone regolabile. In abbinamento con A7 o A8. Acciaio.  
Snap hook in combination with A7 or A8. Steel



F2B

Moschettone cucito. In abbinamento con A7 o A8. Acciaio.  
Sewn snap hook in combination with A7 or A8. Steel



F7

Doppia piastre di fissaggio in Titanio per nastro 2". Per viti M8.  
Titanium double fixing plate for 2" webbing. For M8 screw



F3A

Staffa fissaggio. In abbinamento con A7 o A8. Acciaio.  
Fixing plate in combination with A7 or A8. Steel



F3B

Staffa fissaggio cucita. In abbinamento con A7 o A8. Acciaio.  
Sewn fixing plate in combination with A7 or A8. Steel



F5

"Loop" regolabile per fissaggio a Rollbar. In abbinamento con A7 o A8.  
"Wrap around" fixing in combination with A7 or A8.



F6

"Loop" fisso, cucito, per fissaggio a Rollbar.  
"Sewn loop" fixing.



F4

Staffa fissaggio tipo "P" cucita.  
Sewn "P" type steel fixing plate.



F8

Staffa fissaggio cucita.  
Small Sewn fixing plate.



F9

NEW


Staffa fissaggio piccola.  
Small fixing plate.



F10

NEW

Staffa fissaggio con doppio foro.  
Double hole fixing plate.



F11

NEW

Staffa fissaggio con doppio foro cucita.  
Sewn double hole fixing plate.



F12

NEW

Doppia staffa fissaggio con doppio foro.  
X2 double hole fixing plate.

## LINGUE - TONGUES



T1

Lingua fissaggio addominale con piega ergonomica. Acciaio.  
Lap belt tongue with ergonomic bend



T2

Lingua fissaggio bretella per nastro 3". Acciaio.  
Shoulder belt tongue for 3" webbing



T3

Lingua fissaggio bretella per nastro 2". Acciaio.  
Shoulder belt tongue for 2" webbing



T4

Minilingua in titanio per cinture CCG622FSR, CCG832FSR.  
Titanium mini-tongue for CCG622FSR, CCG832FSR harnesses



T5

Lingua in titanio per cintura E1.  
Titanium tongue for E1 harness



T6

Lingua fissaggio addominale con piega ergonomica. Titanio.  
Lap belt tongue with ergonomic bend. Titanium



T7

NEW

Lingua fissaggio bretelle +5 mm in acciaio.  
Steel shoulder belt tongue +5 mm

## OPTIONALS



O6

Cordino per fissaggio intercom o drink system.  
Intercom or Drink System cord.



O2

Stampa logo in materiale alto grip per FHR.  
Logo printed directly on the webbing in high grip material for FHR.



O7

Velcro su bretella parte fissa.  
Velcro on upper shoulder belt.



O4

Velcro per chiusura nastri parte regolabile.  
Closure velcro for adjustable straps.



O5

Maniglie ergonomiche.  
Ergonomic handle.

# CCG632SRD

# CCG632SRD

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



FIA APPROVED

MANUFACTURER: SABELT  
MODEL: ENDURANCE  
HOM. NO: SH.064.19-T-6  
FIA STANDARD: 8853-2016

**SALOON**

FIA 8853-2016

STANDARD MEASURES (mm)

A 430 • B 790 • C 620 • D 330

STANDARD COLOURS/CODES


CCG632SRD • CCG632SND • CCG632SBD




# CCA622SRDLPM

# CCA622SRDLPM

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



**SALOON**

FIA 8853-2016

MANUFACTURER: SABELT  
MODEL: E1  
HOM. NO: SH.006.16-T-6  
FIA STANDARD: 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 680 • D 850

STANDARD COLOURS/CODES

CCA622SRDLPM • CCA622SNDLPM • CCA622SBDLPM


## OPTIONALS




# CCA622SRDN1

# CCA622SRDN1

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



**SALOON**

FIA 8853-2016

MANUFACTURER: SABELT  
MODEL: NEW SPEC SALOON  
HOM. NO: SH.001.16-T-6  
FIA STANDARD: 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 680 • D 850

STANDARD COLOURS/CODES


CCA622SRDN1 • CCA622SNDN1 • CCA622SBDN1

## OPTIONALS




# CCA622SRUN1

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



**SALOON / RALLY**

FIA 8853-2016

MANUFACTURER: SABELT  
MODEL: NEW SPEC SALOON  
HOM. NO: SH.001.16-T-6  
FIA STANDARD: 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 560 + 120 • D 850

STANDARD COLOURS/CODES

CCA622SRUN1 • CCA622SNUN1 • CCA622SBUN1

## OPTIONALS







# CCA633SRUN

# CCA633SRUN

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



**SALOON**

FIA 8853-2016

MANUFACTURER: SABELT  
MODEL: NEW SPEC S3  
HOM. NO: SH.031.17-T-6  
FIA STANDARD: 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 560 + 120 • D 850

STANDARD COLOURS/CODES

CCA633SRUN • CCA633SNUN • CCA633SBUN

## OPTIONALS




# CCS632SRDN

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



FIA APPROVED

MANUFACTURER: SABELT  
MODEL: NEW SPEC S3  
HOM. NO: SH.031.17-T-6  
FIA STANDARD: 8853-2016

SALOON

FIA 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 680 • D 850


STANDARD COLOURS/CODES

CCS632SRDN • CCS632SNDN • CCS632SBDN


# CCS622SRUN

# CCS622SRUN

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



FIA APPROVED

MANUFACTURER: SABELT  
MODEL: NEW SPEC SALOON  
HOM. NO: SH.001.16-T-6  
FIA STANDARD: 8853-2016

SALOON

FIA 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 560 + 120 • D 850

STANDARD COLOURS/CODES


CCS622SRUN • CCS622SNUN • CCS622SBUN

# CCS633SRUN

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



MANUFACTURER: SABELT  
MODEL: NEW SPEC S3  
HOM. NO: SH.031.17-T-6  
FIA STANDARD: 8853-2016

**SALOON**

FIA 8853-2016

STANDARD MEASURES (mm)

A 380 • B 1700 • C 560 + 120 • D 850

STANDARD COLOURS/CODES

CCS633SRUN • CCS633SNUN • CCS633SBUN

# CCG832FSR

# CCG832FSR

## STANDARD FEATURES

**NEW**



FIA APPROVED

FORMULA

FIA 8853-2016

MANUFACTURER: SABELT  
MODEL: NEW SPEC F4  
HOM. NO: SH.061.19-T-8  
FIA STANDARD: 8853-2016

### STANDARD MEASURES (mm)

A 360 • B2 495+105 • B3 430 • C 975 • D 960  
FULL Length FULL Length

### STANDARD COLOURS/CODES



CCG832FSR • CCG832FSN

# CCG622FSR

# CCG622FSR

## STANDARD FEATURES

## CONFIGURATIONS ON DEMAND



**FORMULA**

FIA 8853-2016

MANUFACTURER: SABELT  
 MODEL: NEW SPEC F3  
 HOM. NO: SH.047.18-T-6  
 FIA STANDARD: 8853-2016

STANDARD MEASURES (mm)

**A** 360 • **B** 370 • **C** 975 • **D** 960  
FULL Length FULL Length

STANDARD COLOURS/CODES

■ CCG622FSR • ■ CCG622FSN


## OPTIONALS




# CCA622FRUN1

# CCA622FRUN1

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



MANUFACTURER: SABELT  
 MODEL: NEW SPEC F2  
 HOM. NO: SH.033.17-T-6  
 FIA STANDARD: 8853-2016

## FORMULA

FIA 8853-2016

STANDARD MEASURES (mm)

A 440 • B 700 • C 530 + 120 • D 1200

STANDARD COLOURS/CODES

CCA622FRUN1 • CCA622FNUN1 • CCA622FBUN1


## OPTIONALS




# CCS622FRUN

# CCS622FRUN

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



FIA APPROVED

MANUFACTURER: SABELT  
MODEL: NEW SPEC F2  
HOM. NO: SH.033.17-T-6  
FIA STANDARD: 8853-2016

FORMULA

FIA 8853-2016

STANDARD MEASURES (mm)

A 440 • B 700 • C 530 + 120 • D 1200

STANDARD COLOURS/CODES


CCS622FRUN • CCS622FNUN • CCS622FBUN




# CCA433SRDN

# CCA433SRDN

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



MANUFACTURER: SABELT  
MODEL: TOP FORMULA  
HOM. NO: B.122.T/98  
FIA STANDARD: 8854/98

**SALOON**

FIA 8854/98

**FOR KIT CAR "W"**

STANDARD MEASURES (mm)

A 480 • B 450 • C 130+610


STANDARD COLOURS/CODES

CCA433SRDN • CCA433SNDN • CCA433SBDN


# CCS433SRDN

# CCS433SRDN

## STANDARD FEATURES



## CONFIGURATIONS ON DEMAND



MANUFACTURER: SABELT  
 MODEL: TOP FORMULA  
 HOM. NO: B.122.T/98  
 FIA STANDARD: 8854/98

**SALOON**

FIA 8854/98

**FOR KIT CAR "C"**

STANDARD MEASURES (mm)


A 480 • B 450 • C 130+610

STANDARD COLOURS/CODES

■ CCS433SRDN • 
 ■ CCS433SNDN • 
 ■ CCS433SBDN

## CCS433SRUN

## STANDARD FEATURES



Full length 3" webbing

Super strong steel adjuster

F2B+A5

F2A+A7

FIA APPROVED

MANUFACTURER: SABELT  
MODEL: TOP FORMULA  
HOM. NO: B.122.T/98  
FIA STANDARD: 8854/98

SALOON

FIA 8854/98

STANDARD MEASURES (mm)

A 380 • B 1700 • C 560 + 120

STANDARD COLOURS/CODES

CCS433SRUN • CCS433SNUN • CCS433SBUN

## COSCIALI - CROTCH STRAPS

Per convertire cinture 4 punti omologate Fia 8854/98 a 6 punti Fia 8853/98. **Attenzione:** possono essere convertite cinture 4 punti con scadenza massima "Not valid after 2022" prodotte fino al 2017. Le cinture 4 punti prodotte a partire dal 2018 non possono essere convertite. To upgrade 4-point Belts 8854/98 to 6-Point 8853/98. **Warning:** only until "Not valid after 2022" produced until 2017 can be converted. The 4-point belts produced since 2018 cannot be converted.



**MODELLO T** - Cosciale con 2 punti di fissaggio a moschettoni, golfari a filetto 7/16" inclusi, nastro da 2", con regolatore per la lunghezza. Mini baffo anatomico. Adattabile a tutta la gamma per berlina.

**T-TYPE** - T-type crotch strap. Snap hook fixing with 7/16" eyebolt included. Adjustable length. New anatomical T-bar. 2" webbing. Fits to all Sabelt range of harnesses for saloon cars.

414850E

412850E

411850E

**MODELLO A V IMBULLONATO** - Cosciale con 2 punti di fissaggio imbullonati e minilingua. Nastro da 2", munito di regolatore per la lunghezza. Adattabile a tutta la gamma Sabelt per berlina.

**BOLT-IN V-TYPE** - V-type crotch strap bolt-in. 2" webbing, adjustable length. Fits to all Sabelt range of harnesses for saloon cars.

414853E

412853E

411853E

**MODELLO A V CON MOSCHETTONI** - Cosciale con 2 punti di fissaggio a moschettoni, golfari a filetto 7/16" inclusi. Nastro da 2" con regolatore per la lunghezza. Adattabile a tutta la gamma Sabelt per berlina.

**SNAP HOOK V-TYPE** - V-type crotch strap. Snap hook fixing with 7/16" eyebolt included. 2" webbing adjustable length. Fits to all Sabelt range of harnesses for saloon cars.

414853ME

412853ME

411853ME

## GOLFARI E PIASTRE - EYE BOLTS AND PLATES



407005

Vite ad occhio standard diam. 7/16" filetto UNF, lungh. filetto 23 mm, lungh. totale 25 mm. Classe di resistenza 8.8.

Standard eye-bolt diam. 7/16" UNF thread length 23 mm, 25 mm tot., 8.8.



CCM10018

Vite ad occhio diam. 7/16" UNF, lungh. filetto 32 mm, classe di resistenza 8.8.

Eye-bolt 7/16" UNF, thread length 32 mm, 8.8



CCM10023

Vite ad occhio a filetto metrico M10 x 1,5 lungh. 23 mm classe di resistenza 8.8.

Eye-bolt metric M10 x 1.5 thread length 23 mm, 8.8  
Does not comply with FIA requirements.



CCM10017 - WESTFIELD

Vite ad occhio lungh. 50 mm, diam. 7/16", classe di resistenza 8.8

Eye-bolt 50 mm. long, 7/16", 8.8



CCM10016

Piastra di rinforzo per vite ad occhio 7/16" filetto UNF con dado saldato misura 65 x 65 x 3 mm a norma FIA (superficie 40 mm<sup>2</sup>).

Eye-bolt back plate 65 mm x 65 mm x 3 mm 7/16" UNF thread welded nut, 40 mm<sup>2</sup>. Complies with FIA requirements.



SB/2049

Piastra di rinforzo 50 x 25 x 6 mm, 7/16" filetto UNF. Non conforme FIA.

Eye bolt back plate 50 x 25 mm, 6 mm thick, 7/16" UNF thread. Does not comply with FIA requirements.

## CUSCINETTI - PADS



Coprispalla in tessuto Vep. Largh. 75 mm (3"). Chiusura con velcro. Vep fabric shoulder cover. 75 mm (3") width. Velcro fastening.

475040

475020

475010



Coprispalla in tessuto Vep. Largh. 50 mm (2"). Chiusura con velcro. Vep fabric shoulder cover. 50 mm (2") width. Velcro fastening.

450040

450020


450010

## CFCC4046

SALOON  
4 FIXING POINTS  
NOT Homologated

## STANDARD COLOURS/CODES

CFCC4046  
CFCC2046  
CFCC1046



AVAILABLE  
ON DEMAND

## 904059NP

SALOON  
3 FIXING POINTS  
Homologation: ECE

## STANDARD COLOURS/CODES

904059NP  
902059NP  
901059NP  
907059NP



Coppia cuscinetti  
coprispalla inclusa.  
Pair of shoulder pads  
included.



## 904020NP

SALOON  
4 FIXING POINTS  
Homologation: ECE

## STANDARD COLOURS/CODES

904020NP  
902020NP  
901020NP  
907020NP



Coppia cuscinetti  
coprispalla inclusa.  
Pair of shoulder pads  
included.



## 904005N

SALOON  
3 FIXING POINTS  
Homologation: ECE

## STANDARD COLOURS/CODES

904005N  
902005N  
901005N  
907005N



## 904070NP

SALOON  
4 FIXING POINTS  
Homologation: ECE

## STANDARD COLOURS/CODES

904070NP  
902070NP  
901070NP  
907070NP



Coppia cuscinetti  
coprispalla inclusa.  
Pair of shoulder pads  
included.



## 904019N

SALOON  
3 FIXING POINTS  
Homologation: ECE

## STANDARD COLOURS/CODES

904019N  
902019N  
901019N  
907019N



# NETS

JAGUAR  
I-PACE  
eTROPHY

**Sabelt**

OFFICIAL SUPPLIER





**Z280988**

**WINDOW NET**

- Professional window net.
- Quick release with push button
- Rollcage fixing clamps
- Rigid metal bars
- Tightening adjusters
- Polyester webbing

In compliance with Fia regulation.



**FCRN2000**

**RACING NET**



MANUFACTURER: SABELT  
MODEL: FCRN2000  
HOM. NO: RN.015.18  
FIA STANDARD: 8863-2013

LEFT VERSION  
FCRN2000S01LH  
RIGHT VERSION  
FCRN2000S01RH

**Z280985**

**WINDOW NET**

- Professional window net
- Red webbing opening System
- Rollcage mounting
- Tightening adjusters
- Polyester webbing

In compliance with Fia regulation.

