



**PRW POWER**


## DIESEL CATALOG



**POWER BY DESIGN**

**(888) 377-9779 | [PRWPOWER.COM](http://PRWPOWER.COM)**

# ELITE SERIES SFI-RATED RACING FLUIDGEL DAMPERS



## ELITE SERIES SFI-RATED RACING FLUIDGEL DAMPERS

- SFI 18.1 Certified Tested to 12,500 RPM
- Fluid Gel Silicone Damping Increases Mass to Reduce Crankshaft Flex and Improve Stability
- Controls Harmful Engine Harmonics from Performance Upgrades
- Protects Across the Full RPM Range
- Reduces Wear and Risk of Crankshaft Failure

### ELITE SERIES SFI-RATED RACING FLUIDGEL DAMPERS

Application	Balance	Part #	Bolts
CUMMINS 5.9 12V, 1989-1998, 9.75" OD - <b>NEW FOR 2026</b>	Internal	2535900	1042359
CUMMINS 5.9 24V, 1998.5-2002, 9.75" OD - <b>NEW FOR 2026</b>	Internal	2535901	1042359
DURAMAX 6.6 L5P, 2020-2025, 8.375" OD - <b>NEW FOR 2026</b>	External	2540305	1042403
DURAMAX 6.6 LBZ/LMM, 2006-2010, 8.375" OD - <b>NEW FOR 2026</b>	External	2540302	1042403
DURAMAX 6.6 LLY/LB7, 2001-2005, 8.375" OD - <b>NEW FOR 2026</b>	External	2540301	1042403
DURAMAX 6.6 LML/LGH, 2011-2017, 8.375" OD - <b>NEW FOR 2026</b>	External	2540303	1042403
DURAMAX 6.6 L5P 2017-2019, 8.375" OD w/Pulley - <b>NEW FOR 2026</b>	External	2540304	1042403

PN 1040604 - FORD  
POWERSTROKE  
2011-2021 6.7L



PN 1042445 - FORD Power-  
stroke. 7.3L, 1994-2003, 12 PT,  
24mm Wrench Size

## HARMONIC DAMPER BOLTS

- Rated At 200,000 PSI
- Made From Cold-Forged Custom-4135 Alloy Steel
- Extra Tall 12pt Head

### HARMONIC DAMPER BOLTS

Application	Part #
Cummins 5.9L 12v/24v 1989-2007, 12 Point 15mm Wrench, Set of 4 - <b>COMING SOON!</b>	<b>1042359</b>
Cummins 6.7L 2007.5 & Up, 12 Point 15mm Wrench, Set of 4 - <b>COMING SOON!</b>	<b>1042408</b>
Duramax 6.6L 2001-22, 12 Point 36mm Wrench, EA	<b>1042403</b>
Powerstroke 6.0L & 6.4L 2003-2010, 12 Point 18mm Wrench, Set of 4 - <b>COMING SOON!</b>	<b>1040604</b>
Powerstroke 6.7 2011-2021, 12 Point 18mm Wrench, Set of 4	<b>1040604</b>
Powerstroke. 7.3L 1994-2003, 12 Point 24mm Wrench, EA - <b>COMING SOON!</b>	<b>1042445</b>

### TENSILE STRENGTH RATING EXPLAINED

- Tensile strength is the maximum amount of pulling (tensile) force a material can withstand before it breaks.
- A rating of 200,000 PSI means the bolt can endure a maximum stress of 200,000 pounds per square inch of its cross-sectional area before failing.

### WHAT IT MEANS FOR THE BOLT

- If you were to pull on the bolt in a straight line (as in a tensile test), it would not fracture until the force applied exceeds 200,000 PSI.
- This is a very high strength rating, typical of ultra-high-strength bolts used in aerospace, military, or critical structural applications.

### EXAMPLE CALCULATION

If the bolt has a cross-sectional area of 0.2 square inches:

$$\rightarrow \text{Maximum load before failure} = 200,000 \text{ PSI} \times 0.2 \text{ in}^2 = 40,000 \text{ pounds of force}$$

# MAIN CAP STUD KITS



PN 1000323 - CHEVY  
Duramax 6.6L LB7 LLY,  
2006-2016

## MAIN CAP STUD KITS

**DIESEL HEAD STUDS, MAIN CAP STUDS, MAIN GIRDLE STUDS, FLEXPLATE,  
FLYWHEEL AND DAMPER BOLTS.**

- **Rated At 200,000 PSI**
- Made From 8740 Chromoly For Wear Resistance
- Cold Forged And Heat Treated
- Centerless Ground To Assure Straightness

## MAIN CAP STUD KITS

Application	Part #
CUMMINS 5.9 12V, 1989-1997, Includes 12 PT Nuts and Washers	1000311
CUMMINS 5.9 24V, 1998-2008, Includes 12 PT Nuts and Washers	1000313
Duramax, 6.6L LB7 LLY, 2001-2005, Includes 12 PT Nuts and Washers	1000321
Duramax, 6.6L LB7 LLY, 2006-2016, Includes 12 PT Nuts and Washers	1000323
POWERSTROKE 7.3L, 1994-2003, Includes 12pt Nuts and Washers - <b>COMING SOON!</b>	1044500
POWERSTROKE 6.0L, 2003-2007, Includes 12 PT Nuts and Washers	1000306
POWERSTROKE 6.4L, 2008-2010, Includes 12 PT Nuts and Washers	1000308

## FLEXPLATE BOLTS

Application	Part #
CUMMINS 12V/24V, 1989 - 2018, M12 x 1.5 x .708" UHL, 12 PT 18MM Wrench Size, Set of 8	1035908
DURAMAX 6.6L, 2001 - 2019, 16mm x 1.50 x 1.775" UHL, 12 PT 5/8" Wrench Size, Set of 8	1040308
POWERSTROKE 6.0L / 6.4L, 2003 - 2010, M10 x 1.0 x 1.22" UHL, 12 PT 16MM Wrench Size, Set of 10	1036310
POWERSTROKE 6.7L, 2011 - 2021, M12 x 1.5 x 1.69" UHL, 12 PT 18MM Wrench Size, Set of 10	1040610
POWERSTROKE 7.3L, 1994 - 2003, M12 x 1.25 x 2.41" UHL, 12 PT 18MM Wrench, Size Set of 10	1044510



## CYLINDER HEAD STUD KITS

- **Rated at 200,000 PSI**
- Made from 8740 Chromoly
- Cold Forged and Heat Treated
- Centerless Ground to Assure Straightness

### CYLINDER HEAD STUD KITS

Application	Part #
CUMMINS 5.9L & 6.7L 24V, 1998.5-2018, Includes 12 PT Nuts and Washers	1035902
CUMMINS 5.9L 12V, 1989-1998, Includes 12 PT Nuts and Washers	1035903
DURAMAX 6.6L, 2001-16 LB7LLY LBZ LMN LML /GMC, Includes 12 PT Nuts and Washers	1040301
DURAMAX 6.6L L5P, 2017-2019, Includes 12 PT Nuts and Washers	1040321
POWERSTROKE 6.0L, Includes 12 PT Nuts and Washers	1036313
POWERSTROKE 6.4L, 2008-2010, Includes 12 PT Nuts and Washers	1039121
POWERSTROKE 6.7L, 2011-2015, Includes 12 PT Nuts and Washers	1040621
POWERSTROKE 7.3L , 1994-2003, Includes 12 PT Nuts and Washers	1044501

### TECH TIP:

Utilize a quality thread chaser (not a standard tap) to assure all carbon and other deposits are cleared from the cylinder block prior to installing cylinder head or main cap stud kits.

# PRO SERIES SFI-RATED FLEXPLATES

PN 2136371 - FORD 6.0L POWER-STROKE Diesel, 2003-2007



## PRO SERIES SFI RATED FLEX PLATES

- **SFI-Rated 29.1 For Up To 1500 Horsepower**
- Made From Premium Billet Steel For Ultimate Strength
- 30% Thicker Than Stock for Increased Strength
- Precision Balanced
- Black E-Coat Finish For Corrosion Resistance

### TECH TIP:

When installing an SFI rated Flexplate, it is critical to replace the fasteners at the same time. Please be sure to use PRW Power Flexplate Bolts and follow the torque instructions specified.

# PRO SERIES SFI-RATED DIESEL FLEXPLATES



PN 2135970 - DODGE  
CUMMINS® 5.9L 1994-07



PN 2414571 - FORD 7.3L  
POWERSTROKE Diesel,  
1994.5-2003

## PRO SERIES SFI-RATED DIESEL FLEXPLATES

Application	Balance	Teeth	Transmission	Part #	Bolts
CUMMINS 5.9L, 1994-07 (1989-1993 May Require Transmission Spacer)	Internal	152	47RE, 48RE, 47RH	2135970	1035908
CUMMINS 6.7L, 2007.5 - 2013	Internal	152	68RFE	2140870	1035908
DURAMAX W/O Ring Gear, 2001-2015	Internal	N/A	Allison LCT-1000, 2000, 2400, 10L1000	2140370	1040308
POWERSTROKE 6.0L, 2003-2007	External	141	5R110	2136371	1036310
POWERSTROKE 6.4L, 2007.5-2010	External	141	5R110	2139171	1036310
POWERSTROKE 6.7L, 2011- Up	External	141	6R140	2140671	1040610
POWERSTROKE 7.3L, 1994.5-2003	External	155	E40D, 4R100	2144571	1044510

# ELITE SERIES SFI-RATED BILLET STEEL DIESEL FLEXPLATES



PN 2236321 - FORD  
6.0L/6.4L  
POWERSTROKE DIESEL,  
2003-2006



PN 2244521 - FORD 7.3L  
POWERSTROKE  
DIESEL, 2003-2006



## ELITE SERIES SFI-RATED BILLET STEEL DIESEL FLEXPLATES

- SFI-Rated 29.3
- Rated For Up To 3500 Horsepower By SFI Foundation
- Made From Premium Billet Steel For Ultimate Strength
- Up to 110% Thicker Than Stock for Ultimate Strength
- Precision Balanced
- Black E-Coat Finish For Corrosion Resistance

### ELITE SERIES SFI-RATED BILLET STEEL DIESEL FLEXPLATES

Application	Balance	Teeth	Transmission	Part #	Bolts
CUMMINS 5.9L, 1994-2007 (1989-1993 May Require Transmission Spacer)	Internal	152	47RE, 48RE, 47RH	2235921	1035908
CUMMINS 6.7L, 2007.5-2013	Internal	152	68RFE	2240821	1035908
DURAMAX 6.6L, 2001-2015	Internal	N/A	Allison LCT-1000, 2000, 2400, 10L1000	2240321	1040308
DURAMAX 6.6L, 2017-2023 L5P - <b>NEW FOR 2026</b>	External	116	Allison LCT-1000, 10L1000	2240371	1040308
POWERSTROK 6.7L, 2010-Up	External	141	6R140	2240621	1040610
POWERSTROKE 6.0/6.4L, 2003-2006	External	141	5R110	2236321	1036310
POWERSTROKE 6.4L, 2007-2010	External	141	5R110	2239121	1036310
POWERSTROKE 7.3L, 1989-2006	External	155	E40D, 4R100	2244521	1044510

# SPORTSMAN SERIES SHAFT MOUNT ROCKER ARMS

PN 3240811 - Dodge Cummins 24V High Performance 1998.5-2018



PN 3235921 - Cummins High Performance Pedestal Compatible with Aftermarket Studs



## DODGE CUMMINS® ROCKER ARM SYSTEMS

PRW DODGE CUMMINS® high performance rocker arm systems are the perfect upgrade to provide more power and run your diesel engine more efficiently. Each rocker is made from alloy steel substantially stronger than stock. PRW Cummins rocker arm systems are manufactured to exceed OEM specifications as a drop in assembly using the stock rocker arm ratios. The upgraded rocker arm systems are complete with everything you need from ball adjusters and fasteners, along with silicon bronze bushings for prolonged life expectancy. Some applications pre-machined for high performance cylinder head stud kits.

### SPORTSMAN DODGE CUMMINS ROCKER ARM SYSTEMS

Application	Part #
DODGE CUMMINS® 5.9L/359 1987-98 12V 6bt, High Performance Pedestal Bronze-Bushed Complete Kit	3235911
DODGE CUMMINS® 5.9L/359 1987-98 12V 6bt, High Performance Pedestal Compatible Aftermarket Studs, Bronze-Bushed, Complete Kit	3235921
DODGE CUMMINS® 5.9L/6.7L, 1998.5 - 2018 24V, High Performance Rocker Arm System Bronze-Bushed, Complete Kit	3240811
DODGE CUMMINS® 5.9L 12V 6bt, High Performance Rocker Arm Stand Complete Set of Stands W/O Rockers Arms Machined for Aftermarket Studs	9535910

\*May not be legal for sale or use on pollution controlled motor vehicles

## DODGE CUMMINS® FULCRUM UPGRADE KIT

PRW DODGE CUMMINS® Fulcrum Upgrade kits are designed to upgrade your rocker arms to a bronze bushed assembly. Upgrading with this kit helps to alleviate rocker body wear. Bushings are ensured lubrication with oil flow channels machined into the fulcrum. Strengthen your DODGE CUMMINS® with our new Fulcrum Upgrade Kit.



PN 9540810- DODGE CUMMINS® Fulcrum Upgrade Kit

### FULCRUM UPGRADE KIT

Application	Part #
DODGE CUMMINS® Fulcrum Bearing Upgrade Kit, Set of 12	9540810

\*May not be legal for sale or use on pollution controlled motor vehicles

# POWERSTROKE WATER PUMP



PN 1436300 - FORD  
POWERSTROKE 6.0  
2003-2007

## PRW FORD HIGH PERFORMANCE ALUMINUM WATER PUMP

PRW's high flow aluminum water pumps are engineered to deliver an increased water flow. These super velocity pumps significantly improve cooling for all street, high performance and racing applications. With special cast-iron impeller and tight clearances, PRW High Performance Aluminum Water Pumps provide increased coolant flow, block pressure, and balanced delivery.

- All Pumps Feature O-Ring Seals for a Secure, Leak-Free Fit
- $\frac{3}{4}$ " Shaft with Precision Bearings Rated to 12,000+ RPM for Stable, Durable Performance Under Extreme Conditions.
- Precision CNC Machined Impeller - Aluminum Design Enhances Flow and Stability while Minimizing Cavitation
- Precision Billet Steel Hubs, - CNC Machined for Exceptional Durability and Used Across All PRW Power Mechanical Water Pumps.

## FORD HIGH PERFORMANCE ALUMINUM WATER PUMP

Application	Pilot Size	Shaft O.D.	Height	Rotation	Inlet Size	Finish	Part #
Powerstroke 6.0L, 2004.5-2010, 100MM Impeller	3/4"	3/4"	3.43	Standard	-	As Cast	<b>1436300</b>



POWER BY DESIGN



BAD ASS ROCKER ARMS



BRANDED CHECKERED FLAG



CARBURETOR



PRW HOOD SCOOP



BAD ASS P&amp;P SKULL HEAD



CLASSIC CARS

## BAD ASS PRW APPAREL

Show your passion for performance with PRW Apparel—designed for racers, builders, and automotive enthusiasts who live the horsepower lifestyle. These pieces go beyond style—they're a lifestyle statement for racers, builders, and weekend wrenchers alike.

### PRW APPAREL

Description	Part #
Power by Design Shirt	9906200-XSM, 9906200-SM, 9906200-MD, 9906200-LG, 9906200-XL, 9906200-2XL, 9906200-3XL, 9906200-4XL, 9906200-5XL, 9906200-6XL
Bad Ass Rocker Arms Shirt	9906201-SM, 9906201-MD, 9906201-LG, 9906201-XL, 9906201-2XL, 9906201-3XL, 9906201-4XL, 9906201-5XL, 9906201-6XL
Branded Checkered Flag Shirt	9906202-XSM, 9906202-SM, 9906202-MD, 9906202-LG, 9906202-XL, 9906202-2XL, 9906202-3XL
Carburetor Shirt	9906203-XSM, 9906203-SM, 9906203-MD, 9906203-LG, 9906203-XL, 9906203-2XL, 9906203-3XL, 9906203-4XL, 9906203-5XL, 9906203-6XL
PRW Hood Scoop Shirt	9906204-XSM, 9906204-SM, 9906204-MD, 9906204-LG, 9906204-XL, 9906204-2XL, 9906204-3XL, 9906204-4XL, 9906204-5XL, 9906204-6XL
Bad Ass P&P Skull Head Shirt	9906205-XSM, 9906205-SM, 9906205-MD, 9906205-LG, 9906205-XL, 9906205-2XL, 9906205-3XL, 9906205-4XL
Classic Cars Shirt	9906206-XSM, 9906206-SM, 9906206-MD, 9906206-LG, 9906206-XL, 9906206-2XL, 9906206-3XL, 9906206-4XL, 9906206-5XL, 9906206-6XL



# PRW POWER



**AT PRW, WE DON'T JUST MAKE PARTS, WE ENGINEER PERFORMANCE.**

Our commitment to Innovation drives us to develop cutting-edge solutions that elevate your engine's potential. Built with Durability at the forefront, our products are made to last through the toughest conditions. Precision is in our DNA, ensuring every part fits flawlessly and operates at peak efficiency. Experience uncompromising Quality in every PRW component. Whether you're on the track or building the ultimate street machine, trust in the power of PRW to deliver performance you can count on.

**WE'RE NOT HERE TO JUST PARTICIPATE, WE'RE HERE TO BRING YOU THE BAD ASS PARTS, THAT DELIVER BAD ASS PERFORMANCE!**

**WE ARE NOW  
PRW POWER.**

Authorized Distributor

**TOLL FREE: (888) 377-9779 • LOCAL: (951) 436-7900 • FAX: (951) 928-8555**

©2026 PRW POWER INC.



**CALIFORNIA PROPOSITION  
65 WARNING**

**WARNING:** Products in this catalog contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

For more information:  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

PN: 9902126

**CONNECT WITH US!**



**Visit Us Online!  
PRWPOWER.COM**