MASTERING THE SCIENCE OF SYNTHETIC LUBRICATION

SYNTHETICS

Automotive Engine Lubricants Diesel Engine Lubricants Transmission Lubricants Rear End Differential Lubricants Rebuild, Assembly, and Storage Speciality Products

R



WEIGHT PART# PACKAGE 5W-20 KE-925 10/1 qt 10W-30 KE-930 10/1 gt 5W-30 KE-935 10/1 qt 10W-40 KE-940 10/1 qt 20W-50 KE-950 10/1 at 15W-40 KE-954 10/1 at 15W-50 KE-955 10/1 qt

Also available 5 gal and 55 gal



COMING SOON!

Pure Estorlin Racing Engine Lubricant

- Designed for circle track, drag racing, sports car racing, and hot rod applications.
- Optimized to mitigate oxidation. Contains robust zinc package to protect hardware from wear.

 Contains powerful dispersant and detergent package to maintain engine cleanliness and

 Boosted with friction modifying chemistry to lower oil temperatures and mitigate wear.

prevent deposits.

• Shear-stable polymers allow the lubricant to maintain performance and viscosity under severe operating conditions.

PURE ESTORLIN ESC

- Mitigates low speed preignition and protects turbochargers in TGDI engines.
- Multifunctional detergent and dispersant prevent sludge, varnish, and carbon deposits.
- Powerful antioxidants prevent COMING SOON! degradation and thickening under extended periods of hightemperature operation.
- Compatible with both conventional and hybrid drivetrains.
- Formulated to prevent high-RPM aeration that can interfere with variable valve timing systems.
- Will not damage emission systems or gasoline particulate filters.

BREAK-N ENGINE OIL

- Break-in lubricant for new racing engines.
- Not compatible with emission aftertreatment systems. • Contains high levels of zinc to

protect camshafts, lifters, and

bearings during the break-in process. WEIGHT PART# PACKAGE 40WT KE-903 10/1 qt

Also available: 5 gal and 55 gal*

- Boosted with detergents to neutralize acids created by elevated levels of blowby in new engines.
- Designed for use with Klotz KL-107 UPLON Upper Cylinder Lubricant.




SD-1

10W-40 KD-100 1 gal

KLOTZ

50-2



 Compatible with emission aftertreatment systems. Additive package is optimized WEIGHT PART# PACKAGE

DIESEL ENGINE


LUBRICANTS

to reduce wear and mitigate oxidation.

- Multi-functional detergent and dispersant manages excessive levels of soot and maintains engine cleanliness.
- Pour point depressants ensure excellent low-temperature pumpability and lubrication.
- High-performance polymers deliver long-term shear stability.

SD-2

• Designed for high-performance diesel engines.



- Additive package is optimized to mitigate oxidation.
- Multifunctional detergent and dispersant system manages excessive levels of soot and maintains engine cleanliness.
- Contains zinc to protect hardware from excessive wear.
- High-performance polymers deliver long-term shear stability.
- Friction modifying chemistry lowers oil temperatures and reduces wear.



aftertreatment systems. Contains a robust zinc package to protect engine hardware from

WEIGHT PART# PACKAGE process.

- dispersants to manage excessive levels of soot and prevent deposits that can form early in the life of an engine.
- The formulation has an extremely high base number to neutralize acids that can form due to elevated levels of blowby in new engines.



WEIGHT PART# PACKAGE

75W-75 KE-960 10/1 qt

75W-80 KE-970 10/1 qt

WEIGHT PART# PACKAGE

75W-80 KL-506 10/1 qt

Also available:

55 gal


Also available

5 gal and 55 gal

FREE-GEAR QUALIFIER TRANSMISSION LUBRICANT

- Designed for motorsports and high-performance applications.
- Advanced additive package provides superior seal protection, corrosion prevention, and deposit mitigation.
- High-quality base stocks provide excellent oxidative and hydrolytic stability.
- Contains extreme pressure anti-wear chemistry to extend gear and bearing life.
- · Boosted with friction modifiers to improve overall transmission performance.

FLEX DRIVE 30 TRANSMISSION LUBRICANT



- Advanced additive package reduces gear wear and operating temperatures.
- High-quality base stocks provide excellent oxidative and hydrolytic PART# stability. KE-910
- Friction modifying chemistry optimized to deliver smooth, quiet, and consistent clutch operation.
- Recommended for Bert, Falcon, and Brinn style transmissions.

REAR END DIFFERENTIAL LUBRICANTS

FREE-GEAR HYPOID GEAR LUBRICANT

- Designed for light-duty or heavy-duty axles.
- Advanced additive package provides superior seal protection, corrosion prevention, and deposit mitigation.

Contains extreme pressure WEIGHT PART# PACKAGE anti-wear chemistry to mitigate wear and extend gear life. Anti-foam agents suppress foam

and prevent aeration during highspeed operation. • The 75W-75 and 75W-80 viscosity

Also available: 5 gal and 55 gal

30W-60 KE-966 10/1 gt

75W-75 KE-965 10/1 gt

75W-80 KE-975 10/1 qt

75W-90 KE-980 10/1 qt

75W-110 KE-995 10/1 qt

75W-140 KF-994 10/1 at

80W-90 KE-990 10/1 qt

250WT KE-996 10/1 qt

<u>, KLOT</u>

PACKAGE

20/4 oz

- qualifying. • The 30W-60 viscosity grade is optimized for lower horsepower crate motor race cars.
- The 250WT viscosity grade is optimized for desert racing.

I IMITED SI IPAXI E BOOSTER

- Designed exclusively for limited slip differentials/axles.
 - NOT for use in automatic transmissions.
 - Can be mixed with existing axle lubricants to improve differential
 - performance. Reduces axle chatter and noise.
 - Reduces operating temperature of the gear oil.
 - Mitigates corrosion inside of the differential.
 - Extends gear life.

Klotz Synthetic Lubricants, LLC. 7424 Freedom Way Fort Wayne, IN 46818

(260) 490-0489 or (800) 242-0489

salesteam@klotzlube.com www.klotzlube.com




*Hazardous Material





excessive wear during the break-in

5W-40 KD-200 1 gal • Contains detergents and 15W-40 KD-201 1 gal

















- grades are optimized for

PART# PACKAGE KI -613 10/1 pt KL-633 1 gal



PART# PACKAGE KL-311 10/12 oz

ASSEMBLY LUBE

- Provides lubrication during assembly and initial start-up.
- Creates a tenacious film on engine components to prevent metal-on-metal contact.
- Quickly mixes with engine oil once the engine is running.
- Boosted with corrosion inhibitors to protect machined components and assembled engines while in storage.

STORBILIZER

- Stabilizes ethanol and gasoline mixtures.
- Keeps fuel additives in suspension and protects against corrosion and water separation.
- Provides six to eight months of protection.
- Allows for easy start-ups after storage.
- Ideal for storing powersports equipment during the offseason.
- Not for sale in California.



PART# PACKAGE KI -610 10/16 oz KL-610 5 PL 5 gal

FOGON STORAGE AND AFTER RUN LUBRICANT

- Provides protective shield of lubrication for all types of engines.
- Guards against harsh environmental elements including rust and corrosion for extended periods of storage or non-use.
- Reduces maintenance and operation cost.
- Fast clean start-up after storage.
- Perfect for after run lubricant.
- Great for marine winter storage lubricant.





PART#	PACKAG
KL-106	10/1 pt
KL-107	10/1 qt

Also available: 55 gal

UPLON

- · Recommended for street and strip use.
- Provides upper cylinder and fuel pump lubrication.
- Blends with methanol alcohol, ethanol, nitromethane, gasoline, and E-85.
- Maintains constant fuel pressure.
- Extends fuel pump life.
- Reduces maintenance by keeping fuel injectors clean.
- Reduces maintenance and wear on valve train systems.
- Protects against harmful effects of ethanol and methanol fuels.

PACKAGE PART# KL-604 10/1 pt



SYSTEM CLEANER Designed for gasoline engines.

CLEANEST FUEL

- Compatible with carburetors, port fuel injection, direct injection, and turbocharged direct injection.
- NOT recommended for gasoline blends with more than 70% ethanol.
- · Removes carbon deposits from intake valves, combustion chambers, piston crowns, fuel injectors, spark plugs, oxygen sensors, and catalytic converters.
- Restores fuel economy and performance.
- Unique surface-active chemistry continues to clean after the treated fuel is consumed.

K-KLEAR ANTI-FOG LENS GEL

- Non-abrasive cleaning gel that creates an anti-fog coating on eyewear and visors.
- Will not damage prescription lenses or coated lenses.
- Non-flammable, non-toxic, biodegradable, and silicone-free.
- NOTE: May not entirely stop fogging on lenses with an anti-reflective coating.

PART# PACKAGE KS-300 1 gal KS-300 5PL 5 gal KS-300 55GL 55 gal



KCP22

- Provide short-term protection during honing/machining, metal forming, assembly, and transport.
- Provide long-term protection during warehouse storage.
- Mitigate slag/spatter buildup during welding or laser cutting.
- Forms a protective boundary with out leaving a thick or sticky film that will attract dirt and debris.
- Non-staining chemistry.
- Can be used with ferrous and aluminum alloys.
- Low odor formulation.
- · Easier to apply and remove than traditional petroleum wax products.



PART# PACKAGE KL451 KL-450 1 gal 5 gal

GASOLINE CONCENTRATE • Converts 92 octane pump gasoline

HITRATE RACING

- to 103-105 octane racing gasoline.
- Unleaded formula.
- Provides smoother torque curves for more usable power.
- Cost-effective alternative to racing gasoline.
- Blends with gasoline and ethanol enriched fuels.
- Available in travel pack size.





PART# PACKAGE KS-400 single

Also available: 15 Pieces with 1 POP