

*Serving the Racing Industry Since 1984*



Follow us on Facebook  
[KluhsmanRacingComponents](#)



Follow us on Instagram  
[@racing\\_krc](#)



Subscribe on youtube  
[Kluhsman Racing Components - KRC](#)



Manufacturing  
Marvels

***KRC*** an Original Manufacturer of Racing Components

800-814-5745

Lockwood, MO. USA

[krccracing.com](#)





Dirt Late Model/"A" Modified

## RIGHT SIDE PARTS SHOWN

- ← KRC-1011...Inspection Tech Tray
- KRC-1027...Aluminum Water Restrictor
- KRC-1030...Carburetor Cover with 5/16"-18 Speed Nut
- KRC-1033...Speed Nut Assembly for Air Cleaner 1/4"-20
- KRC-4418...Holley Dual Fuel Director 8 AN
- KRC-4419...Holley Fuel Director Fittings (set of 2)
- KRC-4150...Fuel Filter Brackets
- KRC-4180...AFCO Remote Shock Canister Bracket (1-1/2" FR)
- KRC-4930...10 AN Long Stainless Steel Fuel Filter
- KRC-6600...Allen Lock Header Stud System



Jake Williams 2014 Lucas Oil Late Model Track Champion

## LEFT SIDE PARTS SHOWN

- KRC-1011...Inspection Tech Tray
- KRC-1030...Carburetor Cover with 5/16"-18 Speed Nut
- KRC-1038...Gas Pedal Stop
- KRC-1040...Quick Disconnect Throttle Rod Kit
- KRC-1048...Carb. Bracket Spring Return Kit for Ford
- KRC-4150...Fuel Filter Brackets
- KRC-4180...AFCO Remote Shock Canister Bracket (1-1/2" FR)
- KRC-4930...10 AN Long Stainless Steel Fuel Filter
- KRC-6600...Allen Lock Header Stud System



Dirt Late Model/"A" Modified



Rex Merrit "A" Mod 2016

## ALLEN LOCK STUD HEADER SYSTEM


This kit comes with high tensile studs, heat treated nuts and precision locking washers, everything to keep your headers tight and not leak. Headers that form a leak can lose at least 15 hp per header side.

The kits listed below are easy to install and keep tight. Screw the studs in your head with Allen wrench, hang your gaskets on studs, then install header. The special 12 point (Double Hex) socket has 12 driving points for easier hex key engagement. With this special vibration free nut you are able to tighten your header from approximately 50% more positions than you can with an open end wrench. A stud/nut combination is always better to use than a bolt.

This system can withstand at least 50# of torque. GM OEM recommends header bolts torque to 35#.

## WATER RESTRICTOR

Aluminum restrictor reduces water temperature up to 20°. Funnel shape restrictor inserts to the lower radiator hose.



KRC-1027...Aluminum Water Restrictor

## RACE READY

- |                   |                                  |
|-------------------|----------------------------------|
| KRC-6600...12 qty | Kit includes:                    |
| KRC-6601...14 qty | 3/8"-16 x 1-1/2" socket studs    |
| KRC-6602...16 qty | 12 pt socket 3/8" nuts           |
|                   | 3/8" precision split lock washer |





# CARB ACCESSORIES

Please Call 1-800-814-5745 For A KRC Distributor Near You!

## CARBURETOR COVERS

KRC original aluminum carburetor cover kits quickly and efficiently cover your carburetor. Water proof and vibration proof speed nut is designed to lock onto cover with "O-Ring" seal, eliminating misplaced nuts



## RACE READY

- ASSEMBLY INCLUDES CARB COVER & SPEED NUT
- KRC-1029...Carb. Cover Assembly (1/4"-20 speed nut)
- KRC-1030...Carb. Cover Assembly (5/16"-18 speed nut)
- KRC-1031...5-1/8" Carburetor Cover
- KRC-1032...Dominator Carburetor Cover
- KRC-1035...Dominator Assembly (5/16"-18 speed nut)
- KRC-1037...Dominator Assembly (1/4"-20 speed nut)



## COMPONENTS

### FOR STANDARD AIR CLEANER

- KRC-1033...Speed Nut Assembly Kit (1/4"-20 speed nut)
- KRC-1034...Speed Nut Assembly Kit (5/16"-18 speed nut)



## THROTTLE LINKAGE

Quick disconnect throttle linkages include carb bushings for most carburetors. Heavy duty aluminum rods can withstand severe engine vibrations. Linkages can be removed from carburetor in 5 seconds. Pat#6338332

## RACE READY

- KRC-1040...Quick Disconnect Throttle Rod Kit
- KRC-1041...Disconnect Throttle Rod Kit (Sprint Cup)



Pat #6338332



## COMPONENTS

- KRC-1042...Throttle Ball Accessory
- KRC-1043...Throttle Ball Accessory (Sprint Cup)
- KRC-1044...Quick Disconnect Ends (Sprint Cup)
- KRC-1045...Carb Bushings
- KRC-1049...Gas Pedal Ball
- KRC-1051...Linkage Rod 22"
- KRC-1051L...Linkage Rod 30"
- KRC-7203...Disconnect Ends



Drake "The Kid" Troutman, 12, 2017 PRI



Russel Niehoff "B" Mod 2016

## KRC PEDAL STOP

Save your carburetor and throttle linkage from stress and strain. Mounted by pop rivets to the firewall makes it easy for one person to adjust the stop to throttle linkage from outside the car with screwdriver. 2-1/4" adjustment for the slickest safety piece on the market.

Patent Pending



- KRC-1038...Gas Pedal Stop
- KRC-1038L...Gas Pedal Stop nut only

## FUEL DIRECTORS

Anodized aluminum fuel directors incorporate a sliding nut for quick installation and removal, 1/8" NPT ports for fuel pressure gauge, and accommodate a 1/2" push lock hose or an -8AN fitting. Dual directors have 3/8" NPT outlet for return.



### SINGLE

- KRC-4405...Single Pushlock Director
- KRC-4408...Single Director -8AN



### DUAL

- KRC-4415...Dual Pushlock Director
- KRC-4418...Holley Dual Fuel Director -8AN
- KRC-4428...Demon Dual Fuel Director-8AN



### ADAPTER FITTING

- KRC-4419...Holley Fuel Director Fitting (set of 2)
- KRC-4421...Demon Adapter Fitting (set of 2)



Reusable .050 Aluminum Crush Washer

## THROTTLE RETURNS

Achieve smoother more consistent throttle application with the KRC return kit. Attach spring to intake with mounting plate to eliminate rotating past center of throttle shaft.


- KRC-1046...Carb Spring Return Kit (small block & 90 degree V-8 Chevy, 2 or 4 bolt)
- KRC-1048...Carb Bracket Spring Return Kit for Ford (Fits 1" Carb spacer)

KRC-1046



## SHIFTERS

Kluhsman Bert/Brinn shifters feature a lightweight aluminum dual handle designed for rough tracks and rough terrain conditions. 1/4" thick levers can be locked in with simple detent so it can't jump out of gear. They include 20" shifter rods, mounting clevis, pins & mounting bracket for complete installation. Brinn shifters come with heims.



## COLLAPSIBLE/SOLID STEERING COLUMN BRACKET

- KRC-8270...4-3/8" x 1-1/8" bearing
- KRC-8271...4-3/8" x 3/4" bearing
- KRC-8272...6-1/4" x 1-1/8" bearing
- KRC-8273...6-1/4" x 3/4" bearing
- KRC-8274...9-1/4" x 1-1/8" bearing
- KRC-8275...9-1/4" x 3/4" bearing
- KRC-8281...1-1/8" firewall bearing
- KRC-8282...3/4" firewall bearing



## RACE READY

### SINGLE

- KRC-7100...Powerglide Lockup (Push Start)
- KRC-7200...Powerglide Shifter

### DUAL

- KRC-7400...Bert Shifter w/ rods, clevis kit & mounting plate
- KRC-7401...Brinn Shifter w/ rods, heims & mounting plate

### THREE SPEED SHIFTER

- KRC-7300...Dual Lever 3 Speed Shifter w/ rods, Shifter Arm, heims, & mounting plate



## 5" COIL OVER KITS

Kits are offered for Bilstein, Penske, AFCO, QA1, Pro, and Carrera coil-over shock absorbers. Kits include anodized aluminum components (top, bottom nut, 5" threaded sleeve, and 2" extension sleeve) Steel wrenches, KRC-8840 and KRC-8842, on page 7 are designed for use with KRC coil-over kits.



## COMPONENTS

- KRC-7201...8"-20" 3/8" Linkage Rod
- KRC-7202...(18"-30") 3/8"- 24 Linkage Rod
- KRC-7203...Throttle Linkage/ Shifter Quick Coupler (3/8"-24 Female)
- KRC-7301...Three Speed Shifter Plate (Fits GM 3 & 4 Speed Tran.)
- KRC-7402...Bert Clevis Kit Only NO RODS OR PLATE



"Newly Designed Spiral Slot" for easy installation No Pin Required Patent Pending

2 oval slots for hose clamp spring retention

## LOWER IMCA ARMS & BUSHINGS

Machined OEM Stock/Modified control arms with Steel/Delrin bushings. Laser scanned and built in ten station die to eliminate erratic handling and flexing of stock '68-'72 Chevelle GM A-body control arm. Coined nose for more brake rotor clearance. Only by KRC.

## RACE READY

- KRC-8800...Lower Oval "A" Frame Bushing
- KRC-8801...Lower Round "A" Frame Bushing Small (1.4")
- KRC-8802...Lower Round "A" Frame Bushing Large (1.65")
- KRC-8803...Stock 68-72 Chevelle Lower "A" Arm (Right)
- KRC-8804...Stock 68-72 Chevelle Lower "A" Arm (Left)
- KRC-8807...Lower Round "A" Bushing Metric (Small)
- KRC-8808...Lower Round "A" Bushing Metric (Large)



## RACE READY COIL OVER KITS

- KRC-8820...5" Bilstein
- KRC-8822...5" AFCO
- KRC-8824...5" QA1
- KRC-8824-50...50 series QA1
- KRC-8824-51...51 series QA1
- KRC-8826...5" Pro
- KRC-8828...5" Carrera Dirt
- KRC-8830...5" Penske
- KRC-8830-SM...5" Penske
- KRC-8830-TH...5" Penske
- KRC-8836...Integra
- KRC-8819...5" AFCO New 19 series
- KRC-8839...2-1/2" Bilstein Coil Over Kit



## COMPONENTS

- KRC-8821...Bilstein Coil Shock Hat
- KRC-8823...AFCO Coil Shock Hat
- KRC-8825...QA1 Coil Shock Hat
- KRC-8827...Pro Coil Shock Hat
- KRC-8832...5" Sleeve Bilstein-QA1-Penske
- KRC-8833...5" Sleeve AFCO-Pro
- KRC-8834...2" Sleeve Extender Bilstein-QA1-Penske
- KRC-8835...2" Sleeve Extender AFCO-Pro
- KRC-8837...7" Bilstien/QA1 Penske
- KRC-8838...7" Sleeve AFCO-Pro



## COMPONENTS

- KRC-8800A...Delrin Bushing Only
- KRC-8809..."A" Arm Replacement Metric Kit (Small)
- KRC-8810..."A" Arm Replacement Metric Kit (Large)





# FUEL FILTERS

Please Call 1-800-814-5745 For A KRC Distributor Near You!

Bring aircraft technology to your race car with these In-Line, hard anodized fuel filters. Patented (#5536402) stainless steel filters can be used up to 500PSI, fuel injected engines and work the best for alcohol applications. This filter is approved by the FAA & STC for model 60 through 90 series Beechcraft King Air planes long range fuel systems. This filter is also widely used in many racing series such as Lucas Oil Late Model, IMCA, Wissota, UMP, USMTS, off road racing and many NASCAR series.

## RACE READY

### FILTER HOUSING (ELEMENT NOT INCLUDED)

- KRC-4505...1/2" NPT Inline Fuel Filter
- KRC-4506...#6 AN Long Inline Fuel Filter
- KRC-4508...#8 AN Long Inline Fuel Filter
- KRC-4510...#10 AN Long Inline Fuel Filter
- KRC-4512...#12 Long Inline Fuel Filter
- KRC-4605...1/2" NPT Short Inline Fuel Filter
- KRC-4606...#6 Short Inline Fuel Filter
- KRC-4608...#8 Short Inline Fuel Filter
- KRC-4610...#10 Short Inline Fuel Filter
- KRC-4612...#12 Short Inline Fuel Filter



### When ordering:

Please indicate **R-Red**, **Bl-Blue**, **Bk-Black**

## FILTER COMPONENTS

### BODY ONLY

- KRC-4700...Short Body
- KRC-4900... Long Body



### ELEMENT ONLY

- KRC-4500...Long Paper Element
- KRC-4901...Spring for Paper Element
- KRC-4600...Short Stainless Steel Element
- KRC-4602...Long Stainless Steel Element



### END CAP ONLY

- KRC-4950...1/2" NPT End Cap
- KRC-4951...Paper #6 AN End Cap
- KRC-4952...Paper #8 AN End Cap
- KRC-4953...Paper #10 AN End Cap
- KRC-4954...Paper #12 AN End Cap
- KRC-4955...Stainless Steel #6 AN End Cap
- KRC-4956...Stainless Steel #8 AN End Cap
- KRC-4957...Stainless Steel #10 AN End Cap
- KRC-4958...Stainless Steel #12 AN End Cap
- KRC-4959...Fuel Injected #8 AN End Cap
- KRC-4960...Fuel Injected #10 AN End Cap
- KRC-4961...Fuel Injected #12 AN End Cap



### FUEL FILTER BRACKETS

- KRC-4120... 2" Square Fuel Filter Bracket
- KRC-4125...1-1/4" Fuel Filter Bracket
- KRC-4138...1-3/8" Fuel Filter Bracket
- KRC-4150...1-1/2" Fuel Filter Bracket
- KRC-4175...1-3/4" Fuel Filter Bracket
- KRC-4190...1-3/8" Kinsler Monster



**NEW**

\*Disclaimer: **KRC** shall in no event be liable for death, injuries to persons or property or for incidental, contingent, special or consequential damages arising from the use of **KRC** products. We reserve the right to make changes and correct errors to products and specifications at any time.

## RACE READY

### STAINLESS STEEL ELEMENT FUEL FILTERS ELEMENT INSTALLED

- KRC-4702...Push lock 3/8" Hose Short Fuel Filter
- KRC-4704...Push lock 1/2" Hose Short Fuel Filter
- KRC-4705...1/2" NPT Short Female Fuel Filter
- KRC-4706...#6 AN Short Fuel Filter
- KRC-4708...#8 AN Short Fuel Filter
- KRC-4710...#10 AN Short Fuel Filter
- KRC-4712...#12 AN Short Fuel Filter
- KRC-4922...Push lock 3/8" Hose Long Fuel Filter
- KRC-4924...Push lock 1/2" Hose Long Fuel Filter
- KRC-4925...1/2" NPT Long Female Fuel Filter
- KRC-4926...#6 AN Long Fuel Filter
- KRC-4928...#8 AN Long Fuel Filter
- KRC-4930...#10 AN Long Fuel Filter
- KRC-4932...#12 AN Long Fuel Filter



### PAPER ELEMENT FUEL FILTERS ELEMENT INSTALLED

- KRC-4902...Push lock 3/8" Hose Long Fuel Filter
- KRC-4904...Push lock 1/2" Hose Long Fuel Filter
- KRC-4905...1/2" NPT Long Female Fuel Filter
- KRC-4906...#6 AN Long Fuel Filter
- KRC-4908...#8 AN Long Fuel Filter
- KRC-4910...#10 AN Long Fuel Filter
- KRC-4912...#12 AN Long Fuel Filter



## REMOTE SHOCK CANISTER BRACKET

**NEW  
BRACKET**



- KRC-4180...AFCO Remote Shock Canister Bracket
  - KRC-4182...JRI Remote Shock Canister Bracket
  - KRC-4184...Penske/Ohlins Remote Shock Canister Bracket
  - KRC-4186...Integra Remote Shock Canister Bracket
- Brackets fits 1-1/2" Frame Rail

Strongest lug nuts on the market. Lugs are available in 7075 non-corrosive aircraft aluminum, black hard anodized, and 5/8" course thread is rolled, making them lighter and stronger than steel. Hardened steel lug nuts are available in heat treated teflon or zinc plated. Choose from single angle or double angle style, lifetime guarantee on select part numbers. All with the same Kluhsman quality.



**KRC-8200**  
 5/8" NC Aluminum  
 (Qty 20)  
**LIFETIME GUARANTEE**



**KRC-8201**  
 Double Angle 5/8" NC  
 Aluminum (Qty 20)  
**LIFETIME GUARANTEE**



**KRC-8202**  
 Single 12MM x 1.25  
 Aluminum (Qty 16)




**KRC-8203**  
 Single 12MM x 1.50  
 Aluminum (Qty 16)



**KRC-8204**  
 Single 5/8" NF Steel  
 Reflective Yellow  
 (Qty 20)



**KRC-8205**  
 Single 5/8" NF  
 Aluminum (Qty 20)  
 Reflective Yellow



**KRC-8206**  
 Double 5/8" NF  
 Aluminum  
**LIFETIME GUARANTEE**  
 (Qty 20)



**KRC-8208**  
 Single 5/8" NF Steel  
 Teflon Coating  
 (Qty 250)



**KRC-8208X**  
 Single 5/8" NF Steel  
 Safety Yellow  
 (Qty 250)



**KRC-8209**  
 Single 1/2"-20 NF  
 Aluminum (Qty 20)  
**LIFE TIME GUARANTEE**



**KRC-8210**  
 Single 7/16"-20 NF  
 Aluminum  
 (Qty 20)



**KRC-8211**  
 Single 5/8" NC  
 Aluminum (Qty 20)  
 Reflective Yellow  
**LIFE TIME GUARANTEE**



**KRC-8212**  
 Double 5/8"-11 NC  
 Steel Zinc Plating  
 (Qty 20)



**KRC-8212T**  
 Double 5/8"-11 NC  
 Steel Teflon Coating  
 (Qty 20)



**KRC-8213**  
 Single 5/8"-11 NC  
 Steel Zinc Plating  
 (Qty 20)



**KRC-8213T**  
 Single 5/8"-11 NC  
 Steel Teflon Coating  
 (Qty 20)



**KRC-8214**  
 Single 5/8" NC  
 Steel Zinc Plating  
 Reflective Yellow  
 (Qty 20)



**KRC-8215**  
 Double 5/8"-18 NF  
 Steel Zinc Plating (Qty  
 20)



**KRC-8216**  
 Single 5/8"-18 NF  
 Steel/Heat Treat  
 Safety Yellow 60°  
 (Qty 20)



**KRC-8217**  
 Single 5/8"-11 NC  
 Steel/Heat Treat  
 Safety Yellow 60°  
 (Qty 20)



**KRC-8218**  
 14 mm x 1.5 Spherical  
 Safety Yellow  
 (Qty 20)



**KRC-8202S**  
 Single 12MM x 1.25  
 Steel (Qty 20)

**Check Out the tools on page 7 for lug accessories**

- KRC-8208CT Clean Up Tap
- KRC-8219 Double 5/8" NC Stud/Thread Chaser
- KRC-8220 Double 5/8" NF Stud/Thread Chaser
- KRC-8221 Emergency Stud Chaser - 5 pack
- KRC-8222 Wheel No/Go QC Gauge
- KRC-8310 Stud Knockout Tool
- KRC-8320 Wheel Brush Adapter



**Brad Mueller 2011, 2013  
 Plymouth, WI Champion**





# 2018 FEATURED PRODUCTS



"Our Quality is On the Line"

## KRC

800-814-5745 [krcracing.com](http://krcracing.com)

**Sample Certificate**

**\$00.00**

NAME: \_\_\_\_\_ ADDRESS: \_\_\_\_\_ CITY: \_\_\_\_\_ PHONE: \_\_\_\_\_ STATE: \_\_\_\_\_ EMAIL: \_\_\_\_\_

VOUCHER: 000000 EXPIRES: 06/30/2018

**Show Us Your KRC Goodies!**  
Like - Follow - Subscribe

**\*\*ATTENTION DEALERS\*\***  
To receive credit please complete the following:  
1. Call to verify certificate.  
2. Fill out winner information.  
3. Attach copy of sales receipt to voucher.  
4. Return this voucher with attached receipt within 30 days of sale.


This voucher entitles owner to the following amount of KRC products available throughout our authorized dealer. You may contact us toll free at 1-800-814-5745 for the dealer nearest you or visit our website at www.krcracing.com

## DISTRIBUTORS & RACERS

We've had a lot of questions concerning the proper procedure to validate your voucher/certificate.

**Racers:** Contact KRC at 800-814-5745 for a distributor closest to you or visit our website at [www.krcracing.com](http://www.krcracing.com) for the complete list. Take voucher to one of KRC's Distributors. Purchase KRC product and receive credit for the items you purchased.

**Distributors:** Prior to crediting the racer, contact KRC to validate the voucher number. Once we approve the voucher number, you will need to send or fax the voucher and a copy of the receipt to KRC and we will credit your account.



## KRC PRODUCT FOR YOUR RACE CAR



**KRC-8510**  
Safety Balance Air Inflation System  
This will inflate to approximately 40 lbs. and inflation system will activate 40 PSI pop off valve briefly once tires are up to pressure. **Suggested Retail: \$315.65**



**KRC-8512**  
8' Quick Connect Hose  
**Suggested Retail: \$35.05**



**Endorsed by Scott Bloomquist**



### KRC-1021

Safety White Lead Ballast Brick  
 Allows you to place weight anywhere on your chassis using our steel brackets for support. 5" centers. Requires (2) 3" x 1/2" Hex Bolts not included.  
**Suggested Retail: \$74.95**



*Jesse Stovall*



### KRC-4192, 1-1/4"

### KRC-4194, 1-1/2"

### KRC-4196, 1-3/4"

Steel Weight Ballast Clamp  
 3 times stronger than Aluminum.  
 Requires (2) KRC-1021  
**Suggested Retail: \$14.25**



### KRC-5000

Cyclone Thru-Hole Ratchet System  
 America's #1 Thru-Hole Ratchet  
**Suggested Retail: \$167.40**



### KRC-1015

Helmet Tear Off Pin with adjustment tool. Easy to tear off. Locks securely.  
**Suggested Retail: \$9.99**



# 2018 FEATURED PRODUCTS



**KRC-8251**  
Adhesive Lug Nut Foam Rings  
Fast glue up of the Lugs  
Suggested Retail: \$22.85



**Ken** (Speedway Engineering Co.), **Milt** (SRI) & **Mel** (KRC)



**KRC-8270**  
Multi-Adjustable Collapsible  
Column Bracket  
1-1/8" & 3/4" multi offset. 3/4" can be  
put in with existing steering shaft  
while in car. 3/4" has removable  
ball for insertion around your shaft  
quick coupler hex.  
Suggested Retail: \$129.95



**KRC-8281 & KRC-8282**  
Firewall Bearing  
1-1/8" or 3/4" split  
Suggest Retail: \$53.30 & \$65.00



**Billy Moyer, Jr.**



**KRC-8817**  
 2-1/2" AFco Coil Shock Kit  
 Dirt Late Model Series 7" Body  
 (5" Body Available)  
 Suggested Retail: \$59.95



**KRC-8844**  
 3-1/2" Coil Shock  
 Spanner Wrench  
 Suggested Retail: \$17.50



*Rex Merritt & Lexy VanZandt*



**KRC-4603 & KRC-4604**  
 Short/Long In-tank  
 Fuel Strainer  
 Suggested Retail: \$73.85 & \$81.50



**KRC-4700 Series**  
 Short Stainless Fuel Filter w/shut off valve  
 Suggested Retail: \$109.95

**KRC-4900 Series**  
 Long Stainless Fuel Filter w/shut off valve  
 Suggested Retail: \$119.95





# WHEEL STUDS/PIT PRACTICE



**KRC-8310**



**KRC-8221**




**KRC-8208X**



**KRC-8240**  
Balanced Pit Socket



Pat #D709744 & Pat #8899134



(L1)Part #	L2	L3	(L1)Part #	L2	L3
KRC-1600	2.45	0.500	KRC-2437	3.29	1.237
KRC-1625	2.47	0.525	KRC-2470	3.32	1.270
KRC-1687	2.54	0.587	KRC-2500	3.35	1.400
KRC-1700	2.55	0.600	KRC-2550	3.40	1.350
KRC-1725	2.57	0.625	KRC-2562	3.39	1.362
KRC-1750	2.60	0.650	KRC-2600	3.45	1.500
KRC-1800	2.65	0.700	KRC-2625	3.47	1.525
KRC-1812	2.66	0.712	KRC-2687	3.54	1.587
KRC-1875	2.73	0.650	KRC-2700	3.55	1.600
KRC-1900	2.75	0.675	KRC-2750	3.60	1.550
KRC-1937	2.79	0.712	KRC-2800	3.65	1.700
KRC-2000	2.85	0.900	KRC-2812	3.66	1.712
KRC-2050	2.90	0.825	KRC-2875	3.72	1.775
KRC-2093	2.94	0.993	KRC-2900	3.75	1.800
KRC-2100	2.95	1.000	KRC-3000	3.85	1.900
KRC-2125	2.97	1.025	KRC-3100	3.95	2.000
KRC-2187	3.04	1.087	KRC-3125	3.97	2.025
KRC-2200	3.05	1.100	KRC-3200	4.05	2.100
KRC-2225	3.07	1.125	KRC-3262	4.11	2.062
KRC-2250	3.10	1.150	KRC-3224	4.17	2.124
KRC-2300	3.15	1.200	KRC-3386	4.23	2.186
KRC-2312	3.16	1.212	KRC-3448	4.29	2.248
KRC-2375	3.23	1.175	KRC-3510	4.36	2.310
KRC-2400	3.25	1.200	KRC-3572	4.42	2.372

\* Other Sizes Available - Please Call

## PIT PRACTICE KITS

KRC "Pit Wheel Kit" revolutionized the way pit practice is done. It is no longer necessary to schedule pit practice ahead of time. With the new KRC glueless lug nut retainer you can practice whenever and wherever you choose.

### RACE READY



**KRC-8223...**  
Pit Wheel Kit #1  
with Practice Wheel



**KRC-8224...**  
Pit Wheel Kit #2



**KRC-8230...**  
Spring (Qty 5)



**KRC-8225...**  
Pit Wheel Kit #3



### COMPONENTS

**KRC-8226...**Flange Nut 5/8 NF Short (Qty 5)  
**KRC-8227...**Flange Nut 5/8 NF Long (Qty 5)



**KRC-8228...**Allen Screws (Qty 5)

**KRC-8232...**Pit Ring

**KRC-8240...**Balanced Pit Socket with Spring



## PIT SOCKET

Less vibration than any socket in the industry from balanced and tightened mandrel specifications.

**KRC-8240**...Balanced Pit Socket with Spring

Pat #D709744  
 Pat #8899134



## REAR STEER CAR LOADING ADAPTOR

Steer your race car from the rear to guide in your hauler easily while loading. Your quick disconnect and 10' x 5/8" tubing is all that's required to complete this set up. (A tee handle works great.)



**KRC-8260**...Rear Steer Car Loading Adaptor



Not included  
 Illustration only

## STUD KNOCK OUT TOOL

Remove studs without damage. Long enough to protect skilled operator's hand while removing stud at track or shop

**KRC-8310**...Stud Knockout Tool




## COIL OVER WRENCHES

Easily make chassis adjustments without unloading springs and tearing up your coil over kit. Designed for use with KRC Coil Over Kits page 3.

**KRC-8840**...5" Coil Shock Nut Wrench

**KRC-8842**...5" Coil Shock Body Wrench



## WHEEL BRUSH ADAPTOR

Easily remove rust or glue from wheels. Fits any wheel when mounted and attached to your brush.

**KRC-8320**...Wheel Brush Adaptor



## WHEEL NO/GO QC GAUGE

Check stud holes in wheels to ensure safe and operable condition.

**KRC-8222**...Wheel No/Go QC Gauge



## STUD CHASERS

The KRC Stud/Thread Chaser has a unique wide air gap. This air gap makes it easier for glue removal saving valuable time and can be glued for emergency pit stops.

**KRC-8219**...Double 5/8"-11 NC Stud/Thread Chaser (Qty 1)

**KRC-8220**...Double 5/8"-18 NF Stud/Thread Chaser (Qty 1)

**KRC-8221**...Emergency Single 5/8"-18 NF Stud/Thread Chaser (Qty 5)



## OIL FILTER INSPECTOR

Quickly and easily open filter canister to inspect for engine contaminants. Heavy duty 6061 anodized aluminum body razor sharp cutter wheel hardened to 60RC. Aviation adapters available.

## RACE READY

**KRC-1201**...Oil Filter Inspection Tool

**KRC-1203**...Aviation Oil Filter Inspection Tool




## COMPONENTS

**KRC-1202**...Aviation Adapter Kit

**KRC-1204**...Replacement Cutter Wheel

**KRC-1205**...Wix Racing Adapter

**KRC-1206**...OFC Replacement Kit





# TOOLS & MISC

Please Call 1-800-814-5745 For A KRC Distributor Near You!

## 24 LB. LEAD BALLAST & STEEL BRACKETS

Safety White Coated Lead Ballast Bricks will allow you to place weight anywhere on your chassis using our STEEL BRACKETS (3 times stronger than aluminum)

STEEL BRACKETS come in 1-3/4", 1-1/2", 1-1/4" tube size. These attach through 2 holes already in our Lead Ballast Brick using 3" x 1/2" hex bolts.

- KRC-1021...24# Lead Ballast Brick
- KRC-4192...1-1/4" Steel Bracket
- KRC-4194...1-1/2" Steel Bracket
- KRC-4196...1-3/4" Steel Bracket



## GEAR FILLER

Lightning Gear Filler will fill a rear end with 4 - 5 quarts, 90W Oil FAST! Lightweight, 7lb. tank can be filled with 60 PSI air pressure and controlled by manual valve. A 100 PSI liquid fill gauge and dipstick in the cap will help you pre-measure oil to speed up the rear end changing process. Fast, convenient, lightweight.

- KRC-1100...Lightning Gear Filler
- KRC-1104...Filtered Oil Catch Tray
- KRC-1106...Hands Free Fill Kit



## TECH TRAY

This all aluminum tech tray is great for going thru tech inspection. AN wrench, regular wrench, etc. can be secured to studs in the tray. This tray can be bolted on 1 stud of your hood pins. Tray has ample room to hold your carburetor, gauges, and shocks. It even has a welded spark plug tray for easy checking of cylinder conditions. The tray weighs just 2 lbs. Bolt down or place tools in tray and head to tech! The tray makes thing so easy when working on your motor.(Tools not included) This tray can also be used for catching rear end oil or motor oil from your car in a pinch. Pan holds 8 quarts.

- KRC-1011...Inspection Tech Tray



Billy Moyer Sr. and Billy Moyer Jr.

## 15" TIRE STAGGER DYNO

Measures tire before mounting on rim. KRC Patent #6681621  
KRC-8500...15" Tire Stagger Dyno



## POWER BLOCKS

Convenient battery charging and power, mount on rear deck or directly on firewall for timing light. Made from high impact resistant Lexan solid copper contacts. Barrel contacts readily accept all standard wire.

- KRC-1150...50 Amp Power Block (Qty 2)
- KRC-1151...175 Amp Power Block (Qty 2)
- KRC-1152...350 Amp Power Block (Qty 2)



Mel Kluhsman

Pat Bernal

## PISTON VICE

Hold pistons securely at any angle up to 30° . One set up and remaining pistons are positioned precisely the same. Perfect for re-matching/balancing piston sets and fly cutting for high lift cams. Replaceable Piston Pin Mandrels are keyed to fit exactly the same way.

## RACE READY

- KRC-1335...Piston Vice with Mandrel



- KRC-1327 Included

## COMPONENTS

- KRC-1312...Ford Small Block Mandrel
- KRC-1375...Ford 351M Mandrel
- KRC-1327...Chevy Small Block Mandrel
- KRC-1389...Chevy Big Block Mandrel
- KRC-1384...Chrysler Small Block Mandrel

### CATCH CAN

Eliminate oil blow by with Aluminum Catch Can with Petcock to drain excess oil. 2" O.D. x 5" body with removable ends and reusable washable breather cap for easy cleaning. Mounts to rear or side bumper with **KKP-2108** aluminum bracket.

When ordering Please indicate **R-Red, BI-Blue, Blk-Black**

**KKP-2106**...Aluminum Catch Can 5"  
**KRC-8950**...Drag Race Vented Catch Tank 9-1/8"



### CATCH CAN BRACKET

Bracket clamps onto Catch Can **KKP-2106** with 3/4" seat strut or used for mounting brackets on Lead weight canisters **KKP-1120**

**KKP-2108**...3/4" x 2" Catch Can Bracket



### ENGINE OIL FILL PLUG

Replace stock plastic cap with 7075 Aluminum cap, sure seal rubber O-ring.

When ordering Please indicate **R-Red, BI-Blue**

**KKP-2100**...Engine Oil Fill Plug



### FILL BREATHER CAP

Replace stock fill plug with aluminum Animal fuel pump breather to draw vacuum from crank case to fuel pump for optimal engine operation.

**KKP-2101**...Animal Fuel Pump Breather Kit



### STARTER NUTS

Replace pull rope with starter nut, uses 3/4" socket 5hp for Briggs and Animal.

Available in metric or standard.

**KKP-2102**...Metric Briggs Starter Nut

**KKP-2103**...Clone Starter Nut

**KKP-2104**...Standard Briggs Starter Nut



### TILLOTSON CARB ADJUSTMENT KNOB

Easily adjust air to fuel ratio day or night with knobs instead of T-bars for easier and more precise adjustments.

Daytime: See the color coded knobs with different lengths.

Night: Feel the different lengths and the thumb notch.



**KKP-2122**...Tillotson Carb Adjusting Knob Kit



*Lexy VanZandt*



### HEADER LOCK SYSTEM

This kit comes w/ High Tensile Studs & Heat Treated 12 Pt Nuts to keep your headers tight and not leak. Special 12 pt drive for easy hex key engagement.

**KKP-2600**...10mm Kit  
**KKP-2601**...SAE 1/4"-20 Kit



### CLUTCH BASKET

Outlasts the aluminum basket and run your MDC inexpensively, instead of paying for a new clutch, with the KRC Clutch. Machined for replaceable sprockets such as Tomar, Bully, SMC.

**KKP-2500**...MDC Clutch Basket for a Replaceable Sprocket  
**KKP-2501**...MDC Clutch Basket 12-20 Sprockets

\*\* Requires MDC Basket Exchange\*\*



### FLYWHEEL GUARD

Excellent in keeping heat in your motor. One piece Lexan guard allows you to see your timing marks.

**KKP-2150**...Clear Flywheel Guard



### GAS TANK SUPPORT

Tank support bolts to block and slot grips gas tank to prevent carb/tank fuel leakage

**KKP-2112**...Gas Tank Support



### HEADER BRACKET SUPPORT

Header bracket with support strap is more durable than strap with hose clamp. Bracket should be clamped at 40% of header length.

**KKP-2116**...Header Bracket with Support Strap



### CHAIN GUARD

Polished aluminum guard will protect driver in case of chain failure while still allowing access to oil fill plug and motor.

**KKP-2110**...Aluminum Polished Chain Guard



### ANIMAL VALVE COVER KIT

Keep dirt out of your crank case by filling the empty hole in the valve cover of Briggs Animal engines and run to catch can.

**KKP-2123**...Animal Valve Cover Kit





# KARTING CHASSIS & TOOLS

"Our Quality is On the Line"  
**KRC**

Please Call 1-800-814-5745 For A KRC Distributor Near You!

## LEAD WEIGHT CANNISTER

Quickly add or move weight with this lead weight canister. Short holds up to 4 lbs. and Long holds 7 lbs. of lead shot. Mount with **KKP-2108** aluminum bracket anywhere on kart.

When ordering please indicate  
**R-Red, BI-Blue, Blk-Black**

**KKP-1120**...Short Lead Weight Canister  
**KKP-1122**...Long Lead Weight Canister



## STEERING BLOCK WITH TOE LOCK

Toe Lock is perfect for locking steering shaft and front end of kart. Nylon bearing included. Works well with **KKP-5100** Laser Toe Gauge Chassis Alignment Tool.

**KKP-1104**...Steering Block with Toe Lock



## STEERING BLOCK

Easily adjust your steering wheel position. 2 Position Steering Block will give 2 3/4" adjustment up/down. 3 Position Steering Block will give 3 3/4" adjustment up/down.

**KKP-1106**...2 Position Steering Block  
**KKP-1108**...3 Position Steering Block



## STUDS & LUG NUTS

Karting studs are easy to start nuts. Similar to NASCAR wheel studs produced by KRC.

**KKP-4205**...Quick Start wheel Studs with Lug Nuts  
**KKP-4100**...1/4"-28 Lug Nuts (Qty 12)  
**KKP-4102**...1/4"-28 Lug Nuts (Qty 100)  
**KKP-4204**...1/4"-28 x 1-3/4" Quick Start Wheel Studs (Qty 12)



## LASER TOE GAUGE

Easily and accurately square your chassis and align your front toe. Place the laser on the right rear hub, to square kart with laser then tape measure to front with marked plates on front hubs. Works great!

**KKP-5100**...Laser Toe Gauge  
**KKP-5100B**...Laser Toe Gauge Bandelero



## MASTER CYLINDER PLUG

Anodized cap with "O-Ring" fits most common Go Kart brake cylinders. When ordering Please indicate  
**R-Red, BI-Blue, Blk-Black**

**KKP-1112**...Master Cylinder Plug



## PRECISION WHEEL SPACER

Spacers 15/16"x5/8" clear plated front wheel spacers.

**KKP-1114**...1/8" Spacer  
**KKP-1116**...1/4" Spacer  
**KKP-1118**...1/2" Spacer



2 per package

## TOP DEAD CENTER INDICATOR

Find top dead center, valve travel and lift for cams, or check crank shaft play. Indicator has 1" full travel with bracket.

**KKP-6250**...Top Dead Center Indicator



## NECK BRACES

Safety is a must! Special wedge design supports helmet from snapping back. Black cordura nylon with soft neck liner and adjustable velcro closure make for a safe and comfortable brace.

**KKP-6300**...Child neck brace  
**KKP-6400**...Adult neck brace



## SPROCKET ALIGNMENT

This handy sprocket alignment laser will make it easy to line up your sprocket & clutch. This works well with 35, 219, 520 chain sprockets. KRC Original

**KKP-5102**...Sprocket Alignment Laser 35 Chain  
**KKP-5103**...Sprocket Alignment Laser 219 Chain  
**KKP-5104**...Sprocket Alignment Laser 520 Chain







*Contact your nearest KRC Distributor for pricing and availability*

Barry Wright Race Cars	Heintz Performance	Motor State Distributing
Bay Speed	Howe Racing Enterprises	Nickels Performance
Behling Racing Equipment	JEGS High Performance	Performance Bodies
Behrent's	Jet Racing	Port City Chassis
Capital Motorsports Warehouse	Karl Performance	Port City Racing
Crew Gear, LLC	KMJ Performance	Dave Poske Performance
Day Motorsports	Larry Shaw Racing	Racing Plus
Full Throttle Racing	Lefthander Chassis	Schroeder Racing Product
Grand Prix Auto Sports	Lou Feger's Racing	Smiley's Racing Products
GRT	Mark Bush Racing	SRI Performance
Harris Auto Racing	Motorsports of KC	Summit Racing



[krccracing.com](http://krccracing.com)



800-814-5745