

CABINET CATALOG HOME GARAGE, COMMERCIAL SHOP, EDUCATIONAL LAB, and MORE



WWW.CTECHMANUFACTURING.COM



STORY OF CTECH

With a passion for racing, Jim Greenheck, CTech Manufacturing President/ Owner, needed a quality storage solution when on the road with his drag car. Jim sought after his own design and built the first CTech cabinet. He took into consideration "MOBILE APPLICATION" when engineering the first CTech products and that still holds true to this day.

CTech was developed to be lighter, stronger, and of a higher quality than anything else available. By concentrating on product innovation and listening to our customers, we have maintained our reputation for being the most respected name in storage products!

These innovations have grown our product offerings to include all-aluminum carts, cabinets, drawers and tactical cabinets. These products cover a number of different industries which continue to evolve and grow with each request. Our products have been used in a variety of mobile and stationary applications.


CTech stays engaged with customers to deliver new and innovative solutions every day. From major race teams to global energy companies, our people, technology, and engineering practices allow us to continue this trend of innovation.



TABLE OF CONTENTS



6-9 30-31 **FEATURES:** Components: VAN / TRUCK: OPTIONS: 32-33 **ECOMMERCE**: 10-11 34-37 12-15 **ECONO SERIES:** Packages: 12-14 **CUSTOM CABINETS:** Components: 15 38-39 Garage: PRO SERIES: 16-25 Shop: 40-41 17-22 Trailer: 42-43 Packages: Components: Specialty Vehicle: 44-45 23-25 **UTV Cabinet: ULTRA SERIES:** 26-31 46-47 Packages: 27-29 **INDUSTRIES SERVED:** 48-51



ACCESSORIES: 54-55

PRODUCT PORTFOLIO: 56-57

POLICIES & PROCEDURES: 58

CTECH ADVANTAGE: 59







PECIALTY VEHICLE



MORE INFO ONLINE








EXTRUDED ALUMINUM FRAME



RADIUS CORNERS FASTENER ASSEMBLED





Engineered with strong aluminum extrusions

MOTIONLATCH™ DRAWERS & DOORS

- Offers a ONE HAND ONE MOTION operation even with a handful of tools
- No pinching, no squeezing, no twisting, just pull the handle and the latches release
- MotionLatch™ opening function lets you grab anywhere on the extruded aluminum handle and effortlessly open our 250lb rated drawers









Gasket in counter top prevents fluids from leaking into cabinet



Injection molded corner fittings

GASKETLOC COUNTERTOP

- Designed to allow the countertop to expand and contract to prevent warping
- Injection-molded corners no sharp edges
- 21/4" High back and side splashes
- Screws or caulk NOT required
- Replaceable countertop
- Keep fluids from leaking into your cabinet
- Available in 2 surfaces:
 - 1. Gray Laminate (standard)
 - 2. Stainless Steel





- Precision formed and hemmed from a single sheet of 0.080" aluminum
- Exclusively designed shelf clips and wall slots are engineered to stay tight
- The Adjust-A-Loc™ shelving becomes an integral component of the cabinet
- Shelving comes standard in mill finish. Upgrades include padded non-skid liners and/or powder coat finish



Internal bracing shelf adjustment



Adjust-A-Loc MotionLatch™ pull out shelves



One Opening Overhead Width Range: 24-37" Height Range: 18-20" Depth Range: 14-24"



One Opening Wall Width Range: 24-33" Height Range: 18-40" Depth Range: 14-24"



One Opening Closet Width Range: 24-33" Height Range: 40-80" Depth Range: 18-26'



One Opening Base Width Range: 24-37" Height Range: 42.25" Depth Range: 18-26"



One Opening Overhead Width Range: 36.5-72.5" Height Range: 18-20" Depth Range: 14-24"



One Opening Wall Width Range: 36.5-64.5 in. Height Range: 18-40" Depth Range: 14-24"



One Opening Closet Width Range: 36.5-64.5" Height Range: 40-80" Depth Range: 18-26'



One Opening Base Width Range: 36.5-64.5" Height Range: 42.25" Depth Range: 18-26"



One Opening Overhead Width Range: 54-108" Height Range: 18-20" Depth Range: 14-24"



One Opening Wall Width Range: 54-96" Height Range: 18-40" Depth Range: 14-24"



One Opening Closet Width Range: 71.5-96" Height Range: 40-80" Depth Range: 18-26'



One Opening Base Width Range: 54-96" Height Range: 42.25" Depth Range: 18.26"



One Opening Overhead Width Range: 71.5-120" Height Range: 18-20" Depth Range: 14-24"



One Opening Wall Width Range: 71.5-120" Height Range: 18-40" Depth Range: 14-24"



One Opening Closet Width Range: 71.5-96" Height Range: 40-80" Depth Range: 18-26'



One Opening Base Width Range: 71.5-120" Height Range: 42.25" Depth Range: 18-26'



BUILD CABINET LAYOUTS ONLINE



BUILD YOUR OWN CABINET PACKAGE

Mix and match multiple cabinet types.



where you save.

white aluminum versus our traditional powder coat finish is







SPECIFICATIONS:	ECONO1
WIDTH	72"
HEIGHT	75"
DEPTH	24"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	NA
NET WEIGHT	154lbs



ECONO SERIES - Econo1

- ECO721614 Overhead 72w x 16h x 14d
- ECBA723624 Base 72w x 38.25h x 24d
- GasketLoc Countertop 36h
- MotionLatch Doors
- Adjust-A-Loc Shelves

SPECIFICATIONS:	ECONO2
WIDTH	72"
HEIGHT	<i>75"</i>
DEPTH	24"
LOAD CAPACITY	250 lbs per drawer/shelf
DRAWERS	1-5", 1-6", 1-10", 1-12"
NET WEIGHT	189lbs

ECONO SERIES - Econo2

- ECO721614 Overhead 72w x 16h x 14d
- ECBB723624 Base 72w x 38.5h x 24d
- GasketLoc Countertop 36h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves





SPECIFICATIONS:	ECONO3
WIDTH	94"
HEIGHT	75"
DEPTH	24"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	NA
NET WEIGHT	208lbs

ECONO SERIES - Econo3

- ECO721614 Overhead 72w x 16h x 14d
- ECBA723624 Base 72w x 38.25h x 24d
- ECC752422 Closet 22w x 75h x 24d
- GasketLoc Countertop 36h
- MotionLatch Doors
- Adjust-A-Loc Shelves
- Hanger Bar

SPECIFICATIONS:	ECONO4
WIDTH	94"
HEIGHT	<i>75"</i>
DEPTH	24"
LOAD CAPACITY	250 lbs per drawer/ shelf
DRAWERS	1-5", 1-6", 1-10", 1-12"
NET WEIGHT	243lbs

ECONO SERIES - Econo4

- ECO721614 Overhead 72w x 16h x 14d
- ECBB723624 Base 72w x 38.25h x 24d
- ECC752422 Closet 22w x 75h x 24d
- GasketLoc Countertop 36h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves
- Hanger Bar







OVERHEAD - ECO481614 48w x 16h x 14d

Opening 1: 21.75w x 13h: Top Swing Opening 2: 21.75w x 13h: Top Swing

MotionLatch Doors

45 lbs



OVERHEAD - ECO721614 72w x 16h x 14d

Opening 1: 33.75w x 13h: Top Swing Opening 2: 33.75w x 13h: Top Swing

MotionLatch Doors

53 lbs



CLOSET - ECC752422 22w x 75h x 24d

Opening 1: 19w x 69h: Left Swing

MotionLatch Doors Adjust-A-Loc Shelves Hanger Bar

54 lbs



WALL - ECW362416 36w x 24h x 16d

Opening 1: 15.75w x 21h: Left Swing SwingOpening 2: 15.75w x 21h: Right Swing Opening 2: 21.75w x 21h: Right Swing

MotionLatch Doors Adjust-A-Loc Shelves

45 lbs



WALL - ECW482416 48w x 24h x 16d





BASE - ECBA723624 72w x 38.25h x 24d

Opening 1: 22w x 34h: Left Swing Opening 2: 22w x 34h: Left Swing Opening 3: 22w x 34h: Right Swing

GasketLoc Countertop - 36h MotionLatch Doors Adjust-A-Loc Shelves

101 lbs



136 lbs

Adjust-A-Loc Shelves



CHECK PRICING ONLINE





SPECIFICATIONS:	P1000
WIDTH	96"
HEIGHT	75"
DEPTH	26"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	NA
NET WEIGHT	210lbs

- 03-96 Overhead 96w x 14h x 14d
- B3-96 Base 96w x 42.25h x 26d
- GasketLoc Countertop 40h
- MotionLatch Doors
- Adjust-A-Loc Shelves

SPECIFICATIONS:	P1001
WIDTH	96"
HEIGHT	<i>75"</i>
DEPTH	26"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	3-3"
NET WEIGHT	258lbs

PRO SERIES - P1001

- 03-96 Overhead 96w x 14h x 14d
- BC3-96 Base 96w x 42.25h x 26d
- GasketLoc Countertop 40h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves





SPECIFICATIONS:	P1002
WIDTH	96"
HEIGHT	<i>75"</i>
DEPTH	26"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	1-3", 4-4", 3-6"
NET WEIGHT	335lbs

PRO SERIES - P1002

- 03-96 Overhead 96w x 14h x 14d
- BD3-96 Base 96w x 42.25h x 26d
- GasketLoc Countertop 40h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves




TEXTURE BLACK SILVER VEIN WHITE GRAY BLACK MIDNIGHT BLUE BLUE STREAK LIME



SPECIFICATIONS:	P1004
WIDTH	96"
HEIGHT	<i>75"</i>
DEPTH	26"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	2-3"
NET WEIGHT	252lbs

- O2-72 Overhead 72w x 14h x 14d
- BC2-72 Base 72w x 42.25h x 26d
- C1-24L Closet 24w x 75h x 26d
- GasketLoc Countertop 40h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves
- Hanger Bar





PRO SERIES - P1003

- 02-72 Overhead 72w x 14h x 14d
- B2-72 Base 72w x 42.25h x 26d
- C1-24L Closet 24w x 75h x 26d
- GasketLoc Countertop 40h
- MotionLatch Doors
- Adjust-A-Loc Shelves
- Hanger Bar



SPECIFICATIONS:	P1005
WIDTH	96"
HEIGHT	<i>75"</i>
DEPTH	26"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	1-3", 4-4", 3-6"
NET WEIGHT	332lbs

PRO SERIES - P1005

- O2-72 Overhead 72w x 14h x 14d
- BD2-72 Base 72w x 42.25h x 26d
- C1-24L Closet 24w x 75h x 26d
- GasketLoc Countertop 40h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves
- Hanger Bar



EXTURE BLACK SILVER VEIN W

GRAY

BLACK

DNIGHT BLUE BLU

LIME

YELLOW

CAT YEL

ORANGE

1	
	Ľ
	Щ
	≲
	쓹
	ن

SPECIFICATIONS:	P1006
WIDTH	96"
HEIGHT	<i>75"</i>
DEPTH	26"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	3-3"
NET WEIGHT	247lbs

- O2-72 Overhead 72w x 14h x 14d
- B3-72 Base 72w x 42.25h x 26d
- C1-24L Closet 24w x 75h x 26d
- GasketLoc Countertop 40h
- MotionLatch Doors
- Adjust-A-Loc Shelves
- Hanger Bar



	•		

SPECIFICATIONS:	P1007
SPECIFICATIONS.	P1007
WIDTH	96"
HEIGHT	<i>75"</i>
DEPTH	26"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	3-3"
NET WEIGHT	287lbs

PRO SERIES - P1007

- 02-72 Overhead 72w x 14h x 14d
- BC3-72 Base 72w x 42.25h x 26d
- C1-24L Closet 24w x 75h x 26d
- GasketLoc Countertop 40h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves
- Hanger Bar

SPECIFICATIONS:	P1008
WIDTH	96"
HEIGHT	75"
DEPTH	26"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	1-3", 4-4", 3-6"
NET WEIGHT	352lbs

PRO SERIES - P1008

- O2-72 Overhead 72w x 14h x 14d
- BD3-72 Base 72w x 42.25h x 26d
- C1-24L Closet 24w x 75h x 26d
- GasketLoc Countertop 40h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves
- Hanger Bar



CAT YELLOW

* ANY STANDARD PRODUCT CAN BE CUSTOMIZED TO YOUR SPECIFIC NEEDS, PLEASE CALL 715-355-8842 AND TALK TO YOUR CTECH REPRESENTATIVE TODAY.





SPECIFICATIONS:	P1009
WIDTH	96"
HEIGHT	75"
DEPTH	48"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	NA
NET WEIGHT	220lbs

- 03-96 Overhead 96w x 14h x 14d
- LB2-96 Corner Base 96w x 42.25h x 48d
- GasketLoc Countertop 40h
- MotionLatch Doors
- Adjust-A-Loc Shelves

SPECIFICATIONS:	P1011
WIDTH	96"
HEIGHT	<i>75"</i>
DEPTH	48"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	2-3"
NET WEIGHT	250lbs

PRO SERIES - P1011

- 03-96 Overhead 96w x 14h x 14d
- LBC2-96 Corner Base 96w x 42.25h x 48d
- GasketLoc Countertop 40h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves





SPECIFICATIONS:	P1013
WIDTH	96"
HEIGHT	<i>75"</i>
DEPTH	48"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	1-3", 4-4", 3-6"
NET WEIGHT	450lbs

PRO SERIES - P1013

- 03-96 Overhead 96w x 14h x 14d
- LBD2-96 Corner Base 96w x 42.25h x 24d
- GasketLoc Countertop 40h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves

CHECK PRICING ONLINE

All corner packages are available in right corner configurations as well



ANY STANDARD PRODUCT CAN BE CUSTOMIZED TO YOUR SPECIFIC NEEDS, PLEASE CALL 715-355-8842 AND TALK TO YOUR CTECH REPRESENTATIVE TODAY.

	Ŋ
	5
	\geq
	۲
	ς,
į	_

SPECIFICATIONS:	P1015
WIDTH	96"
HEIGHT	<i>75"</i>
DEPTH	48"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	3-3"
NET WEIGHT	235lbs

- O3-96 Overhead 96w x 14h x 14d
- LB3-96 Corner Base 96w x 42.25h x 48d
- GasketLoc Countertop 40h
- MotionLatch Doors
- Adjust-A-Loc Shelves





SPECIFICATIONS:	P1017
WIDTH	96"
HEIGHT	75"
DEPTH	48"
LOAD CAPACITY	250 lbs per drawer/shelf
DRAWERS	3-3"
NET WEIGHT	270lbs

PRO SERIES - P1017

- 03-96 Overhead 96w x 14h x 14d
- LBC3-96 Corner Base 96w x 42.25h x 48d
- GasketLoc Countertop 40h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves

SPECIFICATIONS:	P1019
WIDTH	96"
HEIGHT	<i>75"</i>
DEPTH	48"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	1-3", 4-4", 3-6"
NET WEIGHT	340lbs

PRO SERIES - P1019

- 03-96 Overhead 96w x 14h x 14d
- LBD3-96 Corner Base 96w x 42.25h x 48d
- GasketLoc Countertop 40h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves



All corner packages are available in right corner configurations as well

POWDER COAT COLORS:

* ANY STANDARD PRODUCT CAN BE CUSTOMIZED TO YOUR SPECIFIC NEEDS, PLEASE CALL 715-355-8842 AND TALK TO YOUR CTECH REPRESENTATIVE TODAY.





SPECIFICATIONS:	P1021
WIDTH	96"
HEIGHT	75"
DEPTH	48"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	NA
NET WEIGHT	257lbs

- 02-72 Overhead 72w x 14h x 14d
- LB2-72 Corner Base 72w x 42.25h x 48d
- C1-24R Closet 24w x 75h x 26d
- GasketLoc Countertop 40h
- MotionLatch Doors
- Adjust-A-Loc Shelves
- Hanger Bar

SPECIFICATIONS:	P1023
WIDTH	96"
HEIGHT	<i>75"</i>
DEPTH	48"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	2-3"
NET WEIGHT	282lbs

PRO SERIES - P1023

- O2-72 Overhead 72w x 14h x 14d
- LBC2-72 Corner Base 72w x 42.25h x 48d
- C1-24R Closet 24w x 75h x 26d
- GasketLoc Countertop 40h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves
- Hanger Bar





SPECIFICATIONS:	P1025
WIDTH	96"
HEIGHT	75"
DEPTH	48"
LOAD CAPACITY	250 lbs per shelf
DRAWERS	1-3", 4-4", 3-6"
NET WEIGHT	357lbs

PRO SERIES - P1025

- O2-72 Overhead 72w x 14h x 14d
- LBD2-72 Corner Base 72w x 42.25h x 48d
- C1-24R Closet 24w x 75h x 26d
- GasketLoc Countertop 40h
- MotionLatch Doors
- MotionLatch Drawers
- Adjust-A-Loc Shelves
- Hanger Bar



ANY STANDARD PRODUCT CAN BE CUSTOMIZED TO YOUR SPECIFIC NEEDS, PLEASE CALL 715-355-8842 AND TALK TO YOUR CTECH REPRESENTATIVE TODAY.











OVERHEAD - 02-60 60w x 14h x 14d

Opening 1: 27.75w x 11h:Top Swing Opening 2: 27.75w x 11h: Top Swing

MotionLatch Doors 26 lbs

OVERHEAD - 02-72 72w x 14h x 14d

Opening 1: 33.75w x 11h: Top Swing Opening 2: 33.75w x 11h: Top Swing

MotionLatch Doors 31 lbs

OVERHEAD - 03-96 96w x 14h x 14d

Opening 1: 30w x 11h: Top Swing Opening 2: 30w x 11h: Top Swing Opening 3: 30w x 11h: Top Swing

MotionLatch Doors 40 lbs





Opening 1: 21.75w x 13h: Left Swing Opening 2: 21.75w x 13h: Right Swing

MotionLatch Doors 21 lbs



WALL - W4-96 96w x 16h x 14d

Opening 1: 22.125w x 13h: Left Swing Opening 2: 22.125w x 13h: Right Swing Opening 3: 22.125w x 13h: Left Swing Opening 4: 22.125w x 13h: Right Swing

MotionLatch Doors 58 lhs



BASE - B2-60 60w x 40h x 26d

Opening 1: 27.75w x 38h: Left Swing Opening 2: 27.75w x 38h: Right Swing

GasketLoc Countertop MotionLatch Doors GasketLoc Countertops add 2.25" to any base cabinet overall height 110 lbs



BASE - B2-72 72w x 42.25h x 26d

Opening 1: 33.75w x 38h: Left Swing Opening 2: 33.75w x 38h: Right Swing

GasketLoc Countertop - 40h MotionLatch Doors Adjust-A-Loc Shelves

126 lbs



BASE - BC2-60 60w x 42.25h x 26d

Opening 1: 27.75w x 4.125h: Drawers: 4 Opening 2: 27.75w x 33.875h: Left Swing Opening 3: 27.75w x 4.125h: Drawers: 4

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

145 lbs



BASE - BC2-72 72w x 42.25h x 26d

Opening 1: 33.75w x 4.125h: Drawers: 4 Opening 2: 33.75w x 33.875h: Left Swing Opening 3: 33.75w x 4.125h: Drawers: 4 Opening 4: 27.75w x 33.875h: Right Swing Opening 4: 33.75w x 33.875h: Right Swing

> GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

160 lbs



POWDER COAT COLORS:

CAT YELLOW ANY STANDARD PRODUCT CAN BE CUSTOMIZED TO YOUR SPECIFIC NEEDS, PLEASE CALL 715-355-8842 AND TALK TO YOUR CTECH REPRESENTATIVE TODAY.



BASE - BD2-60 60w x 42.25h x 26d

Opening 1: 27.75w x 38h: Left Swing Opening 2: 27.75w x 38h: Drawers: 3, 4, 4, 4, 4,

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

225 lbs



BASE - BD2-72 72w x 42.25h x 26d

Opening 1: 33.75w x 38h: Left Swing Opening 2: 33.75w x 38h: Drawers: 3, 4, 4, 4, 4,

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

250 lbs



BASE - B3-72 72w x 42.25h x 26d

Opening 1: 22w x 38h: Left Swing Opening 2: 22w x 38h: Left Swing Opening 3: 22w x 38h: Right Swing

GasketLoc Countertop - 40h MotionLatch Doors Adjust-A-Loc Shelves

140 lbs



BASE - B3-96 96w x 42.25h x 26d

Opening 1: 30w x 38h: Left Swing Opening 2: 30w x 38h: Left Swing Opening 3: 30w x 38h: Right Swing

GasketLoc Countertop - 40h MotionLatch Doors Adjust-A-Loc Shelves

170 lbs



BASE - BC3-72 72w x 42.25h x 26d

Opening 1: 22w x 4.125h: Drawers: 4 inch Opening 2: 22w x 33.875h: Left Swing Opening 3: 22w x 4.125h: Drawers: 4 inch Opening 4: 22w x 33.875h: Left Swing Opening 5: 22w x 4.125h: Drawers: 4 inch Opening 6: 22w x 33.875h: Left Swing

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

180 lbs



BASE - BC3-96 96w x 42.25h x 26d

Opening 1: 30w x 4.125h: Drawers: 4 inch Opening 2: 30w x 33.875h: Left Swing Opening 3: 30w x 4.125h: Drawers: 4 inch Opening 4: 30w x 33.875h: Left Swing Opening 5: 30w x 4.125h: Drawers: 4 inch

Opening 6: 30w x 33.875h: Right Swing

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

218 lbs



BASE - BD3-72 72w x 42.25h x 26d

Opening 1: 22w x 38h: Left Swing Opening 2: 22w x 38h: Left Swing Opening 3: 22w x 38h: Drawers: 3, 4, 4, 4, 4, 6,

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

245 lbs



BASE - BD3-96 96w x 42.25h x 26d

Opening 1: 30w x 38h: Left Swing Opening 2: 30w x 38h: Left Swing Opening 3: 30w x 38h: Drawers: 3, 4, 4, 4, 4, 6,

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

295 lbs



CORNER BASE - LB2-72 & RB2-72 Overall: 72w x 42.25h x 48d Main: 72w x 42.25h x 26d Leg: 48w x 42.25h x 24d

Opening 1: 19w x 38h: Right Swing Opening 2: 21.75w x 38h: Left Swing Opening 3: 21.75w x 38h: Right Swing

GasketLoc Countertop - 40h MotionLatch Doors Adjust-A-Loc Shelves

150 lbs



POWDER COAT COLORS:

YELLOW CAT YELLOW ORANGE ANY STANDARD PRODUCT CAN BE CUSTOMIZED TO YOUR SPECIFIC NEEDS, PLEASE CALL 715-355-8842 AND TALK TO YOUR CTECH REPRESENTATIVE TODAY.





CORNER BASE - LB2-96 & RB2-96 Overall: 96w x 42.25h x 48d Main: 96w x 42.25h x 26d Leg: 48w x 42.25h x 24d

Opening 1: 19w x 38h: Right Swing Opening 2: 33.75w x 38h: Left Swing Opening 3: 33.75w x 38h: Right Swing

GasketLoc Countertop - 40h MotionLatch Doors Adjust-A-Loc Shelves

180 lbs



CORNER BASE - LBC2-72 & RBC2-72 Overall: 72w x 42.25h x 48d Main: 72w x 42.25h x 26d Leg: 48w x 42.25h x 24d

Opening 1: 19w x 38h: Right Swing Opening 2: 21.75w x 4.125h: Drawers: 4 Opening 3: 21.75w x 33.875h: Left Swing Opening 4: 21.75w x 4.125h: Drawers: 4 Opening 5: 21.75w x 33.875h: Right Swing

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

175 lbs



CORNER BASE - LBC2-96 & RBC2-96 Overall: 96w x 42.25h x 48d Main: 96w x 42.25h x 26d Leg: 48w x 42.25h x 24d

Opening 1: 19w x 38h: Right Swing Opening 2: 33.75w x 4.125h: Drawers: 4 Opening 3: 33.75w x 33.875h: Left Swing Opening 4: 33.75w x 4.125h: Drawers: 4 Opening 5: 33.75w x 33.875h: Right Swing

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

210 lbs



CORNER BASE - LBD2-72 & RBD2-72 Overall: 72w x 42.25h x 48d Main: 72w x 42.25h x 26d Leg: 48w x 42.25h x 24d

Opening 1: 19w x 38h: Right Swing Opening 2: 21.75w x 38h: Left Swing Opening 3: Drawers: 3, 4, 4, 4, 4, 6, 6, 6

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

250 lbs



CORNER BASE - LBD2-96 & RBD2-96 Overall: 96w x 42.25h x 48d Main: 96w x 42.25h x 26d Leg: 48w x 42.25h x 24d

Opening 1: 19w x 38h: Right Swing Opening 2: 33.75w x 38h: Left Swing Opening 3: Drawers: 3, 4, 4, 4, 4, 6, 6, 6

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

410 lbs



CORNER BASE - LB3-96 & RB3-96 Overall: 96w x 42.25h x 48d Main: 96w x 42.25h x 26d Leg: 48w x 42.25h x 24d

Opening 1: 19w x 38h: Right Swing Opening 2: 22w x 38h: Left Swing Opening 3: 22w x 38h: Left Swing Opening 4: 22w x 38h: Right Swing

GasketLoc Countertop - 40h MotionLatch Doors Adjust-A-Loc Shelves

195 lbs



CORNER BASE - LBC3-96 & RBC3-96 Overall: 96w x 42.25h x 48d Main: 96w x 42.25h x 26d Leg: 48w x 42.25h x 24d

Opening 1: 19w x 38h: Right Swing Opening 2: 22w x 4.125h: Drawers: 4 inch Opening 3: 22w x 33.875h: Left Swing Opening 4: 22w x 4.125h: Drawers: 4 inch Opening 5: 22w x 33.875h: Left Swing Opening 6: 22w x 4.125h: Drawers: 4 inch Opening 7: 22w x 33.875h: Right Swing

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

250 lbs




CORNER BASE - LBD3-96 & RBD3-96 Overall: 96w x 42.25h x 48d Main: 96w x 42.25h x 26d Leg: 48w x 42.25h x 24d

Opening 1: 19w x 38h: Right Swing Opening 2: 22w x 38h: Left Swing Opening 3: 22w x 38h: Left Swing Opening 4: Drawers: 3, 4, 4, 4, 4, 6, 6, 6

GasketLoc Countertop - 40h MotionLatch Doors MotionLatch Drawers Adjust-A-Loc Shelves

300 lbs



CLOSET - C1-24L & C1-24R 24w x 75h x 26d

Opening 1: 21w x 72h: Left Swing

MotionLatch Doors Adjust-A-Loc Shelves Hanger Bar

76 lbs



POWDER COAT COLORS:

YELLOW CAT YELLOW ORANGE ANY STANDARD PRODUCT CAN BE CUSTOMIZED TO YOUR SPECIFIC NEEDS, PLEASE CALL 715-355-8842 AND TALK TO YOUR CTECH REPRESENTATIVE TODAY.







SPECIFICATIONS:	BAJA
WIDTH	88"
HEIGHT	85"
DEPTH	26"
LOAD CAPACITY	250 lbs per drawer/shelf
DRAWERS	5-4", 2-6", 1-9"
NET WEIGHT	394lbs

ULTRA SERIES - BAJA

- GW3-88 Wall 88w x 24h x 16d GBCD-88 Base 88w x 42.75h x 24d
- GasketLoc Countertop 40.5
- MotionLatch Doors
- MotionLatch Drawers
- Heavy-Duty Drawer Liner Adjust-A-Loc Shelves
- Heavy-Duty Shelf Liner
- Snag-Free Radius Corners Adjustable Toe Kick



SPECIFICATIONS:	MILWAUKEE
WIDTH	88"
HEIGHT	85"
DEPTH	26"
LOAD CAPACITY	250 lbs per drawer/shelf
DRAWERS	2-4"
NET WEIGHT	280lbs

ULTRA SERIES - MILWAUKEE

- GW3-88 Wall 88w x 24h x 16d GBC37-88 Base 88w x 42.75h x 24d
- GasketLoc Countertop 40.5
- MotionLatch Doors
- MotionLatch Drawers
- Heavy-Duty Drawer Liner
- Adjust-A-Loc Shelves
- Heavy-Duty Shelf Liner Snag-Free Radius Corners Adjustable Toe Kick



SPECIFICATIONS:	BRISTOL
WIDTH	144"
HEIGHT	85"
DEPTH	26"
LOAD CAPACITY	250 lbs per drawer/shelf
DRAWERS	1-3", 3-4", 1-5", 1-6" (G-Cart)
NET WEIGHT	740lbs

ULTRA SERIES - BRISTOL

ORANGE

- GW4-88 Wall 88w x 24h x 16d
- GB-88 Base 88w x 42.75h x 24d GSCS-28 Closet 28w x 85h x 26d
- GSCH-28L Closet 28w x 85h x 26d

CAT YELLOW

- G-CART Cart 40w x 36.625h x 24d
- GasketLoc Countertop 40.5
- MotionLatch Doors
- MotionLatch Drawers

- Heavy-Duty Drawer Liner Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Snag-Free Radius Corners Hanger Bar
- Adjustable Toe Kick
- **Heavy-Duty Casters**



POWDER COAT COLORS:

YELLOW

ANY STANDARD PRODUCT CAN BE CUSTOMIZED TO YOUR SPECIFIC NEEDS, PLEASE CALL 715-355-8842 AND TALK TO YOUR CTECH REPRESENTATIVE TODAY.

ູເນ	
5	
$\overline{\mathbf{a}}$	
সূ	
L I	

SPECIFICATIONS:	KNOXVILLE
WIDTH	144"
HEIGHT	85"
DEPTH	26"
LOAD CAPACITY	250 lbs per drawer/ shelf
DRAWERS	1-3", 3-4", 1-5", 1-6" (G-Cart) 2-4" (Base Cabinet)
NET WEIGHT	786lbs

ULTRA SERIES - KNOXVILLE

- GW4-88 Wall 88w x 24h x 16d
- GBC-88 Base 88w x 42.75h x 24d GSCS-28 Closet 28w x 85h x 26d
- GSCH-28L Closet 28w x 85h x 26d G-CART Cart 40w x 36.625h x 24d GasketLoc Countertop 40.5h
- GasketLoc Countertop 40
 MotionLatch Doors
 MotionLatch Drawers
 Heavy-Duty Drawer Liner
 Adjust-A-Loc Shelves
 Heavy-Duty Shelf Liner
 Snag-Free Radius Corners
 Hanger Rer

- Hanger Bar
- Adjustable Toe Kick
- Heavy-Duty Casters





SPECIFICATIONS:	BONNEVILLE
WIDTH	192"
HEIGHT	85"
DEPTH	26"
LOAD CAPACITY	250 lbs per drawer/ shelf
DRAWERS	NA
NET WEIGHT	692lbs

ULTRA SERIES - BONNEVILLE

- GW4-88 Wall 88w x 24h x 16d
- GB-88 Base 88w x 42.75h x 24d
- GSCS-52 Closet 52w x 85h x 26d
- GSCH-52 Closet 52w x 85h x 26d
- GasketLoc Countertop 40.5h
- MotionLatch Doors
- Adjust-A-Loc Shelves
- Heavy-Duty Shelf Liner Snag-Free Radius Corners
- Hanger Bar
- Adjustable Toe Kick



YELLOW

CAT YELLOW

ORANGE





SPECIFICATIONS:	INDY
WIDTH	192"
HEIGHT	85"
DEPTH	26"
LOAD CAPACITY	250 lbs per drawer/ shelf
DRAWERS	1-3", 3-4", 1-5", 1-6" (G-Cart)
NET WEIGHT	897lbs

ULTRA SERIES - INDY

- GW4-88 Wall 88w x 24h x 16d

- GB-88 Base 88w x 42.75h x 24d GSCS-52 Closet 52w x 85h x 26d GSCH-52 Closet 52w x 85h x 26d
- G-CART Cart 40w x 36.625h x 24d GasketLoc Countertop 40.5h
- MotionLatch Doors

- MotionLatch Donwers
 Heavy-Duty Drawer Liner
 Adjust-A-Loc Shelves
 Heavy-Duty Shelf Liner
 Snag-Free Radius Corners
- Hanger Bar Adjustable Toe Kick
- Heavy-Duty Casters

SPECIFICATIONS:	LIMEROCK-L & LIMEROCK-R
WIDTH	124.5"
HEIGHT	85"
DEPTH	76"
LOAD CAPACITY	250 lbs per drawer/ shelf
DRAWERS	1-3", 3-4", 1-5", 1-6" (G-Cart) 1-3", 3-5", 3-7" (Com- bo Closet)
NET WEIGHT	966lbs

ULTRA SERIES - LIMEROCK

- GCW-96.5L Corner Wall 96.5w \times 24h \times 48d
- GCB-96.5L Corner Base 96.5w x 42.75h x 48d
- G-COMBO-L Closet 28w x 85h x 26d
- GSCH-28R Closet 28w x 85h x 26d
- G-CART Cart 40w x 36.625h x 24d GasketLoc Countertop - 40.5h
- MotionLatch Doors
- MotionLatch Drawers
- Heavy-Duty Drawer Liner
- Adjust-A-Loc Shelves
- Heavy-Duty Shelf Liner
- Snag-Free Radius Corners
- Hanger Bar
- Adjustable Toe Kick
- Heavy-Duty Casters



All corner packages are available in right corner configurations as well


YELLOW

CAT YELLOW

POWDER COAT COLORS:

ANY STANDARD PRODUCT CAN BE CUSTOMIZED TO YOUR SPECIFIC NEEDS, PLEASE CALL 715-355-8842 AND TALK TO YOUR CTECH REPRESENTATIVE TODAY.





STANDARD PRODUCTS LISTED

WALL - GW3-88 88w x 24h x 16d

Opening 1: 27.333w x 19h: Left Swing Opening 2: 27.333w x 19h: Right Swing Opening 3: 27.333w x 19h: Right Swing

MotionLatch Doors Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Snag-Free Radius Corners 91 lbs



WALL - GW4-88 88w x 24h x 16d

Opening 1: 41.75w x 19h: Pair Doors Opening 2: 41.75w x 19h: Pair Doors

MotionLatch Doors Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Snag-Free Radius Corners 105 lbs



CORNER WALL - GCW-96.5L 96.5w x 24h x 48d

Opening 1: 29w x 19h: Right Swing Opening 2: 24.833w x 19h: Left Swing Opening 3: 24.833w x 19h: Left Swing Opening 4: 24.833w x 19h: Right Swing

MotionLatch Doors Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Snag-Free Radius Corners 132 lbs



BASE - GBC37-88 88w x 42.75h x 24d

Opening 1: 27.333w x 4.125h: Drawers: 4 Opening 2: 27.333w x 30.875h: Left Swing Opening 3: 27.333w x 35h: Snap Trim Opening 4: 27.333w x 4.125h: Drawers: 4 Opening 5: 27.333w x 30.875h: Right Swing

GasketLoc Countertop - 40.5h MotionLatch Doors MotionLatch Drawers Heavy-Duty Drawer Liner Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Adjustable Toe Kick 189 lbs



BASE - GBCD-88 88w x 42.75h x 24d

Opening 1: 27.333w x 4.125h: Drawers: 4 Opening 2: 27.333w x 30.875h: Left Swing Opening 3: 27.333w x 35h: Drawers: 4, 4, 4, 6, 6, 9 Opening 4: 27.333w x 4.125h: Drawers: 4 Opening 5: 27.333w x 30.875h: Right Swing

GasketLoc Countertop - 40.5h MotionLatch Doors MotionLatch Drawers Heavy-Duty Drawer Liner Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Adjustable Toe Kick 303 lbs



BASE - GB-88 88w x 42.75h x 24d

Opening 1: 19w x 35h: Left Swing Opening 2: 44w x 35h: Snap Trim Opening 3: 19w x 35h: Right Swing

GasketLoc Countertop - 40.5h MotionLatch Doors Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Adjustable Toe Kick 162 lhs



BASE - GBC-88 88w x 42.75h x 24d

Opening 1: 19w x 4.125h: Drawers: 4 Opening 2: 19w x 30.875h: Left Swing Opening 3: 44w x 35h: Snap Trim Opening 4: 19w x 4.125h: Drawers: 4 Opening 5: 19w x 30.875h: Right Swing

GasketLoc Countertop - 40.5h MotionLatch Doors MotionLatch Drawers Heavy-Duty Drawer Liner Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Adjustable Toe Kick 208 lbs



CORNER BASE - GCB-96.5L & GCB-96.5R 96.5w x 42.75h x 48d Overall: 96w x 42.75h x 48d Main: 96w x 42.75h x 26d Leg: 48w x 42.75h x 26d

Opening 1: 21w x 35h: Right Swing Opening 2: 24w x 35h: Left Swing Opening 3: 44w x 35h: Snap Trim

GasketLoc Countertop - 40.5h MotionLatch Doors Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Adjustable Toe Kick 225 lbs




CART - G-CART 40w x 36.625h x 24d

Opening 1: 17.25w x 27.125h: Left Swing Opening 2: 17.25w x 27.125h: Drawers: 3, 4, 4, 4, 5, 6

MotionLatch Doors MotionLatch Drawers Heavy-Duty Drawer Liner Snag-Free Radius Corners Heavy-Duty Casters 205 lbs

POWDER COAT COLORS:

POWDER COAT COLORS:
EXTURE BLACK SILVER VEIN WHITE GRAY BLACK MIDNIGHT BLUE BLUE STREAK LIME YELLOW CAT YELLOW ORANGE RED



CLOSET - GSCH-28L 28w x 85h x 26d

Opening 1: 21w x 80h: Left Swing


MotionLatch Doors Snag-Free Radius Corners Hanger Bar Adjustable Toe Kick 128 lbs CLOSET - GSCH-28R 28w x 85h x 26d

Opening 1: 21w x 80h: Right Swing

MotionLatch Doors Snag-Free Radius Corners Hanger Bar Adjustable Toe Kick 128 lhs CLOSET - GSCS-28 28w x 85h x 26d

Opening 1: 21w x 80h: Right Swing

MotionLatch Doors Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Snag-Free Radius Corners Adjustable Toe Kick 140 lbs



CLOSET - GSCH-52 52w x 85h x 26d

Opening 1: 21.75w x 80h: Left Swing Opening 2: 21.75w x 80h: Right Swing

MotionLatch Doors Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Snag-Free Radius Corners Hanger Bar Adjustable Toe Kick 205 lbs CLOSET - GSCS-52 52w x 85h x 26d

Opening 1: 21.75w x 80h: Left Swing Opening 2: 21.75w x 80h: Right Swing

MotionLatch Doors Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Snag-Free Radius Corners Adjustable Toe Kick 220 lbs CLOSET - G-COMBO-L 28w x 85h x 26d

Opening 1: 21w x 37.875h: Left Swing Opening 2: 21w x 40.625h: Drawers: 3, 5, 5, 5, 7.7.7

MotionLatch Doors MotionLatch Drawers Heavy-Duty Drawer Liner Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Adjustable Toe Kick Snag-Free Radius Corners 276 lbs



CLOSET - G-COMBO-R 28w x 85h x 26d

Opening 1: $21w \times 37.875h$: Right Swing Opening 2: $21w \times 40.625h$: Drawers: 3, 5, 5, 5, 7, 7, 7

MotionLatch Doors MotionLatch Drawers Heavy-Duty Drawer Liner Adjust-A-Loc Shelves Heavy-Duty Shelf Liner Adjustable Toe Kick Snag-Free Radius Corners 276 lbs



POWDER COAT COLORS:

* ANY STANDARD PRODUCT CAN BE CUSTOMIZED TO YOUR SPECIFIC NEEDS, PLEASE CALL 715-355-8842 AND TALK TO YOUR CTECH REPRESENTATIVE TODAY.



CTech cabinets have always been designed for mobile applications and utilizing these premium cabinets in vans, trucks, and trailers of all shapes and sizes makes perfect sense. CTech gives a showroom finish with the durability to hold up to extreme conditions on and off the road.





* ANY STANDARD PRODUCT CAN BE CUSTOMIZED TO YOUR SPECIFIC NEEDS, PLEASE CALL 715-355-8842 AND TALK TO YOUR CTECH REPRESENTATIVE TODAY.

POWDER COAT COLORS:

CABINET OPTION

* ANY STANDARD PRODUCT CAN BE CUSTOMIZED TO YOUR SPECIFIC NEEDS, PLEASE CALL 715-355-8842 AND TALK TO YOUR CTECH REPRESENTATIVE TODAY. *

r FLOOR & LEG OPTIONS: •







Toe Kick with Adjustable Hidden Feet


COUNTERTOP: BASE CABINET / WORKBENCH:



GasketLoc Countertop - Gray Laminate, STANDARD



Laminate - ships with or sourced by customer/installer



GasketLoc Countertop - Stainless Overlay



Butcher Block - Standard cabinet style mounting

POWER OPTIONS: -



Electrical Racks
- component racking for any opening



Electrical Reel



Pre-Wired Options - HDMI, USB, RCA, and Power

r ADDITIONAL OPTIONS: -



Radius End Panels



LED Lighting



Louver Venting



Oval Venting



Locker Door Venting

radditional options: -



Power Docking Station



Vise - solid mount



Locks



Roll-up Door



Bench cushions



First Aid Cabinet



Lift off door



Mini Refrigerator opening

CABINETS

ADDITIONAL OPTIONS: ----



Microwave Opening - designed to fit any microwave



MotionLatch™ Pull-Out Shelves



Gas Shock door stay - STANDARD



Shelf Liner



Liner - heavy duty reinforced industrial liner



Parts Tray -Trim to fit, Leak proof, Easy to clean



DIV 2 -1 fixed (front to back) divider, 4 adjustable (side to side) dividers



DIV 3 -2 fixed (front to back) divider, 6 adjustable (side to side) dividers



Front to Back -4 adjustable dividers
















TRAILER











Bomb Squad Vehicle -Marathon Oneida County



SPECKALTY-WEKKELE







CUSTOM CABINETS


STANDARD FEATURES

- Lightweight All Aluminum Construction
- MotionLatch ™ doors and drawers
- Extruded Aluminum Radius Corners
- Tough Powder Coat Finish
- 1/8" Aluminum Top
- Lock Down Adjustable Shelves















RECREATION



EDUCATION







SHOW GARAGE



RACE SHOP



FACILITY













BLACKLINE ACCESSORIES



DIMENSIONS	4.25"W x 8.5"D
SPECIFICATIONS:	BL-ACC-10

BLACKLINE - BL-ACC-10 Rag In A Box Holder

- Securely holds "Rags in a box"
- Rag box is not included
- May fit other rag boxes as well



SPECIFICATIONS:	BL-ACC-11
DIMENSIONS	12"W x 17"D

BLACKLINE - BL-ACC-11 Water Jug Rack

- Holds 1-3 gallon jugs
- Jug not included



DIMENSIONS	13.625"W x 7.1875"D
SPECIFICATIONS:	BL-ACC-5

BLACKLINE - BL-ACC-5 Paper Towel Dispenser

- Prevents paper towel from unrolling
- easy paper change



DIMENSIONS	36"W × 14"H
SPECIFICATIONS:	BL-ACC-9

BLACKLINE - BL-ACC-9 Fuel Jug Rack

- Holds 3-5 gallon fuel jugs
- add a second mount kit to move mount from trailer to pit area



SPECIFICATIONS:	BL-ACC-2
DIMENSIONS	25.5"W x 10"H

BLACKLINE - BL-ACC-2 Bottle Rack

Organize your bottles and cans



SPECIFICATIONS:	BL-ACC-8
DIMENSIONS	25.5"W x 10"H

BLACKLINE - BL-ACC-8 Aerosol Can Rack

Holds up to 7 aerosol cans firmly in place



SPECIFICATIONS:	BL-ACC-7
DIMENSIONS	49.25"W x 20.165"H - OPEN
	49.25"W x 6" - CLOSED

BLACKLINE - BL-ACC-7 Flip-Down Bench

- Quick fold away work surface
- add a second mount kit to move from the interior to the exterior of your trailer



SPECIFICATIONS:	BL-ACC-3
DIMENSIONS	49.25"W x 24.75"H - OPEN 49.25"W x 9" - CLOSED

BLACKLINE - BL-ACC-3 Fold-Up Bench - Heavy Duty

- Heavy duty additional work surface
- Stainless Steel top
- Bottle rack storage



55

BLACKLINE ACCESSORIES



SPECIFICATIONS:	BL-ACC-6
DIMENSIONS	20"W x 26.75"H

BLACKLINE - BL-ACC-6 Charging / Radio Station

- 2 accessory shelves
- 7-110v duplex receptacles



SPECIFICATIONS:	BL-ACC-12
DIMENSIONS	25.5"W x 24"H

BLACKLINE - BL-ACC-12 $Hanging\ MotionLatch^{TM}\ Drawer\ Cabinet$

- Hemmed shelf work station
- 1-2", 2-4" MotionLatch™ Drawers



SPECIFICATIONS:	BL-ACC-4
DIMENSIONS	25.5"W x 50.5"H

BLACKLINE - BL-ACC-4 Accessory Rack

- 2- Bottle/Can racks
- 1- Aerosol Can rack
- 1- Paper towel dispenser



DIMENSIONS	25.5"W x 46"H
SPECIFICATIONS:	BL-ACC-1

BLACKLINE - BL-ACC-1 Drawer Cabinet w/Accessory Rack

- 1- Bottle/Can racks
- 1- Aerosol Can rack
- Hemmed shelf work station
- 1-2", 2-4" MotionLatch™ Drawers



SPECIFICATIONS:	BL-ACC-MOUNTKIT
DIMENSIONS	NA

BLACKLINE - BL-ACC-MOUNTKIT

- Molded from non-marring composite material
- 4 QuickMounts per kit
- Perfect addition to any existing accessory for added mount locations.









POLICIES & PROCEDURES

CTech Manufacturing Policies and Procedures

Terms - Standard terms for approved accounts are Net 30-days. Non-compliance to the terms may result in a late fee of up to 2% per month.

Cancellation and Change Policy - Orders canceled more than 24 hours from time of receipt are subject to a cancellation fee of up to 20%. Cancellation or changes must come in writing (not verbal) and be confirmed within 24 hours of the original purchase order being issues to avoid and potential change or cancellation fees.

Return Policy - Custom built products are non-returnable. Standard products are subject to a return fee of up to 20% plus the cost of freight to return the product. Products must have been purchased within the past 12 months. All returned products must be in like new, sale-able condition. Any returned products MUST have a Return Goods Authorization approved before returning. Any returns without a pre-approved RGA will be rejected and returned to sender.

Warranty Policy - CTech Manufacturing offers a limited lifetime warranty* against any manufacturing defects in material or workmanship so long as the original purchaser retains ownership, possession, and control of the product.

* **Note** - Slides are a purchased product and are warranted for one year from date of original invoice. Slides are passed through to the original manufacturer for inspection and processing.

50% WEIGHT SAVINGS

on average over a steel comparison

N HOUSE



Taking industry standards and

BUILDING IT BETTER for 25 YEARS!



CTech Manufacturing is a Wisconsin based company dedicated to customer satisfaction, quality products and industry leading innovations.

With 25 years of experience, CTech has established itself as the most respected name in manufactured aluminum carts, cabinets and drawers for mobile applications. Our customer relationships help drive our business in new directions and keep CTech the leader of pack.

WWW.CTECHMANUFACTURING.COM



CTECH Manufacturing 7501 Commerce Dr Weston, WI 54476 (p)715-355-8842 (f)715-355-8932

© All Rights Reserved 2023 CTECH Manufacturing - 01242023