

THE BEST AIR SPRINGS

RIDE ON AIR

Firestone Ride-Rite™ Air Springs ride on air only to give you comfort, confidence and control.



Representational image only. Some kits may vary.

ABSORBS EXTREME SHOCK

Capable of withstanding sudden left-to-right or side-to-side changes in suspension travel.

AIR ONLY DESIGN

Smooth ride and high performance because we only use air. No stroke limiting bumper required.

WORRY-FREE MAINTENANCE

Durable bellow won't rip or pull apart when suspended on a lift.

LONG PRODUCT LIFE


Built to last using commercial grade steel plates with rolled crimp design, for a long life under your truck.

TOP SELLING RIDE-RITE™ KITS			
Model	Year	Air Leveling Rear Kit	No Drill Install
Chevrolet/GMC Pickup Trucks			
Silverado, Sierra 1500 (2WD, 4WD)	07-18	2430	🔧
1500 (2WD, 4WD)	19	2609	🔧
1500, 2500 (2WD, 4WD)	88-98	2025	
Silverado, Sierra 2500, 3500 HD (2WD, 4WD)	11-19	2596	🔧
Silverado, Sierra 2500, 3500 (2WD, 4WD)	01-10	2250	🔧
2500 (2WD, 4WD) with rear drum brakes	99-00	2025	
3500 (2WD, 4WD)	88-00	2025	
Dodge/Ram Pickup Trucks			
Ram 1500 (2WD, 4WD)	09-18	4185	🔧
Ram 1500 (2WD, 4WD)	94-01	2071	
Ram 1500 Mega Cab (2WD, 4WD)	06-08	2299	🔧
Ram 1500 (2WD, 4WD)	02-08	2286	🔧
Ram 2500 (2WD, 4WD)	14-19	2598	🔧
Ram 2500 (2WD, 4WD)	03-13	2299	🔧
Ram 3500 (2WD only)	13-19	2579	🔧
Ram 3500 (4WD only)	13-19	2560	🔧
Ram 3500 (2WD, 4WD)	03-12	2299	🔧
Dodge D+W 100,1500, 2500	69-02	2071*	


Model	Year	Air Leveling Rear Kit	No Drill Install
Ford Pickup Trucks			
F150 (2WD, 4WD) (not raptor of FX2)	15-19	2582	🔧
F150 (2WD, 4WD) (not raptor of FX2)	09-14	2525**	🔧
F150 (2WD, 4WD) (with B&W hitch only)	09-14	2542**	🔧
F150	97-04	2320	
F100-150	69-96	2071*	
F250, F350 (2WD, 4WD)	11-16	2597	🔧
F250, F350 (4WD) single wheel	17-19	2605	🔧
F250, F350 (2WD)	17-19	2600	🔧
F250, F350 (2WD, 4WD)	08-10	2550	🔧
F250, F350 over 8500 GVWR (2WD, 4WD) (not V10 gas w/extended cab & 8')	99-04	2550	🔧
F250, F350 over 8500 GVWR (2WD, 4WD)	69-98	2071*	
F350, F450 dually (4WD)	17-19	2604	🔧
Toyota Pickup Trucks			
Tundra (2WD, 4WD), TRD	07-18	2445	🔧

* 7.5" tire to frame minimum clearance
 ** 6" tire to frame minimum clearance
 ** 6" tire to frame minimum clearance

BEFORE installing
Ride-Rite air springs



AFTER installing
Ride-Rite air springs




GO EXTREME.

Need power for frequent, extreme hauling?
Ride-Rite™ Extreme Duty Air Springs were
made with you in mind. Up to 150psi
and leveling loads up to 7500lbs.*

RED LABEL AIR SPRING KITS

Make/Model	Year	Air Leveling Rear Kit
Chevrolet/GMC Pickup Trucks		
Silverado, Sierra 2500HD (2WD, 4WD)	11-19	2702
Silverado, Sierra 2500HD (2WD, 4WD)	01-10	2700
Silverado, Sierra 3500HD (2WD, 4WD)	11-19	2702
Silverado, Sierra 3500HD (2WD, 4WD)	01-10	2700
Ford Pickup Trucks		
F250, F350 (4WD) single wheel	17-19	2707
F350, F450 dually (4WD)	17-19	2708
F250 (2WD, 4WD)	11-16	2703
F350 (2WD, 4WD)	11-16	2703
F450 (2WD, 4WD)	11-13	2703
Ram Pickup Trucks		
Ram 2500 (2WD, 4WD)	14-19	2706
Ram 2500 (2WD, 4WD)	03-13	2701
Ram 3500 (4WD only)	13-19	2705
Ram 3500 (2WD, 4WD)	03-12	2701

* Do not exceed the vehicle's recommended Gross Vehicle Weight Rating (GVWR)



ON BOARD AIR FOR YOUR AIR SPRINGS

AIR COMMAND™ AIR CONTROL SYSTEMS

Firestone Ride-Rite™ Air Accessories enable you to adjust your air springs with the push of a finger.



Analog Mount



Wireless Remote

NEW! Wireless App

- New design with a two wire hook-up
- App for Apple & Android
- Mount anywhere compressor & ECU
- 2 memory presets









+ COMPATIBLE WITH MOST AIR SPRING SYSTEMS

+ CONVENIENT ONBOARD AIR

+ ONE PUSH PRESSURE ADJUSTMENT

+ PRECISION ENGINEERED LEVELING

		Light Duty	Standard Duty	Heavy Duty	Xtra	Xtreme
Single Leveling System Equal pressure to the springs on both sides This applies to most towables using a hitch. 	Analog 	2538 2497*	2158 2497*	2097 2497*	2266 2497*	2543
	Wireless App 	2610	Universal fit compatible with most vehicles. For use with any air spring kit that uses 1/4" tubing.			
Dual Leveling System Allows for side-to-side or front-to-back leveling. This applies to work trucks, in-bed campers and off-center loads. 	Analog 	N/A	2178 2497*	2219 2497*	2168 2530*	2549
	Wireless 	2581 2588*	2589 2588*	2590 2588*	2591 2588/2496*	2592 2588/2496*

*Mounting plate for vehicle pairs with kit number